Team ID: PNT2022TMID14992

from google.colab import drive
drive.mount('/content/drive')

Date: 27 October 2022

= ASSIGNMENT_3 :- P LOKESH RAJA

```
Mounted at /content/drive
  #Extracting Data
  !unzip "/content/drive/MyDrive/Colab Notebooks/Flowers-Dataset (Splitted).zip"
- Image Augmentation
  #Import req. Lib.
  from tensorflow.keras.preprocessing.image import ImageDataGenerator
  #Augmentation On Training Variable
  train datagen = ImageDataGenerator(rescale= 1./255,
                  zoom range=0.2,
                  horizontal flip
                  =True)
  #Augmentation On Training Variable
  test datagen = ImageDataGenerator(rescale= 1./255)
  #Augmentation On Training Variable
  ftrain = train datagen.flow from directory('/content/Flowers-Dataset ( Splitted
  )/Training',
                                          target size=(64,64),
                                          class mode='categorical',
                                          batch size=100)
       Found 4086 images belonging to 5 classes.
  #Augmentation On Training Variable
  ftest test datagen.flow from directory('/content/Flowers-Dataset ( Splitted
  )/Testing',
```

target size=(64,64),

class mode='categorical',

Found 231 images belonging to 5 classes.

- Creating The Model:

Adding Layers:

Epoch 4/10

```
#Import req. Lib.
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Flatten, Dense
# Build a CNN Block:
model = Sequential() #intializing sequential model
model.add(Convolution2D(32,(3,3),activation='relu', input shape=(64,64,3)))
#convolution laye model.add(MaxPooling2D(pool size=(2, 2))) #Maxpooling layer
model.add(Flatten()) #Flatten layer
model.add(Dense(400,activation='relu')) #Hidden Layer
model.add(Dense(200,activation='relu')) #Hidden Layer 2
model.add(Dense(5,activation='softmax'))#Output Layer
Compiling:
# Compiling The Model...
model.compile(optimizer='adam',loss='categorical crossentropy',metrics=['accuracy'])
Fit / Train The Model:
#Train Model:
model.fit generator(ftrain,
                steps per epoch=len(ftrain),
                epochs=10,
                validation data=ftest,
                validation steps=len(ftest))
    /usr/local/lib/python3.7/dist-packages/ipykernel launcher.py:6: UserWarning:
    'Model.fit
    Epoch 1/10
    accuracy: 0.43
    Epoch 2/10
    41/41 [============== ] - 29s 70lms/step - loss: 1.0398 -
    accuracy: 0.59:
    Epoch 3/10
    accuracy: 0.62:
```

accuracy: 0.66a Epoch 5/10

accuracy: 0.68 Epoch 6/10

Saving The Model:

```
#Save Model
model.save('flowers.h5')
```

accuracy: 0.76i

<keras.callbacks.History at 0x7fd7e3c5eb90>

- Testing The Model:

```
#Import req. Lib.
from tensorflow.keras.preprocessing import image
import numpy as np
#Test1ng No 1 : -
img image.load img('/content/Flowers-Dataset ( Splitted
)/Testing/daisy/34275662120 7757a15 f = image.img to array(img) #Convertinng image
to array
f = np.expand dims(f,axis=0) #Expanding dimensions
pred = np.argmax(model.predict(f)) #predicting higher propability
index op ['daisy','dandelion','rose','sunflower','tulip']
#Creating List op[pred] #List indexing with output
     'daisy'
#Testing No 2 :-
img image.load img('/content/Flowers-Dataset ( Splitted
)/Testing/sunflower/14121915990 4b7 f = image.img to array(img) #Convertinng image
f = np.expand dims(f,axis=0) #Expanding dimensions
pred = np.argmax(model.predict(f)) #predicting higher propability
index op ['daisy','dandelion','rose','sunflower','tulip']
#Creating List op[pred] #List indexing with output
```

ASSIGNMENT-3 NARENDRAN N.D.

"sunflower"

#Test1ng No 3:-

img image.load_img('/content/Flowers-Dataset (Splitted)/Testing/tulip/19425920580_cdc8f49 f = image.img_to_array(img) #Convertinng image to array

ASSIGNMENT-3 NARENDRAN N.D.

For the above three tests performed the Model has predicted the images correctly..!