ASSIGNMENT 1

MAHENDRA ENGINEERING COLLEGE FOR WOMAN

NAME: K. Srija

CLASS:4 YEAR CSE

SUBJECT: IBM


REGISTER NO: 611419104084

DESIGN PART

CODING PART

#include <SPI. h>

#include <Wire. h>




#include <1Rremote. h>

const int relay_1 = 12;



```
const int relay_2 = 11;
const int relay_3 = 10;
const int relay_4 = 9;
const int mswitch_1 = 8;
const int mswitch_2 = 7;
const int mswitch_3 = 6;
const int mswitch_4 = 5;
int RECV_PIN = 3;
IRrecv irrecv(RECV_PIN);
decode_results results;
int toggleState_1 = 0;
int toggleState_2 = 0;
int toggleState_3 = 0;
int toggleState_4 = 0;
void setup() {
 Serial. begin(9600);
 irrecv. enablelRln();
 pinMode(relay_1, OUTPUT);
```



```
pinMode(relay_2, OUTPUT);
 pinMode(relay_3, OUTPUT);
 pinMode(relay_4, OUTPUT);
 pinMode(mswitch_1, INPUT_PULLUP);
 pinMode(mswitch_2, INPUT_PULLUP);
 pinMode(mswitch_3, INPUT_PULLUP);
 pinMode(mswitch_4, INPUT_PULLUP);
}
void relayOnOff(int relay){
  switch(relay){
   case 1:
        if(toggleState_1 == 0){
        digitalWrite(relay_1, HIGH); // turn on relay 1
        toggleState_1 = 1;
        }
        else{
        digitalWrite(relay_1, LOW); // turn of f relay 1
        toggleState_1 = 0;
        }
        delay(100);
   break;
   case 2:
        if(toggleState_2 == 0){
        digitalWrite(relay_2, HIGH); // turn on relay 2
```

```
toggleState_2 = 1;
     }
    else{
     digitalWrite(relay_2, LOW); // turn off relay 2
     toggleState_2 = 0;
     }
    delay(100);
break:
case 3:
    if(toggleState_3 == 0){
     digitalWrite(relay_3, HIGH); // turn on relay 3
     toggleState_3 = 1;
     }else{
     digitalWrite(relay_3, LOW); // turn of f relay 3
     toggleState_3 = 0;
     }
    delay(100);
break;
case 4:
    if(toggleState_4 == 0){
     digitalWrite(relay_4, HIGH); // turn on relay 4
     toggleState_4 = 1;
     }
    else{
     digitalWrite(relay_4, LOW); // turn off relay 4
     toggleState_4 = 0;
     }
```

```
delay(100);
    break;
   default : break;
    }
}
void loop() {
  if (digitalRead(mswitch_1) == LOW){
   delay(200);
   relayOnOff(1);
  }
  else if (digitalRead(mswitch_2) == LOW){
   delay(200);
   relayOnOff(2);
  }
  else if (digitalRead(mswitch_3) == LOW){
   delay(200);
   relayOnOff(3);
  }
  else if (digitalRead(mswitch_4) == LOW){
   delay(200);
   relayOnOff(4);
  }
```

```
if (irrecv. decode(&results)) {
  switch(results. value){
    case 0xFD08F7:
          relayOnOff(1);
    break;
    case 0xFD8877:
          relayOnOff(2);
    break;
    case 0xFD48B7:
          relayOnOff(3);
    break:
    case 0xFD28D7:
          relayOnOff(4);
    break;
   default : break;
    }
irrecv. resume();
```

}