
Assignment-3

Student Name	Rohinth Roshan B
Student Roll Number	921319106183
Maximum Marks	2 marks

1. Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

Source code:

```
<!DOCTYPE html>
  <html>
  <head>
        <title>
        Images From Cloud Object Storage
        </title>
        <link rel="stylesheet" href="style.css">
  </head>
  <body>
        <h2>Phone Images In Cloud Object Storage</h2>
        <img src="https://fast-data.s3.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">
    storage.appdomain.cloud/phn1.jpg"></img>
        <img src="https://fast-data.s3.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">
  storage.appdomain.cloud/phn2.jpg"></img>
        <img src="https://fast-data.s3.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">
  storage.appdomain.cloud/phn3.png"></img>
        <img src="https://fast-data.s3.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">
  storage.appdomain.cloud/phn4.png"></img>
        <img src="https://fast-data.s3.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">img src="https://fast-data.sa.jp-tok.cloud-object">
  storage.appdomain.cloud/phn6.png"></img>
 </body>
  </html>
3. Upload a CSS page to the object storage and use the
same page in your HTML code.
  Source code:
 body {
        font-family: 'Nunito', sans-serif;
        color: #021233;
```

h2{

```
text-align: center;
}
img {
border-radius: 100px;
height: 250px;
width: 250px;
margin: 10px 100px 30px 20px;
       background-color: rgb(187,190,189)
                                   # 15 house From David Object Nov. 14 4
 C () File | Cylibers/Barania/Dasktop/phone.html
                                Phone Images In Cloud Object Storage
```

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

ChatBot Link:

https://web

chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fausyd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fu

p x-84a95c8a-f77f-4a9f-9fe2-83c6c633eb73%3A%3Ad2c33b7c 8cb8-46b7-92cb-6882346edc04&integrationID=39b44b9b-ef19-4126-bf53-86fc28c4f6c4®ion=au syd&serviceInstanceID=84a95c8a-f77f-4a9f-9fe2-83c6c633eb73

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Source code:

```
<!DOCTYPE html>
<html>
<head>
<title>
IBM Watson ChatBot
</title>
<link rel="stylesheet" href="style.css">
<script>
window.watsonAssistantChatOptions = {
integrationID: "39b44b9b-ef19-4126-bf53-86fc28c4f6c4", // The
ID of this integration.
      region: "au-syd", // The region your integration is hosted in.
serviceInstanceID: "84a95c8a-f77f-4a9f-9fe2-83c6c633eb73", //
The ID of your service instance.
onLoad: function(instance) { instance.render(); } };
setTimeout(function(){
const t=document.createElement('script');
t.src="https://web
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script>
```

</head>
<body>
<h1>ChatBot Page </h1>
</body>

</html>

CHATBOT FOR HOSPITAL

CHATBOT FOR HOSPITAL

Hill I'm a virtual assistant. I'm here to search an Hospital....