Project Development Phase SPRINT-1

Date	29 October 2022
Team ID	PNT2022TMID17348
Project Name	Project - IOT Based Safety Gadget for Child Safety Monitoring&Notification

☐ REGISTRATION:

HTML:


```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script> if (window.location.hostname !==
    "localhost") { if (location.protocol !== "https:")
    { location.replace(
           `https:${location.href.substring(
             location.protocol.length
           )}`
        )
      }
    }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="loginContainer">
      <span>Login to Continue</span>
      <div class="traditionalLoginContainer">
         <form class="signupForm" action="/" method="post">
           <input type="text" name="firstName" placeholder="First Name" id="firstName">
           <input type="text" name="lastName" placeholder="Last Name" id="lastName">
           <input type="text" name="username" placeholder="User Name" id="username">
           <input type="email" name="email" placeholder="Email" id="email">
```

```
<input type="password" name="password" placeholder="Password" id="password">
           <input class="loginButton" type="submit" value="Sign Up">
         </form>
       </div>
       <div class="loginWithFireContainer">
                   type="button"
                                                   title="Login
                                                                                     id="fire">Login
                                    class="fire"
                                                                 with SAFETY"
SAFETY</button>
       </div>
       <a class="hyperLink" href="/login">Already have an Account? Login / </a>
    </div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function const fireBroadcastingChannel = new
    BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async event => {
       let data = event.data
       * @typedef {Object<string, any>} Data
      * @property {boolean} success - Whether the login was successful
      * @property {string} token - The data returned from the login i.e. Fire Token
       */
      // data.token is the message sent from the fireOAuthChannel after verification
      // data.success is a boolean that indicates whether the verification was successful
      // data.token is the fire token
      // What to do with the Fire Token?
      //* Fire Token is an unique token which uniquely identifies the user who authorized your login attempt
with Fire
      // * You can use this token ONLY ONCE as it will be destroyed after the first use
      // 1. Send the fire token to the Fire Server to verify the user
      // - You can do that client sided or server sided
      // - You need to send a POST Request to the Fire Server with the fire token
      // at the URL: http://localhost:3003/api/tokens/verify
      // - The Fire Server will verify the fire token and return a response
      // - If the verification was successful - CODE (200), the Fire Server will return a response with the user's
data
      // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
response with an error 'message'
```

// - You can use the data returned from the Fire Server to create a new user in your database

```
// This example will send the token to Fire Servers and console.log the response console.log("%c"
       + `Fire Token: ${data.token}`, `color: #f1c40f; font-weight: bold;`); const response = await
       fetch('https://fire.adaptable.app/api/tokens/verify', { method: 'POST',
         headers: {
           'Content-Type': 'application/json'
         },
         body: JSON.stringify({
            token: data.token
         })
      })
       // get the response
       const responseData = await response.json()
      // console.log the response console.log(responseData)
       await localforage.setItem('userData', {...responseData, isFire: true})
      // Adding the user data to the user Database
       let database = await localforage.getItem("userDatabase") if
       (database == null) {
         database = []
      }
       database.push(responseData)
       await localforage.setItem("userDatabase", database)
      // redirect to the home page window.location.href
       = '/'
    })
    function popupwindow(url, title, w, h) {
       var left = (screen.width/2)-(w/2); var
      top = (screen.height/2)-(h/2);
      return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
    }
    document.getElementById("fire").addEventListener("click", function() { popupwindow("/fireoauth.html",
       "Fire OAuth", 450, 600)
    })
  </script>
  <script>
    // this.Website's Scripts / App Logic
    document.querySelector(".signupForm").addEventListener("submit"
                                                                                 async
                                                                                           (e)
       e.preventDefault()
```

```
let firstName = document.getElementById("firstName").value
      let lastName = document.getElementById("lastName").value
                               username
      document.getElementById("username").value let email =
      document.getElementById("email").value let password =
      document.getElementById("password").value
      let profilePic = `https://avatars.dicebear.com/api/adventurer-
neutral/${firstName}${lastName}.svg?backgroundColor=variant03` let data = {
      firstName, lastName, username, email, password, profilePic } await
      localforage.setItem("userData",
                                        data)
                                                let
                                                     database
                                                                      await
      localforage.getItem("userDatabase") if (database == null) {
         database = []
      }
      database.push(data)
                                                    await
      localforage.setItem("userDatabase",
                                               database)
      window.location.href = "/"
    })
  </script>
</body>
```



☐ CONFIRMATION EMAIL:

INDEX:

<!DOCTYPE html>

<html lang="en" style="height: 100%; margin: 0;">


```
<meta charset="UTF-8" />
                          <meta name="description" content="The Home Page after Logged In" />
                          <meta name="viewport" content="width=device-width, initial-scale=1.0" />
                           <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
             <script src="./localforage.js"></script>
                           <script>
                                    if (window.location.hostname !== "localhost") {
                                              if (location.protocol !== "https:") {
                                                       location.replace(
                                                                 `https:${location.href.substring(
                                                                         location.protocol.length
                                                                 )}`
                                                       )
                                             }
                                    }
                                    async function check() {
                 let data = localforage.getItem("userData") if
                 (data == null) {
                   window.location.href = "/login"
                 }
              }
check()
                           </script>
                 </head>
                 <body
style="
height: 100%;
margin: 0;
font-weight: 300;
                                    font-family: -apple-system, BlinkMacSystemFont, 'Segoe Ul', Roboto,
                                              Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue',
                                              sans-serif;
                           <div
                                    class="wrapper"
                                    style="
```

<head>

```
flex;
                                                    flex-direction:
                                            column; align-items:
                                            center;
                                            justify-content: center;
                text-align: center;
                                   <div
                                            class="details"
                                            style="
                                                     display: flex;
                                                     flex-direction:
                                                     column; align-items:
                                                     center; gap: 20px;
                                                     padding:
                                                                     1rem;
                                                     border-radius: 5px;
                                                     box-shadow: 0 0 8px 0px #4444444;
max-width: 80%;
                                   >
                                            <h1 class="name" style="margin: 0"></h1>
                                            <div
class="imageContainer"
style="padding: 10px; height: 10rem; width: 10rem"
                                                     <img class="image" alt="profile picture" />
                                            </div>
                                            <h2 class="email" style="margin: 0"></h2>
                <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight: 400;"
       href="./dashboard">Go to Dashboard / </a>
                                   </div>
                          </div>
                          <script>
                                   async function main() {
                let name = document.querySelector(".name") let
                image = document.querySelector(".image") let
```

height: 90%; display:

</html>



LOCALFORAGE:

```
/*!

localForage -- Offline Storage, Improved

Version 1.10.0

https://localforage.github.io/localForage

(c) 2013-2017 Mozilla, Apache License 2.0

*/

!function(a)

{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a();

else if("function"==typeof define&&define.amd)define([],a);

else{var b;

b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof self?self:this,b.localforage=a()}}{function(){
return function a(b,c,d){
```

```
function e(g,h){if(!c[g]){if(!b[g]){
                 var
                                i="function"==typeof
                                                                          require&&require;
                 if(!h&&i)return i(g,!0);if(f)return f(g,!0); var j=new
                 Error("Cannot find module ""+g+""");
                 throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
                                      b[g][0].call(k.exports,function(a){
                             c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)} return
                             c[q].exports}
               for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
               return e}({1:[function(a,b,c){(function(a){"use strict";
                                                     function
                                                                               c(){k=!0;for(var
                                                                                                                  a,b,c=l.length;c;){
                                                                                                                                                          for(b=I,I=[],a=-
                                                       1;++a<c;)b[a]();c=l.length}k=!1}
                                                     function d(a){1!==I.push(a)||k||e()}var
           e,f=a.MutationObserver||a.WebKitMutationObserver;
if(f){var g=0,h=new
           f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}}
                                                     else if(a.setImmediate||void 0===a.MessageChannel)e="document"in
           a&&"onreadystatechange"in
                                                                                                 a.document.createElement("script")?function(){var
            b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onreadystatechange=null,b.p
            rentNode.removeChild(b),b=null},a.document.documentElement.appendChild(b)}:function(){setTimeout(c,0)
                                  j=new
                                                 a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}var
            k,l=[];b.exports=d}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
           self?self:"undefined"!=typeof window?window:{})},{}],2:[function(a,b,c){"use strict";function d(){}function
            e(a){if("function"!=typeof
                                                           a)throw
                                                                                                 TypeError("resolver
                                                                                 new
                                                                                                                                         must
                                                                                                                                                          he
            function");this.state=s,this.queue=[],this.outcome=void
                                                                                                                                  0,a!==d&&i(this,a)}function
           f(a,b,c){this.promise=a,"function"==typeof
           b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==typeof
           c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)}function g(a,b,c){o(function(){var
           d;try{d=b(c)}catch(b){return p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
           itself")):p.resolve(a,d)}))function h(a){var b=a&&a.then;if(a&&("object"==typeof a||"function"==typeof
           a)&&"function"==typeof b)return function(){b.apply(a,arguments)}}function i(a,b){function
           c(b)\{f||(f=!0,p.reject(a,b))\}function d(b)\{f||(f=!0,p.resolve(a,b))\}function e()\{b(d,c)\}var
           f=!1,g=j(e);"error"===g.status&&c(g.value)}function
                                                                                                                                                               j(a,b){var
            c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value=a}return e}function k(a){return a
            instanceof this?a:p.resolve(new this(d),a)}function I(a){var b=new this(d);return p.reject(b,a)}function
           m(a){function b(a,b){function
           d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(a)\{f||(f=!0,p.reject(j,a))\})\}var
           c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
           array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=new Array(e),h=0,i=-1,j=new
           this(d);++i<e;)b(a[i],i);return j}function n(a){function
           b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function(a){f||(f=!0,p.reject(h,a))})}var
            c=this;if("[object Array]"!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an
            array"));var e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
            o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e.prototype.catch=function(a){ret
                                                                       this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof
                                                                                    b&&this.state===q)return
            a&&this.state===r||"function"!=typeof
                                                                                                                                          this:var
            this.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.outcome)}else
                                                                                                                                               this.queue.push(new
            c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.otherCallFulfilled=function(a){g(
            this.promise,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(this.promise,a)},f.prototype.oth
            erCallRejected = function (a) \{g(this.promise, this.onRejected, a)\}, p. resolve = function (a, b) \{varantee (a, b), p. resolve = function (a, b), p. resol
            c=j(h,b);if("error"===c.status)return
                                                                                                                                               p.reject(a,c.value);var
            d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var
                                                                                                                                                                          e=-
            1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
            a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var
                                                                                                                                                                          C=-
```

1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return

```
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(b){"use
strict";"function"!=typeof
                                                                                                                                                                      b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof
global?global:"undefined"!=typeof
                                                                                                                                                                                                                                                                                       self?self:"undefined"!=typeof
window?window:{})},{2:2}],4:[function(a,b,c){"use strict";function d(a,b){if(!(a instanceof b))throw new
TypeError("Cannot call a class as a function")}function
e(){try{if("undefined"!=typeof indexedDB)return indexedDB;if("undefined"!=typeof webkitIndexedDB)return
webkitIndexedDB;if("undefined"!=typeof mozIndexedDB)return mozIndexedDB;if("undefined"!=typeof
OIndexedDB)return OIndexedDB;if("undefined"!=typeof msIndexedDB)return
msIndexedDB\} catch (a) \{return\} \} function \ f() \{try\{if(!ua||!ua.open) return!1; var\ a="undefined"!=typeoflicing to the property of the pr
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.test(navigator.userAgent
) &&!/BlackBerry/.test(navigator.platform),b="function"==typeof fetch&&-
1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof
                                                                                                                                                                                                                                                                            indexedDB&&"undefined"!=typeof
IDBKeyRange}catch(a){return!1}}function g(a,b){a=a||[],b=b||{};try{return new
Blob(a,b)}catch(f){if("TypeError"!==f.name)throw f;for(var c="undefined"!=typeof
BlobBuilder?BlobBuilder:"undefined"!=typeof MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder:MozBlobBuilder:WebKitBlobBuilder,d=new c,e=0;e<a.length;e+=1)d.append(a[e]);return
d.getBlob(b.type)}}function h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}function
i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof c&&a.catch(c)}function
j(a){return"string"!=typeof a&&(console.warn(a+" used as a key, but it is not a
string."),a=String(a)),a}function k(){if(arguments.length&&"function"==typeof arguments[arguments.length-
1])return arguments[arguments.length-1]}function I(a){for(var b=a.length,c=new ArrayBuffer(b),d=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return c}function m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=function(a){a.preventDefault(),a.st
opPropagation(),b(!1)},c.oncomplete=function(){var
a=navigator.userAgent.match (/ChromeV(\d+)/), c=navigator.userAgent.match (/EdgeV/); b(c||!a||parseInt(a[1],10) and all continuous and all conti
>=43)}}).catch(function(){return!1}))function
                                                                                                                                                                                                                                                                                n(a){return"boolean"==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var b=ya[a.name],c={};c.promise=new
va(function(a,b)\{c.resolve=a,c.reject=b\}), b. deferred Operations.push(c), b. dbReady?b. dbReady=b. dbReady=
y.th en(function(){return c.promise}):b.dbReady=c.promise}function p(a){var
b=ya[a.name],c=b.deferredOperations.pop();if(c)return c.resolve(),c.promise}function q( a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return d.reject(b),d.promise}function r(a,b){return new
va(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\ c(a.db);o(a),a.db.close()\} varies of the property of the 
e=[a.name];b&&e.push(a.version);var f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c = f.result; try \{c.createObjectStore(a.storeName), b.oldVersion <= 1 \& \& c.createObjectStore(wa) \} catch(c) \{if ("Continuous continuous con
straintError"!==c.name)throw c;console.warn('The database "'+a.name+'" has been upgraded from version
                                                                                                                             "+b.newVersion+', but the storage
                                                                                                                                                                                                                                                                                            "'+a.storeName+'"
'+b.oldVersion+"
                                                                  to version
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=function(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}}}function s(a){return r(a,!1)}function
t(a){return r(a,!0)}function u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a.version>a.db.version; if(d&&
(a.version!==b&&console.warn('The database "'+a.name+"\" can't be downgraded from version
  "+a.db.version+" to version "+a.version+"."),a.version=a.db.version),e||c){if(c){var
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function v(a){return new va(function(b,c){var
d=new FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({
local_forage_encoded_blob:!0,data:d,type:a.type})},d.readAsBinaryString(a)})} function w(a){return
g([l(atob(a.data))],{type:a.type}))function x(a){return a&&a._local_forage_encoded_blob}function
y(a) \{var\ b=this, c=b.\_initReady(). then (function() \{var\ a=ya[b.\_dblnfo.name]; if (a\&\&a.dbReady) return a part of the context of the con
a.dbReady});return i(c,a,a),c}function z(a){o(a);for(var
b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
e=c[d]; e\_dblnfo.db\&\&(e\_dblnfo.db.close(), e\_dblnfo.db=null)\} return \\ a.db=null, s(a).then(function(b)\{returnder(a), e\_dblnfo.db\&\&(e\_dblnfo.db)\} return \\ a.db=null, s(a).then(function(b)\{returnder(a), e\_dblnfo.db)\} return \\ a.db=null, s(a).then(function(b), e\_dblnfo.db)
a.db=b,u(a)?t(a):b}).then(function(d){a.db=b.db=d;for(var
e=0; e<c.length; e++)c[e].\_dblnfo.db=d).catch(function(b)\{throw\ q(a,b),b\})\} function\ A(a,b,c,d)\{void\ average aver
0===d&&(d=1);try{var
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"InvalidStateError"===e.name||"NotFou
ndError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.db.objectStoreNames.contains(a.store
Name)&&a.version<=a.db.version)return a.db&&(a.version=a.db.version+1),t(a)}).then(function(){return
z(a).then(function(){A(a,b,c,d-1)})).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function
                                                                                                                                                                                                                                                                                                C(a){function
                                                                                                                                                                                                                                                                                                                                                                      b(){return
va.resolve())var c=this,d={db:null};if(a)for(var e in a)d[e]=a[e];var
f=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c._initReady||(c._initReady=c.ready,c.ready=y);for(var
g=[],h=0;h<f.forages.length;h++){var i=f.forages[h];i!==c&&g.push(i._initReady().catch(b))}var
j=f.forages.slice(0);return va.all(g).then(function(){return d.db=f.db,s(d)}).then(function(a){return
b=0;b<j.length;b++){var e=j[b];e!==c&&(e._dblnfo.db=d.db,e._dblnfo.version=d.version)}})}function
D(a,b){var c=this;a=j(a);var d=new
va(function(b,d){c.ready().then(function(){A(c._dblnfo,Aa,function(e,f){if(e)return d(e);try{var
```

```
g=f.objectStore(c._dbInfo.storeName),h=g.get(a);h.onsuccess=function(){var a=h.result;void
0 == a \& (a = null), x(a) \& \& (a = w(a)), b(a)\}, h. onerror = function() \{d(h.error)\} \} catch(a) \} \})). catch(d)\}); return before the function of the functi
h(d,b),d}function E(a,b){var c=this,d=new
d(e);try{var
g=f.objectStore(c.\_dbInfo.storeName), h=g.openCursor(), i=1; h.onsuccess=function() \{var\ c=h.result; if(c) \{var\ c=h.result; if(c)\} \}
d=c.value;x(d)&&(d=w(d));var
                                                                                                                    e=a(d,c.key,i++);void
                                                                                                                                                                                                                  0!==e?b(e):c.continue()}else
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)});return
                                                                                                                                                                                                     h(d,b),d}function
                                                                                                                                                                                                                                                               F(a,b,c){var
d=this;a=j(a);var e=new va(function(c,e){var f;d.ready().then(function(){return f=d._dblnfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)return e(f);try{var
h=g.objectStore(d.\_dblnfo.storeName); null===b\&\&(b=void\ 0); var\ i=h.put(b,a); g.oncomplete=function() \{void\ 0\}; var\ i=h.put(b,a); g.oncomplete=functio
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})}).catch(e)});return h(e,c),e}function G(a,b){var
c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){A(c._dblnfo,Ba,function(e,f){if(e)return
d(e);try{var
g=f.objectStore(c._dblnfo.storeName),h=g.delete(a);f.oncomplete=function(){b()},f.onerror=function(){d(h.err
or)},f.onabort=function(){var a=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)}})}.catch(d)});return
h(d,b),d}function H(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dbInfo,Ba,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dblnfo.storeName),g=f.clear();e.oncomplete=function(){a()},e.onabort=e.onerror=function
() {var a=g.error?g.error:g.transaction.error;c(a)}}catch(a){c(a)}})}.catch(c)});return h(c,a),c}function I(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){A(b._dbInfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dblnfo.storeName),g=f.count();g.onsuccess=function(){a(g.result)},g.onerror=function(){c
( g.error))}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function J(a,b){var c=this,d=new
va(function(b,d){if(a<0)return void b(null);c.ready().then(function(){A(c._dblnfo,Aa,function(e,f){if(e)return
d(e);try{var g=f.objectStore(c._dbInfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=function(){var
c=i.result;if(!c)return void
b(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a))},i.onerror=function(){d(i.error)}}catch(a){d(a)}})}).catch
(d)});return h(d,b),d}function K(a){var b=this,c=new
va(function(a,c){b.ready().then(function(){A(b._dblnfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b._dblnfo.storeName),g=f.openKeyCursor(),h=[];g.onsuccess=function(){var
b=a.result:if(!b)return void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}catch(a){c(a)}})}).catch(c)});return
h(c,a),c}function L(a,b){b=k.apply(this,arguments);var c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var
d,e=this;if(a.name){var
f=a.name===c.name\&\&e.\_dbInfo.db,g=f?va.resolve(e.\_dbInfo.db):s(a).then(function(b)\{varantee=based on the context of the cont
c=ya[a.name],d=c.forages;c.db=b;for(var e=0;e<d.length;e++)d[e]._dblnfo.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeName)){var
c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var f=0;f<e.length;f++){var
g=e[f];g._dbInfo.db=null,g._dbInfo.version=c}return new va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradeneeded=function(){e.result.dele
t eObjectStore(a.storeName)},e.onsuccess=function(){var
a=e.result;a.close(),b(a)}}).then(function(a){d.db=a;for(var b=0;b<e.length;b++){var
c=e[b];c._dbInfo.db=a,p(c._dbInfo)}}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})
                                                        hen(function(b){o(a);var
                                                                                                                                                                  c=ya[a.name],d=c.forages;b.close();for(var
}}):q.t
e=0;e<d.length;e++){d[e]._dbInfo.db=null}return
                                                                                                                                                                                                                               va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('dropInstance blocked for database
"'+a.name+'"
                                                                                                                                                                                                closed')},d.onsuccess=function(){var
                                                                         all
                                                                                                                          connections
                                                                                              open
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]._dblnfo)}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})})}els
e d=va.reject("Invalid arguments");return h(d,b),d}function M(){return"function"==typeof
openDatabase}function N(a){var b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--
 ,"="===a[a.length-2]&&g--);var j=new ArrayBuffer(g),k=new
Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b+2]),f=Da.indexOf(
a[b+3]), k[i++] = c << 2|d >> 4, k[i++] = (15\&d) << 4|e >> 2, k[i++] = (3\&e) << 6|63\&f; return \ j) function O(a) \{var \ b, c = new \
\label{limits} \begin{tabular}{ll} Uint8Array(a), d=""; for(b=0; b<c.length; b+=3)d+=Da[c[b]>>2], d+=Da[(3\&c[b])<<4|c[b+1]>>4], d+=Da[(15\&c[b+1]>>4], d+
<<2|c[b+2]>>6],d+=Da[63&c[b+2]];return c.length%3==2?d=d.substring(0,d.length-
1)+"=":c.length%3==1&&(d=d.substring(0,d.length-2)+"=="),d}function P(a,b){var
c="";if(a&&(c=Ua.call(a)),a&&("[object ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var d,e=Ga;a instanceof ArrayBuffer?(d=a,e+=la):(d=a.buffer,"[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array]"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object Int32Array]"===c?e+=Oa:"[object
Uint32Array]"===c?e+=Qa:"[object Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d))}else if("[object Blob]"===c){var f=new
FileReader;f.onload=function(){var c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON string:
```

```
",a),b(null,c)}}function
                                                                           Q(a){if(a.substring(0,Ha)!==Ga)return
                                                                                                                                                                                     JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case la:return f;case Ja:return
g([f],(type:b));case Ka:return new Int8Array(f);case La:return new Uint8Array(f);case Ma:return new
Uint8ClampedArray(f);case Na:return new Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return
new Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new Float32Array(f);case Sa:return new
Float64Array(f);default:throw new Error("Unkown type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE
TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key unique, value)",[],c,d)}function
S(a){var b=this,c={db:null};if(a)for(var d in a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.size)}catch(a){return
d(a)}c.db.transaction(function(e){R(e,c,function(){b._dbInfo=c,a()},function(a,b){d(b)})},d)});return
c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNTAX_ERR?a.executeSql("SELECT name FROM
sqlite_master WHERE type='table' AND name
= ?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.executeSql(c,d,e,f)},f)},f);f(a,g)},f)}fun
ction U(a,b){var c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE key = ? LIMIT
1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.deserialize(d)),b(d)},function(a,b){d(b)}}})).cat
c h(d)});return h(d,b),d}function V(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c. dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName,[],function(c,d){for(var
f=d.rows,g=f.length,h=0;h<g;h++){var i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
0!==(j=a(j,i.key,h+1)))return void b(j)}b()},function(a,b){d(b)}))}).catch(d)});return h(d,b),d}function
W(a,b,c,d){var e=this;a=j(a);var f=new va(function(f,g){e.ready().then(function(){void 0===b&&(b=null);var
h=b,i=e._dbInfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.transaction(function(c){T(c,i,"INSERT OR
REPLACE INTO "+i.storeName+" (key, value) VALUES
(?, ?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b.code===b.QUOTA_ERR){if(d>0)return void
f(W.apply(e,[a,h,c,d-1]));g(b)}})}).catch(g)});return
                                                                                                                                h(f,c),f}function
                                                                                                                                                                                            X(a,b,c){return
                                                                                           Y(a,b){var
W.apply(this,[a,b,c,1]))function
                                                                                                                                             c=this;a=j(a);var
va(function(b,d){c.ready().then(function(){var e=c._dblnfo;e.db.transaction(function(c){T(c,e,"DELETE FROM
 "+e.storeName+" WHERE key = ?",[a],function(){b()},function(a,b){d(b)}}})).catch(d)});return h(d,b),d}function
                                                         b=this,c=new
                                                                                                                               va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function(){a()},function(a,b){c(b)})})).catch(c)});return
                                                                                                                                                           h(c,a),c}function
                                                                                                                                                                                                         $(a){var
b=this,c=new va(function(a,c){b.ready().then(function(){var
d=b.\_dbInfo; d.db.transaction(function(b) \{T(b,d,"SELECT\ COUNT(key)\ as\ c\ FROM\ Additional and the property of the proper
"+d.storeName,[],function(b,c){var
                                                                                          d=c.rows.item(0).c;a(d)},function(a,b){c(b)})}).catch(c)});return
h(c,a),c}function _(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT key FROM "+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d)},function(a,b){d(b)})}).catch(d)});return
                                                                                                                                                                                h(d,b),d}function
                                                                                                                         va(function(a,c){b.ready().then(function(){var
aa(a){var
                                                        b=this,c=new
d=b._dblnfo;d.db.transaction(function(b){T(b,d,"SELECT key FROM "+d.storeName,[],function(b,c){for(var
 d=[], e=0; e<c.rows.length; e++)d.push(c.rows.item(e).key); a(d)], function(a,b) \{c(b)]) \})). catch(c)\}); return defined a constant of the 
h(c,a),c}function ba(a){return new va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite_master WHERE type='table' AND name <> '
WebKitDatabaseInfoTable_",[],function(c,d){for(var
e=[], f=0; f<d.rows.length; f++)e.push(d.rows.item(f).name); b(\{db:a,storeNames:e\})\}, function(a,b)\{c(b)\}\}, 
           n(a){c(a)})})function ca(a,b){b=k.apply(this,arguments);var
                                                                                                                                            c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var
                                                                                                                                                                                        d.e=this:return
d=a.name?new
                                                                                                                                                                                   va(function(b){var
d;d=a.name===c.name?e._dblnfo.db:openDatabase(a.name,"","",0),b(a.storeName?{db:d,storeNames:[a.st
or eName]]:ba(d))}}).then(function(a){return new va(function(b,c){a.db.transaction(function(d){function
e(a){return new va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
 '+a,[],function(){b()},function(a,b){c(b)})})}for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).then(function(){b()}).catch(functi
on(a){c(a)})},function(a){c(a)})})}):va.reject("Invalid arguments"),h(d,b),d}function
da(){try{return"undefined"!=typeof localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function ea(a,b){var c=a.name+"/";return
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function
                                                                                                                                                                                   fa(){var
a="_localforage_support_test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a){return!0}}function
ga(){return!fa()||localStorage.length>0}function ha(a){var b=this,c={};if(a)for(var d in a)c[d]=a[d];return
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=c,c.serializer=Va,va.resolve()):va.reject()}function
ia(a){var b=this,c=b.ready().then(function(){for(var a=b._dblnfo.keyPrefix,c=localStorage.length-1;c>=0;c--
){var d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeltem(d)}});return h(c,a),c}function
ja(a,b){var
                                                                    c=this;a=j(a);var
                                                                                                                                                    d=c.ready().then(function(){var
b=c._dblnfo,d=localStorage.getItem(b.keyPrefix+a);return
                                                                                                                           d&&(d=b.serializer.deserialize(d)),d});return
h(d,b),d}function
                                                                      ka(a,b){var
                                                                                                                                c=this,d=c.ready().then(function(){for(var
b=c._dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h++){var
i=localStorage.key(h);if(0===i.indexOf(d)){var j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
```

```
0!==(j=a(j,i.substring(e),g++)))return
                                                             j}}});return
                                                                                       h(d,b),d}function
                                                                                                                           la(a,b){var
c=this,d=c.ready().then(function(){var
b,d=c._dbInfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function ma(a){var
b=this,c=b.ready().then(function(){for(var
                                                                    a=b.\_dbInfo,c=localStorage.length,d=[],e=0;e<c;e++)\{varallength,d=[],e=0;e<c;e++\}
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.length))}return
                                           na(a){var b=this,c=b.keys().then(function(a){return
                 h(c,a),c}function
h(c,a),c}function oa(a,b){var c=this;a=j(a);var d=c.ready().then(function(){var
b=c._dblnfo;localStorage.removeltem(b.keyPrefix+a)});return h(d,b),d}function pa(a,b,c){var d=this;a=j(a);var
e=d.ready().then(function(){void 0===b&&(b=null);var c=b;return new va(function(e,f){var
g=d_dblnfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaExceededError"!==a.name&&"NS_ERRO
                          M_QUOTA_REACHED"!==a.name||f(a),f(a)}})});return
                                                                                                                     h(e,c),e}function
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName}var d,e=this;return
d=a.name?new va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(function(a){for(var
b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):va.reject("Invalid
arguments"),h(d,b),d}function ra(a,b){a[b]=function(){var c=arguments;return
a.ready().then(function(){return a[b].apply(a,c)})}}function sa(){for(var a=1;a<arguments.length;a++){var
b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():arguments[0][c]=b[c])}return
arguments[0]}var ta="function"==typeof Symbol&&"symbol"==typeof Symbol.iterator?function(a){return
typeof a}:function(a){return a&&"function"==typeof
Symbol\&\&a.constructor === Symbol\&\&a! == Symbol.prototype?" symbol": type of the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor is a symbol of the constructor in the constructor in the constructor in the constructor is a symbol of the constructor in the const
a},ua=e();"undefined"==typeof
Promise&&a(3);var va=Promise,wa="local-forage-detect-blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={_driver:"asyncStorage",_initStorag
C,_support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L},Da=
"ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/",Ea="~~local_forage_type
~",Fa=/^~~local_forage_type~([^~]+)~/,Ga=" lfsc :",Ha=Ga.length,la="arbf",Ja="blob",Ka="si08",La="ui08",
Ma="uic8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=Ha+la.length,Ua=Object.protot
pe.toString,Va={serialize:P,deserialize:Q,stringToBuffer:N,bufferToString:O},Wa={_driver:"webSQLStorage"
_initStorage:S,_support:M(),iterate:V,getItem:U,setItem:X,removeItem:Y,clear:Z,length:$,key:_,keys:aa,dropI
stance:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:pa
, removeItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=function(a,b){return
a===b||"number"==typeof a&&"number"==typeof b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||function(a){return"[object
Array]"===Object.prototype.toString.call(a)},_a={},ab={},bb={INDEXEDDB:Ca,WEBSQL:Wa,LOCALSTORAGE
Xa},cb=[bb.INDEXEDDB._driver,bb.WEBSQL._driver,bb.LOCALSTORAGE._driver],db=["dropInstance"],eb=[
clear", "getItem", "iterate", "key", "keys", "length", "removeItem", "setItem"].concat(db),fb={description: "",drive
r: cb.slice(),name:"localforage",size:4980736,storeName:"keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e._driver;this[c]=f,_a[f]||this.defineDriver(e)}this._defaultConfig=sa({},fb),this._config=sa({},this._d
faultConfig,b),this._driverSet=null,this._initDriver=null,this._ready=!1,this._dblnfo=null,this._wrapLibraryMet
hodsWithReady(),this.setDriver(this. config.driver).catch(function(){})}return
a.prototype.config=function(a){if("object"===(void 0===a?"undefined":ta(a))){if(this._ready)return new
Error("Can't call config() after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace(\(\Lambda\)\)/g,"_")),"version"===b&&"number"!=typeof a[b])return new Error("Database version must be a number.");this._config[b]=a[b]}return!("driver"in
a&&a.driver)||this.setDriver(this._config.driver)}return"string"==typeof
a?this._config[a]:this._config],a.prototype.defineDriver=function(a,b,c){var d=new va(function(b,c){try{var
d=a._driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return void c(e);for(var
f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])return
void c(e))(function()(for(var b=function(a)(return function()(var b=new Error("Method
implemented by the current driver"),c=va.reject(b);return h(c,arguments[arguments.length-
1]),c}},c=0,d=db.length;c<d;c++){var e=db[c];a[e]||(a[e]=b(e))}})();var
k=function(c){_a[d]&&console.info("Redefining LocalForage driver: "+d),_a[d]=a,ab[d]=c,b()};"_support"in
a?a. support&&"function"==typeof
a._support?a._support().then(k,c):k(!!a._support):k(!0)}catch(a){c(a)}});return
i(d,b,c),d},a.prototype.driver=function(){return this_driver||null},a.prototype.getDriver=function(a,b,c){var
d=_a[a]?va.resolve(_a[a]):va.reject(new
                                                                      Error("Driver
                                                                                                                             found."));return
```

i(d,b,c),d},a.prototype.getSerializer=function(a){var b=va.resolve(Va);return i(b,a),b},a.prototype.ready=function(a){var b=this,c=b. driverSet.then(function(){return null===b._ready&&(b._ready=b._initDriver()),b._ready});return i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function d(){g._config.driver=g.driver()}function e(a){return $g._extend(a), d(), g._ready = g._initStorage(g._config), g._ready \} function$ f(a){return function(){function b()\{for(;c<a.length;)\{var f=a[c];return c++,g._dblnfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)\}d();var h=new Error("No available storage method found.");return g._driverSet=va.reject(h),g._driverSet}var c=0;return b()}}var g=this;\$a(a)||(a=[a]);var h=this._getSupportedDrivers(a),j=null!==this._driverSet?this._driverSet.catch(function(){return va.resolve()}):va.resolve();return this._driverSet=j.then(function(){var a=h[0];return g._dblnfo=null,g._ready=null,g.getDriver(a).then(function(a){g._driver=a._driver,d(),g._wrapLibraryMethods W ithReady(),g. initDriver=f(h)})).catch(function(){d();var a=new Error("No available storage method found.");return g._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._driverSet},a.prototype.supports=function(a) {return!!ab[a]},a.prototype._extend=function(a){sa(this,a)},a.prototype._getSupportedDrivers=function(a){for (var b=[],c=0,d=a.length;c<d;c++){var e=a[c];this.supports(e)&&b.push(e)}return b},a.prototype._wrapLibraryMethodsWithReady=function(){for(var $a=0,b=eb.length; a<b; a++) \\ ra(this,eb[a]) \\ \}, a.prototype.createInstance=function(b) \\ \{return\ new\ a(b)\}, a\}(), hb=new \\ \{return\ new\ new a(b)\}, a\}(), hb=new \\ \{return\ new\ new a(b)\}, a\}(), hb=new \\ \{return\ new\ new a(b)\}, a\}(), hb=new \\ \{return\ new a(b)\}, a\}(), hb=$ gb;b.exports=hb},{3:3}]},{},[4])(4)}); ☐ AUTHENTICATION: FIREOAUTH: <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <link rel="stylesheet" href="/css/fireoauth.css"> </l></l></l></l></l></l </p pd/firepwa/main/favicon.ico?token=GHSAT0AAAAAABR46HVJ5M5L3QGFRZRQXOISYUJUWAA" type="image/x-icon"> <style> html, body { height: 100%; margin: 0; font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen, Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif; font-weight: 300; } a {

text-decoration: none; color: #007bff; font-

```
weight: 500; font-size:
              1.2rem;
           }
           h3 {
font-size: 1.4rem;
           }
           h3, h4 {
margin: 0;
padding: 0.3rem 0;
           }
           .wrapper
                            {
              display:
                         flex;
              flex-direction:
              column; align-
              items: center;
              justify-content:
              center;
              height: 100%;
              text-align: center;
           }
            .oneClickSignin { padding:
              0.5rem; border: 1px solid
              #4444444; border-radius:
              5px;
              box-shadow: 0 0 3px 0px #44444444;
opacity: 0.2;
              pointer-events: none;
           }
           .qrcode { opacity:
              0.1;
           }
           .learnAboutFire { padding-
              top: 1.25em;
           }
```

```
.qrHolder { display:
       none;
       margin-top: 3rem;
    }
    .qrContainer {
       align-items:
                     center;
       display: flex; justify-
       content:
                     center;
       padding: 8px;
       margin: 2rem auto;
       box-shadow: 0 0px 6px 1px rgb(0 0 0 /
       16%); border: 1px solid #4444444; border-
       radius: 6px; width: 200px;
       height: 200px;
    }
  </style>
  <title>Fire OAuth</title>
  <script>
    if (window.location.hostname !== "localhost") { if
       (location.protocol !== "https:") {
         location.replace(
           `https:${location.href.substring(
             location.protocol.length
           )}`
         )
      }
    }
  </script>
</head>
<body>
  <div class="wrapper">
    <h3 class="pageTitle">Login with SAFETY</h3>
    <div class="qrAuthorize">
       <h4 class="subTitle">Scan QR from your Fire OAuth App </h4>
```

```
<div class="qrContainer">
         <canvas id="qr-code" class="qrcode"></canvas>
      </div>
    </div>
    <div class="oneClickSignin">
      <h4>Have Fire PWA on this device?</h4>
      <a target="_blank" id="authorizeOverLink" href="https://firepwa.netlify.app/authorize?sessionId"</p>
rel="noopener">Click to Authorize
                                     </a>
    </div>
    <div class="learnAboutFire">
      <a target="_blank" href="https://fireoauth.netlify.app" rel="noopener">Learn More about SAFETY</a>
    </div>
  </div>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js"></script>
 <script src="https://cdnjs.cloudflare.com/ajax/libs/qrious/4.0.2/qrious.min.js"></script>
 <script src="https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js"></script>
  <script>
    const FIRE API KEY = "635b790a3bcc6b59c4b772d0"
    const FIRE_ENDPOINT = "https://fire.adaptable.app/api/apis/generate"
                                            "fireOAuthChannel"
    const
               CHANNEL_NAME
                                     =
    broadCastingChannel = new BroadcastChannel(CHANNEL_NAME) const
    FIRE_SERVER_SOCKET_ENDPOINT = "https://fire.adaptable.app" let
    socket = io(FIRE_SERVER_SOCKET_ENDPOINT)
    let qr
    let qrcode = document.querySelector(".qrcode")
    let oneClickSignin = document.querySelector(".oneClickSignin") let
    pageTitle = document.querySelector(".pageTitle")
    let subTitle = document.querySelector(".subTitle")
    function setOpacity(opacity) { oneClickSignin.style.opacity = opacity
      oneClickSignin.style.pointerEvents = opacity === "1" ? "auto" : "none"
      qrcode.style.opacity = opacity
    }
```

```
response
              try {
                 response = await fetch(`${FIRE_ENDPOINT}/${FIRE_API_KEY}`, { method:
                   "GET",
                  headers: {
                     "Content-Type": "application/json",
                  }
                })
              } catch (error) {
                console.log(error)
                return null
              }
              let data = await response.json()
              let { sessionId, chatRoomId } = data return
              { sessionId, chatRoomId }
            }
            function generateQR(value) {
                             new
                                      QRious({
                                                    element:
                document.getElementById("qr-code"), size:
                200, level: 'M',
                value: value,
              }))
            }
            function changeHREF ({sessionId, chatRoomId}) {
let firePwaUrlHostname = "https://firepwa.netlify.app"
let originURL = encodeURIComponent(window.location.origin)
              let url =
       `${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${chatRoomId}&url=${originU
       RL)`
              document.getElementById("authorizeOverLink")
              a.href = url
            }
            async function fire() { NProgress.set(0.4)
              let { sessionId, chatRoomId } = await getSessionID()
```

async function getSessionID() { let

```
if(sessionId === undefined || chatRoomId === undefined || sessionId === null || chatRoomId === null) {
         pageTitle.innerHTML = "Something went wrong " subTitle.innerHTML = "Please try again later "
         return
      }
      setOpacity("1")
      NProgress.done()
      let data = { sessionId,
         encodeURICompo
         nent(window.locati
         on.origin)
      }
      data
                       JSON.stringify(data)
      generateQR(data)
      changeHREF({sessionId,
      chatRoomId})
                          socket.emit("join
      room", sessionId)
    }
    fire()
    socket.on("trusted token", (token) => {
      let data = {}
      data.success = true
      data.token = token
      broadCastingChannel.postMessage(data)
      window.close()
    })
  </script>
</body>
</html>
```

LOGIN:

```
HTML:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script>
    if (window.location.hostname !== "localhost") { if
       (location.protocol !== "https:") {
         location.replace(
           `https:${location.href.substring(
             location.protocol.length
           )}`
        )
      }
    }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="loginContainer">
       <span>SignUp To Continue</span>
       <div class="traditionalLoginContainer">
         <form class="signupForm" action="/" method="post">
           <input type="email" name="email" placeholder="Email" id="email">
           <input type="password" name="password" placeholder="Password" id="password">
           <input class="loginButton" type="submit" value="Login">
         </form>
       </div>
       <div class="loginWithFireContainer">
```

```
</div>
       <a class="hyperLink" href="/register">Don't have an Account? Register / </a>
    </div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async event => {
       let data = event.data
       * @typedef {Object<string, any>} Data
       * @property {boolean} success - Whether the login was successful
       * @property {string} token - The data returned from the login i.e. Fire Token
       */
       // data.token is the message sent from the fireOAuthChannel after verification
      // data.success is a boolean that indicates whether the verification was successful
       // data.token is the fire token
       // What to do with the Fire Token?
      //* Fire Token is an unique token which uniquely identifies the user who authorized your login attempt
with Fire
      // * You can use this token ONLY ONCE as it will be destroyed after the first use
      // 1. Send the fire token to the Fire Server to verify the user
       // - You can do that client sided or server sided
      // - You need to send a POST Request to the Fire Server with the fire token
      // at the URL: http://localhost:3003/api/tokens/verify
      // - The Fire Server will verify the fire token and return a response
      // - If the verification was successful - CODE (200), the Fire Server will return a response with the user's
data
      // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a
response with an error 'message'
       // - You can use the data returned from the Fire Server to create a new user in your database
       // This example will send the token to Fire Servers and console.log the response
       console.log("%c" + `Fire Token: ${data.token}`, `color: #f1c40f; font-weight:
       bold;'); const response = await fetch('https://fire.adaptable.app/api/tokens/verify', {
       method: 'POST', headers: {
            'Content-Type': 'application/json'
```

<button type="button" class="fire" title="Login with Safety" id="fire">Login with Safety</button>

```
},
                 body: JSON.stringify({ token:
                   data.token
                })
              })
              // get the response
const responseData = await response.json()
              // console.log the response console.log(responseData)
              await localforage.setItem('userData', {...responseData, isFire: true})
              // Adding the user data to the user Database
              let database = await localforage.getItem("userDatabase")
              if (database == null) {
                 database = []
database.push(responseData)
await localforage.setItem("userDatabase", database)
              // redirect to the home page window.location.href
               = '/'
            function popupwindow(url, title, w, h) { var
              left = (screen.width/2)-(w/2);
              var top = (screen.height/2)-(h/2);
              return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
       scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
            }
            document.getElementById("fire").addEventListener("click",
                                                                                      function()
                                                                                                              {
              popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
            })
          </script>
          <script>
            //
                       this.Website's
                                              Scripts
                                                              1
                                                                         App
                                                                                      Logic
            document.querySelector(".signupForm").addEventListener("submit", async (e)
            => { e.preventDefault()
let email = document.getElementByld("email").value
              let password = document.getElementById("password").value
                    flag
                                 false
                                         let
                                               userData
                                                                 await
               localforage.getItem("userDatabase")
                                                      if(userData)
               userData.forEach(e => { if(e.email === email) {
               if(e.password === password || e.isFire === true) {
```

```
localforage.setItem("userData",
                                                       flag
                                                                   true
              window.location.href = "/"
                     }
                   }
                })
              } else {
alert("User Not Found")
              }
              if(!flag) {
alert("Invalid Credentials")
              }
            })
          </script>
       </body>
       </html>
       egdb.com/online_html_compiler
                                                                                                    A 6 6 @ @
                   ▶ Run 🕑 Debug 🔲 Stop
                                                                                                      Language HTML,JS,Cマ (3)
          userData.forEach(e => {
                                                                     input
          SignUp To Continue
                                                   Login
                              Password
           Login with Safety
          Don't have an Account? Register /
       CSS:
       html,
       body {
                 height: 100%;
margin: 0;
font-weight: 300;
                 font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen, Ubuntu,
                          Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
       }
```

```
.wrapper {
                height: 100%; display:
                flex;
                           align-items:
                               justify-
                center;
                content: center;
       }
       .loginContainer {
display: flex;
                flex-direction: column; gap:
                1rem; min-width: 25rem;
                padding: 1rem 3rem; border:
                 1px solid #4444444; box-
                 shadow: 0px 3px 2px 1px
                #4444444;
                border-radius: 8px;
       }
       .loginContainer span {
                text-align:
                center; font-size:
                 3rem;
                            font-
                weight: 500;
                margin: 1rem 1rem 3rem;
       }
       .traditionalLoginContainer form {
                display: flex; flex-
                 direction:
                              column;
                align-items: center;
                justify-content: center;
       }
       .traditionalLoginContainer :is(input[type="text"], input[type="password"], input[type="email"]) {
                margin: 0.3rem; padding: 0.3em 0.5em; border: 1px solid #4444444; border-radius:
                5px;
                outline: none;
```

```
min-width: 200px; font-
                size: 1.3rem;
       }
       .traditionalLoginContainer .loginButton {
                background-color:
                                      #0070f3;
                font-size: 1.6rem;
                                      padding:
                0.2em 0.8em;
                color:
                             white;
                margin:
                           0.4rem;
                border:
                             none;
                border-radius:
                5px;
          cursor: pointer;
margin-top: 2rem;
       }
       .traditionalLoginContainer .loginButton:hover { background-
          color: #0071f3d6;
       }
       .loginWithFireContainer {
                display:
                               grid;
                 display: -ms-grid;
                 place-items:
                 center;
       }
       .fire {
                background-color: #f8f9fa; border:
                 1px solid #3c404321; border-
                 radius: 4px;
                color: #3c4043;
font-family: arial, sans-serif;
                margin: 11px 4px;
                 padding: 0.4em 0.8em;
                 line-height: 27px;
                min-width: 54px; text-
                align: center; cursor:
```


```
pointer; user-select:
                      none; font-size: 1.3rem;
                      font-weight: 500;
}
.hyperLink {
                      text-decoration: none;
      text-align: center; font-size:
      1.2rem; color: #0070f3; font-
      weight: 400;
}
@media screen and (max-width: 480px) { .loginContainer { border: none; box-shadow: none;
           min-width: fit-content;
                                                                         min-
           width: -moz-fit-content; min-
           width:
                                    -webkit-fill-available;
           padding: 1rem;
     }
}
egdb.com/online_html_compiler
                                                                                                                                                                                                                       Debug
                                                                                                                                                                                                                              Language HTML,JS,C 	▼ 🚯
       user-select: none;
                               font-size: 1.3rem;
                               font-weight: 500;
                                                                                                                                               input
      html, body ( height: 100%; margin: 0; font-weight: 300; font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen, Ubuntu, Cantarell, "Open Sans",
      "Helvetica Neue", sans-serif, ) .wrapper ( height: 100%; display: flex; align-items: center; justify-content: center; ) .loginContainer ( display: flex; flex-direction: column; gap:
      1rem; min-width: 25rem; padding: 1rem 3rem; border: 1px solid #44444444; box-shadow: 0px 3px 2px 1px #44444444; border-radius: 8px; } .loginContainer span { text-
      align: center; font-size: 3rem; font-weight: 500; margin: 1rem 1rem 3rem; ) .traditionalLoginContainer form ( display: flex; flex-direction: column; align-items: center; justify-
      content: center, ) .traditionalLoginContainer is(input[type="text"], input[type="password"], input[type="email"]) ( margin: 0.3rem; padding: 0.3em 0.5em; border: 1px solid
      #4444444; border-radius: 5px, outline: none; min-width: 200px, font-size: 1.3rem; ). traditionalLoginContainer.loginButton (background-color: #0070f3; font-size: 1.6rem;
      padding: 0.2em 0.8em; color: white; margin: 0.4rem; border: none; border-radius: 5px; cursor: pointer; margin-top: 2rem; ) .traditionalLoginContainer .loginButton:hover (
     background-color: #0071f3d6; ) .loginWithFireContainer ( display: grid; display: -ms-grid; place-items: center; ) .fire ( background-color: #f8f9fa; border: 1px solid
      #3c404321; border-radius: 4px, color: #3c4043; font-family: arial, sans-serif; margin: 11px 4px, padding: 0.4em 0.8em; line-height: 27px, min-width: 54px, text-align: center;
      cursor: pointer; user-select: none; font-size: 1.3rem; font-weight: 500; ) .hyperLink (text-decoration: none; text-align: center; font-size: 1.2rem; color: #0070f3; font-weight:
      400; ) @media screen and (max-width: 480px) ( .loginContainer ( border: none; box-shadow: none; min-width: fit-content; min-width: -moz-fit-content, min-width: -
      fill-available; padding: 1rem; ) )
```

□ DASHBOARD:

<div class="childCard">

```
HTML:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  k rel="stylesheet" href="./css/dashboard.css">
  <title>Dashboard</title>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="header">
      <span class="heading">Dashboard</span>
      <span class="right">
         <span class="username">Hello User</span>
         <span>
           <img class="profilePic" src="https://avatars.dicebear.com/api/avataaars/asdfasdfds.svg"</pre>
alt="User Profile" height="30" width="30">
         </span>
      </span>
    </div>
    <div class="actionCenter">
      <div class="action">
         <span>Create Child Card</span>
      </div>
      <div class="action">
         <span class="logout">Log out</span>
      </div>
    </div>
    <div class="childCardContainer">
```

```
<div class="childCardHeader">
                   <span>Child Name</span>
                   <span>Age 12</span>
                 </div>
                <div class="actions">
                   <span>View</span>
                   <span>GeoFence</span>
                </div>
              </div>
            </div>
          </div>
          <script>
            async function main() {
              let userData = await localforage.getItem('userData') if(userData
              == null) {
                window.location.href = "/login"
              }
              document.querySelector(".username").innerHTML
                                                                                            ${userData.firstName}`
                                                                               `Hello
              document.query Selector (".profilePic").src = user Data.profilePic \\
            }
main()
            document.querySelector(".logout").addEventListener("click", async () => { await
              localforage.setItem('userData', null)
              window.location.href = "/login"
            })
          </script>
       </body>
       </html>
```



```
CSS:
html, body { margin:
  0;
  padding: 0;
  font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe Ul', Roboto, Oxygen, Ubuntu, Cantarell,
'Open Sans', 'Helvetica Neue', sans-serif;
}
.wrapper {
  display:
               flex;
                        flex-
  direction: column; height:
  100vh; margin: 0 auto;
}
.header { display: flex; justify-
  content: space-between; align-
  items: center; padding: 1rem;
  background-color: #f1f1f1;
}
.heading {
  font-size: 1.3rem;
}
.right {
  display: flex;
  align-items: center; gap:
  0.5rem;
```

```
}
.actionCenter {
  display: flex; justify-
  content: flex-end; align-
  items:
         center; gap:
  1rem; padding: 0.5rem
}
.actionCenter
                 .action
  padding: 0.5rem 0.8rem;
  border: 1px solid #4444444;
  border-radius: 12px; margin-
  right:
           0.5rem;
                      cursor:
  pointer;
}
.actionCenter .action:hover {
  background-color:
  #0070f3; color: white;
}
.childCardContainer {
  display: flex; flex-
  wrap: wrap; padding:
  0.5rem 1rem;
}
.childCardContainer .childCard {
  display: flex; flex-direction:
  column; border: 1px solid
  #4444444;
                border-radius:
  12px;
  max-width: 300px;
  font-size: 1.4rem;
}
.childCardContainer .childCard .childCardHeader {
  display: flex;
  gap: 3rem;
```

```
margin: 0.1rem 0.1rem 0.8rem; padding:
       1rem 0.8rem 0;
}
.childCardContainer .childCard .actions {
      background-color: #0070f3; padding:
      2rem 0.5rem 1rem; color: white;
       display: flex;
       justify-content: space-around; border-radius:
       12px;
       border-top-left-radius: 0;
       border-top-right-radius: 0;
}
.childCardContainer .childCard .actions span {
      border: 1px solid #0070f3; background-
      color: white; color: #0070f3; padding:
      0.3rem 0.9rem; border-radius: 12px;
      cursor: pointer;
                                                                                                                                                                                                         A 6 6 @ ...
gdb.com/online_html_compiler
                                                                                                                                                                                                                Language HTML,JS,C ▼ (1)
     margin: 0.1rem 0.1rem 0.8rem;
                         padding: 1rem 0.8rem 0;
    html, body ( margin: 0, padding: 0; font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UT', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica
    Neue', sans-serif, ) .wrapper (display: flex, flex-direction: column, height: 100vh; margin: 0 auto; ) .header (display: flex, justify-content: space-between, align-items: center,
    padding: 1rem, background-color: #1f1f1; ) heading (font-size: 1.3rem; ) right (display: flex, align-items: center; gap: 0.5rem; ) actionCenter (display: flex, justify-content
    flex-end; align-items: center; gap: 1rem; padding 0.5rem 0; ) .actionCenter .action ( padding 0.5rem 0.8rem; border: 1px solid #4444444; border-radius: 12px; margin-right:
    0.5 rem; cursor: pointer, ) .actionCenter.actionhover (background-color: #0070f3; color: white; ) .childCardContainer (display: flex: flex: wrap; wrap; padding: 0.5 rem 1 rem;
    ). childCardContainer. childCard (display. flex, flex-direction: column; border: 1px solid #4444444; border-radius: 12px; max-width: 300px; font-size: 1.4rem, )
    .childCardContainer.childCard.childCardHeader ( display: flex, gap: 3rem; margin: 0.1rem 0.1rem 0.8rem; padding: 1rem 0.8rem 0; ) .childCardContainer.childCard.actions
    (background-color: #0070f3; padding: 2rem 0.5rem 1rem; color: white; display: flex; justify-content: space-around; border-radius: 12px; border-top-left-radius: 0; border-top-left-radi
    top-right-radius: 0; ) .childCardContainer.childCard .actions span (border: 1px solid #0070f3; background-color: white; color: #0070f3; padding: 0.3rem 0.9rem; border-
    radius: 12px, cursor: pointer, }
```

}