Artificial Intelligence - Quiz 2

Total points 2/10





Name *

DHARANI. E

Registered Roll Number/Registered Number *

Please enter the number as displayed in the profile section in the platform

422519106007

Registered Email id *

Please enter the email id used to login to the platform

DHARANI2002.E@GMAIL.COM

Select your Training Batch *

B3-3M5E



| Which of the following is a branch of statistics? | 1/1 |
|------------------------------------------------------------------------------|-------|
| O Descriptive statistics | |
| O Inferential statistics | |
| O Industry statistics | |
| Both A and B | |
| | |
| The runs scored by a batsman in 5 ODIs are 31,97,112, 63, and 12. The mea is | n 1/1 |
| O 112 | |
| 63 | |
| O 97 | |
| O 12 | |
| | |
| Which of the following is not a visualization under matplotlib | 0/1 |
| Scatter plot | |
| O Histogram | |
| O Box plot | |
| O Table plot | |
| | |

| To handle the null values in your data which method is used? | 0/1 |
|-------------------------------------------------------------------------------------------|-----|
| isnull() | |
| isfull() | |
| O fillna() | |
| O fullna() | |
| | |
| Which of the following sklearn method is used to split the data into training and testing | 0/1 |
| <pre>test_split()</pre> | |
| <pre>train_test_split()</pre> | |
| <pre>test_train_split()</pre> | |
| O split_train_test() | |
| | |
| Which of the following is correct to import the matplotlib library | 0/1 |
| import plt.matplotlib as plot | |
| import plot.matplotlib as pt | |
| import matplotlib.pt as plot | |
| import matplotlib.pyplot as plt | |
| | |

| Which method is used for encoding the categorical variables | 0/1 |
|-----------------------------------------------------------------------------------------|-----|
| One Hot Encoder | |
| Category Encoder | |
| Label Encoder | |
| O Both A & C | |
| | |
| Which statstical method we can use for replacing missing values for categorical feature | 0/1 |
| O Mean | |
| O Median | |
| O Mode | |
| All of the above | |
| | |
| Which function we use to get descriptive statstics for the data | 0/1 |
| <pre>description()</pre> | |
| O describe() | |
| statstics() | |
| None of the above | |
| | |

| Identify the outlier for the given data 34,23,43,28,56,125,52,40,26,24,37,25 | 0/1 |
|------------------------------------------------------------------------------|-----|
| O 56 | |
| 23 | |
| O 125 | |
| O 34 | |
| | |

This content is neither created nor endorsed by Google. - <u>Terms of Service</u> - <u>Privacy Policy</u>

Google Forms