Applied Data Science - Quiz 2

Name *

M.Muthalagan

Registered Roll Number/Registered *
Number

Please enter the number as displayed in the profile section in the platform

921619106040

Registered Email id *

Please enter the email id used to login to the platform

sketchnaveen6068@gmail.com

Select your Training Batch * B9-3A5E Which of the following is a branch of statistics? Descriptive statistics Inferential statistics Industry statistics Both A and B The runs scored by a batsman in 5 ODIs are 31,97,112, 63, and 12. The mean is 112 63

Which of the following is not a visualization under matplotlib

- Scatter plot
- Histogram
- O Box plot
- Table plot

To handle the null values in your data which method is used?

- isnull()
- isfull()"
- fillna()
- fullna()

Which of the following sklearn method
is used to split the data into training
and testing

- test_split()
- train_test_split()
- test_train_split()
- split_train_test()

Which of the following is correct to import the matplotlib library

- import plt.matplotlib as plot
- import plot.matplotlib as pt
- import <u>matplotlib.pt</u> as plot
- import matplotlib.pyplot as plt"

Which method is used for encoding the categorical variables

One Hot EncoderCategory EncoderLabel EncoderBoth A & C

Which statistical method we can use for replacing missing values for categorical feature

- Mean
- Median
- Mode
- All of the above

Which function we use to get descriptive statistics for the data

- description()
- describe()
- statistics()
- None of the above

Identify the outlier for the given data 34,23,43,28,56,125,52,40,26,24,37,25

- **(6)** 56
- () 23
- () 125
- 34