# Assignment -3 CNN Model for Classification Of Flowers

Assignment Date	03 October 2022
Student Name	Gowthamraj.K
Student Roll Number	610519104033
Maximum Marks	2 Marks

## 1.Download The Dataset

### **Input:**

from google.colab import drive
drive.mount('/content/drive')

### output:

#### Mounted at /content/drive

### **#Import Lib**

from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Convolution2D,MaxPooling2D,Flatten,Dense

from tensorflow.keras.preprocessing.image import ImageDataGenerator

## 2.Image Augmentation

### Input:

train\_datagen = ImageDataGenerator(rescale=1./255,shear\_range=0.2,zoom\_range=0.2, horizontal\_flip=True,vertical\_flip=True)

test datagen=ImageDataGenerator(rescale=1./255)

 $x\_train = train\_datagen.flow\_from\_directory(r"/content/drive/MyDrive/flowers", target\_size=(64,64), \\batch\_size=32, class\_mode="categorical")$ 

### #load your images data

#### Input:

x\_test = test\_datagen.flow\_from\_directory(r"/content/drive/MyDrive/flowers",target\_size=(64,64), batch\_size=32,class\_mode="categorical")

#### **Output:**

Found 4317 images belonging to 6 classes.

### Input:

x\_train.class\_indices

### **Output:**

```
{'.tmp.driveupload': 0,
  'daisy': 1,
  'dandelion': 2,
  'rose': 3,
  'sunflower': 4,
  'tulip': 5}
```

### 3.Create a Model

#### #initialize the model

model=Sequential()

## 4.AddLayers (Convolution, MaxPooling, Flatten, Dense (Hidden, layers) output)

### **Import Lib:**

import keras from keras.models import Sequential from keras.layers import Dense, Dropout, Flatten

### #add convolution layer

model.add(Convolution2D(32,(3,3),input\_shape=(64,64,3),activation='relu'))

### #add max pooling layer

 $model.add(MaxPooling2D(pool\_size = (2,2)))$ 

model.add(Flatten())

### #hidden layers

model.add(Dense(units=300,kernel\_initializer="random\_uniform",activation="relu")) model.add(Dense(units=200,kernel\_initializer="random\_uniform",activation="relu"))

### **#output layer**

model.add(Dense(units=4,kernel\_initializer="random\_uniform",activation="softmax"))

## **5.**Compile the model

### #compile the model

model.compile(loss="categorical\_crossentropy",optimizer="adam",metrics=['accuracy'])

## 6.Fit the model

model.fit\_generator(x\_train,steps\_per\_epoch=39,epochs=25,validation\_data=x\_test,validation\_steps=10)

## 7. Save the model

model.save('flowers.h5')

## 8. Test the model

### **#CNN prediction**

from tensorflow.keras.models import load\_model

from tensorflow.keras.preprocessing import image

import numpy as np

model = load\_model('/content/flowers.h5')

img = image.load\_img('/content/drive/MyDrive/flowers/sunflower/1022552002\_2b93faf9e7\_n.jpg', target\_size=(64,64))

### Input:

img

### **Output:**



```
Input:
type(img)
Output:
PIL.Image.Image
x=image.img_to_array(img)
Input:
X
Input:
array([[[197., 207., 234.],
[191., 202., 230.],
[194., 206., 232.],
[165., 182., 212.],
[159., 182., 216.],
[154., 174., 207.]],
[[197., 205., 228.],
[200., 206., 232.],
[203., 211., 234.],
[159., 179., 212.],
[160., 177., 207.],
[168., 185., 215.]],
[[206., 212., 234.],
[205., 211., 233.],
[207., 214., 233.],
••••
[181., 190., 221.],
[164., 180., 214.],
[161., 180., 213.]],
[[ 89., 96., 65.],
[131., 134., 103.],
[124., 139., 110.],
••••
```

```
[127., 147., 110.],
[154., 170., 134.],
[163., 178., 149.]],
[[112., 123., 91.],
[152., 155., 128.],
[ 98., 99., 67.],
[126., 143., 111.],
[151., 164., 136.],
[143., 156., 128.]],
[[114., 140., 105.],
[ 60., 85., 53.],
[132., 126., 100.],
[152., 167., 136.],
[134., 148., 122.],
[146., 161., 128.]]], dtype=float32)
Input:
x.shape
Output:
(64, 64, 3)
x=np.expand_dims(x,axis=0)
Input:
pred_prob=model.predict(x)
Output:
1/1 [======] - 0s 414ms/step
pred_prob
```

```
class_name=['daisy','dandelion','sunflower','rose']
pred_id=pred_prob.argmax(axis=1)[0]

Input:
pred_id
Output:
2
Input:
print('Predicted flower is',str(class_name[pred_id]))
```

**Predicted flower is sunflower** 

Output: