In [2]: pwd Out[2]: '/home/wsuser/work' In [8]: !pip install keras==2.7.0 !pip install tensorflow==2.5.0 Collecting keras==2.7.0 Using cached keras-2.7.0-py2.py3-none-any.whl (1.3 MB) Installing collected packages: keras Attempting uninstall: keras Found existing installation: Keras 2.2.4 Uninstalling Keras-2.2.4: Successfully uninstalled Keras-2.2.4 Successfully installed keras-2.7.0 Requirement already satisfied: tensorflow==2.5.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (2.5.0) Requirement already satisfied: protobuf>=3.9.2 in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from tensorflow==2.5.0) (3.19.1) Requirement already satisfied: h5py~=3.1.0 in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from tensorflow==2.5.0) (3.1.0) Requirement already satisfied: astunparse~=1.6.3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (1.6.3) Requirement already satisfied: keras-nightly~=2.5.0.dev in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (2.5.0.dev2021032900) Requirement already satisfied: termcolor~=1.1.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (1.1.0) Requirement already satisfied: flatbuffers~=1.12.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (1.12) Requirement already satisfied: wrapt~=1.12.1 in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from tensorflow==2.5.0) (1.12.1) Requirement already satisfied: six~=1.15.0 in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from tensorflow==2.5.0) (1.15.0) Requirement already satisfied: tensorflow-estimator<2.6.0,>=2.5.0rc0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (2.5.0) Requirement already satisfied: typing-extensions~=3.7.4 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (3.7.4.3) Requirement already satisfied: keras-preprocessing~=1.1.2 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (1.1.2) Requirement already satisfied: absl-py~=0.10 in /opt/conda/envs/Python-3.9/lib/python3.9/sitepackages (from tensorflow==2.5.0) (0.12.0) Requirement already satisfied: grpcio~=1.34.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-

packages (from tensorflow==2.5.0) (1.34.1)

```
Requirement already satisfied: numpy~=1.19.2 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from tensorflow==2.5.0) (1.19.5)
Requirement already satisfied: google-pasta~=0.2 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (0.2.0)
Requirement already satisfied: wheel~=0.35 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from tensorflow==2.5.0) (0.37.0)
Requirement already satisfied: opt-einsum~=3.3.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (3.3.0)
Requirement already satisfied: gast==0.4.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from tensorflow==2.5.0) (0.4.0)
Requirement already satisfied: tensorboard~=2.5 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorflow==2.5.0) (2.7.0)
Requirement already satisfied: google-auth<3,>=1.6.3 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.23.0)
Requirement already satisfied: markdown>=2.6.8 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (3.3.3)
Requirement already satisfied: werkzeug>=0.11.15 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.0.2)
Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.6.1)
Requirement already satisfied: tensorboard-plugin-wit>=1.6.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (1.6.0)
Requirement already satisfied: setuptools>=41.0.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (58.0.4)
Requirement already satisfied: requests<3,>=2.21.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (2.26.0)
Requirement already satisfied: google-auth-oauthlib<0.5,>=0.4.1 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from tensorboard~=2.5->tensorflow==2.5.0) (0.4.4)
Requirement already satisfied: pyasn1-modules>=0.2.1 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5-
>tensorflow==2.5.0) (0.2.8)
Requirement already satisfied: cachetools<5.0,>=2.0.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from google-auth<3,>=1.6.3->tensorboard~=2.5-
>tensorflow==2.5.0) (4.2.2)
Requirement already satisfied: rsa<5,>=3.1.4 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from google-auth<3.>=1.6.3->tensorboard~=2.5->tensorflow==2.5.0) (4.7.2)
Requirement already satisfied: requests-oauthlib>=0.7.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from google-auth-oauthlib<0.5,>=0.4.1->tensorboard~=2.5-
>tensorflow==2.5.0) (1.3.0)
Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from pyasn1-modules>=0.2.1->google-auth<3,>=1.6.3-
```

Requirement already satisfied: charset-normalizer~=2.0.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from requests<3,>=2.21.0->tensorboard~=2.5-

>tensorboard~=2.5->tensorflow==2.5.0) (0.4.8)

>tensorflow==2.5.0) (2.0.4)

```
3.9/lib/python3.9/site-packages (from requests<3,>=2.21.0->tensorboard~=2.5-
>tensorflow==2.5.0) (2022.9.24)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from requests<3,>=2.21.0->tensorboard~=2.5->tensorflow==2.5.0) (3.3)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from requests<3,>=2.21.0->tensorboard~=2.5-
>tensorflow==2.5.0) (1.26.7)
Requirement already satisfied: oauthlib>=3.0.0 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from requests-oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1-
>tensorboard~=2.5->tensorflow==2.5.0) (3.2.1)
Image Augmentation
                                                                                      In [9]:
from tensorflow.keras.preprocessing.image import ImageDataGenerator
                                                                                     In [10]:
train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,verti
cal flip=False)
                                                                                     In [11]:
test datagen=ImageDataGenerator(rescale=1./255)
                                                                                     In [12]:
ls
                                                                                     In [13]:
pwd
                                                                                    Out[13]:
'/home/wsuser/work'
                                                                                     In [14]:
import os, types
import pandas as pd
from botocore.client import Config
import ibm_boto3
def __iter__(self): return 0
# @hidden cell
# The following code accesses a file in your IBM Cloud Object Storage. It includes your
credentials.
# You might want to remove those credentials before you share the notebook.
client_4ff9f1114db24196a9abd4f5c1f0b60a = ibm_boto3.client(service_name='s3',
  ibm api key id='j4lNXssktSSxQiDx3pbNR eFi1SMCDE6MFnBQ EmNCDM',
  ibm_auth_endpoint="https://iam.cloud.ibm.com/oidc/token",
  config=Config(signature version='oauth'),
  endpoint_url='https://s3.private.us.cloud-object-storage.appdomain.cloud')
```

Requirement already satisfied: certifi>=2017.4.17 in /opt/conda/envs/Python-

```
streaming_body_1 =
client_4ff9f1114db24196a9abd4f5c1f0b60a.get_object(Bucket='trainmodel-donotdelete-pr-
cbqe37eh8gzesa', Key='fruit-dataset.zip')['Body']
# Your data file was loaded into a botocore.response.StreamingBody object.
# Please read the documentation of ibm_boto3 and pandas to learn more about the possibilities
to load the data.
# ibm_boto3 documentation: https://ibm.github.io/ibm-cos-sdk-python/
# pandas documentation: http://pandas.pydata.org/
                                                                                       In [15]:
from io import BytesIO
import zipfile
unzip = zipfile.ZipFile(BytesIO(streaming_body_1.read()), "r")
file_paths = unzip.namelist()
for path in file_paths:
  unzip.extract(path)
                                                                                       In [16]:
pwd
                                                                                      Out[16]:
'/home/wsuser/work'
                                                                                       In [17]:
import os
filenames = os.listdir('/home/wsuser/work/fruit-dataset/train')
                                                                                       In [18]:
x train=train datagen.flow from directory("/home/wsuser/work/fruit-
dataset/train",target size=(128,128),class mode='categorical',batch size=24)
Found 5384 images belonging to 6 classes.
                                                                                         In [ ]:
                                                                                       In [19]:
x_test=test_datagen.flow_from_directory(r"/home/wsuser/work/fruit-
dataset/test",target_size=(128,128),
                        class_mode='categorical',batch_size=24)
Found 1686 images belonging to 6 classes.
                                                                                       In [20]:
x_train.class_indices
                                                                                      Out[20]:
{'Apple___Black_rot': 0,
'Apple___healthy': 1,
'Corn_(maize)___Northern_Leaf_Blight': 2,
'Corn_(maize)___healthy': 3,
'Peach Bacterial spot': 4,
'Peach_healthy': 5}
```

CNN

from tensorflow.keras.models import Sequential	In [21]:
from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatte	en
model=Sequential()	In [24]:
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))	In [25]:
moderada (Convolution2D(32,(3,3),mput_snape=(120,120,3),activation=1cia))	In [26]:
model.add(MaxPooling2D(pool_size=(2,2)))	In [27]:
model.add(Flatten())	m [27].
model.summary()	In [28]:
Model: "sequential_1"	
Layer (type) Output Shape Param #	
conv2d_1 (Conv2D) (None, 126, 126, 32) 896	======
max_pooling2d (MaxPooling2D (None, 63, 63, 32) 0	
flatten (Flatten) (None, 127008) 0	
Total params: 896 Trainable params: 896 Non-trainable params: 0	=====
20*/2*2*2 . 1)	In [29]:
32*(3*3*3+1)	Out[29]:
896	
Hidden Layers	
model.add(Dense(300,activation='relu')) model.add(Dense(150,activation='relu'))	In [30]:
Ondered I amon	

Output Layer

```
In [31]:
model.add(Dense(6,activation='softmax'))
                                                    In [32]:
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
                                                    In [33]:
len(x train)
                                                   Out[33]:
225
                                                    In [34]:
1238/24
                                                   Out[34]:
51.58333333333333
                                                    In [35]:
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_ste
ps=len(x_test),epochs=10)
/tmp/wsuser/ipykernel_164/1582812018.py:1: UserWarning: `Model.fit_generator` is deprecated
and will be removed in a future version. Please use `Model.fit`, which supports generators.
model.fit_generator(x_train,steps_per_epoch=len(x_train),validation_data=x_test,validation_ste
ps=len(x test),epochs=10)
Epoch 1/10
0.8094 - val_loss: 0.2273 - val_accuracy: 0.9235
Epoch 2/10
0.9179 - val loss: 0.2056 - val accuracy: 0.9324
Epoch 3/10
0.9337 - val_loss: 0.4972 - val_accuracy: 0.8754
Epoch 4/10
0.9422 - val loss: 0.2279 - val accuracy: 0.9217
Epoch 5/10
0.9487 - val loss: 0.1685 - val accuracy: 0.9484
Epoch 6/10
0.9556 - val_loss: 0.1176 - val_accuracy: 0.9662
Epoch 7/10
0.9590 - val_loss: 0.5466 - val_accuracy: 0.8387
Epoch 8/10
0.9597 - val_loss: 0.1194 - val_accuracy: 0.9620
Epoch 9/10
```

0.9616 - val_loss: 0.1478 - val_accuracy: 0.9508 Epoch 10/10 0.9695 - val loss: 0.0772 - val accuracy: 0.9751 Out[35]: **Saving Model** In [36]: 1s fruit-dataset/ In [37]: model.save('fruit.h5') In [40]: !tar -zcvf Train-model_new.tgz fruit.h5 fruit.h5 In [39]: ls -1 fruit-dataset/

IBM Cloud Deployment Model

Train-model_new.tgz

fruit.h5

In [41]:

!pip install watson-machine-learning-client --upgrade

Collecting watson-machine-learning-client

Downloading watson_machine_learning_client-1.0.391-py3-none-any.whl (538 kB)

538 kB 21.2 MB/s eta 0:00:01

Requirement already satisfied: tqdm in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (4.62.3)

Requirement already satisfied: certifi in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2022.9.24)

Requirement already satisfied: requests in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2.26.0)

Requirement already satisfied: tabulate in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (0.8.9)

Requirement already satisfied: ibm-cos-sdk in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (2.11.0)

Requirement already satisfied: pandas in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (1.3.4)

Requirement already satisfied: lomond in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages (from watson-machine-learning-client) (0.3.3)

```
Requirement already satisfied: boto3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages
(from watson-machine-learning-client) (1.18.21)
Requirement already satisfied: urllib3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-packages
(from watson-machine-learning-client) (1.26.7)
Requirement already satisfied: jmespath<1.0.0,>=0.7.1 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.10.0)
Requirement already satisfied: s3transfer<0.6.0,>=0.5.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (0.5.0)
Requirement already satisfied: botocore<1.22.0,>=1.21.21 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from boto3->watson-machine-learning-client) (1.21.41)
Requirement already satisfied: python-dateutil<3.0.0,>=2.1 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from botocore<1.22.0,>=1.21.21->boto3->watson-machine-
learning-client) (2.8.2)
Requirement already satisfied: six>=1.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from python-dateutil<3.0.0,>=2.1->botocore<1.22.0,>=1.21.21->boto3->watson-
machine-learning-client) (1.15.0)
Requirement already satisfied: ibm-cos-sdk-core==2.11.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)
Requirement already satisfied: ibm-cos-sdk-s3transfer==2.11.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from ibm-cos-sdk->watson-machine-learning-client) (2.11.0)
Requirement already satisfied: charset-normalizer~=2.0.0 in /opt/conda/envs/Python-
3.9/lib/python3.9/site-packages (from requests->watson-machine-learning-client) (2.0.4)
Requirement already satisfied: idna<4,>=2.5 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from requests->watson-machine-learning-client) (3.3)
Requirement already satisfied: pytz>=2017.3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from pandas->watson-machine-learning-client) (2021.3)
Requirement already satisfied: numpy>=1.17.3 in /opt/conda/envs/Python-3.9/lib/python3.9/site-
packages (from pandas->watson-machine-learning-client) (1.19.5)
Installing collected packages: watson-machine-learning-client
Successfully installed watson-machine-learning-client-1.0.391
                                                                                       In [43]:
from ibm watson machine learning import APIClient
wml_credentials = {
            "url": "https://us-south.ml.cloud.ibm.com",
           "apikey":"0P3XkyCFYqABnc48BNG2ReoGAJy-oDXDRuULl4Y zFxa"
client = APIClient(wml_credentials)
                                                                                       In [44]:
client = APIClient(wml_credentials)
                                                                                       In [45]:
def guid_from_space_name(client, space_name):
  space = client.spaces.get_details()
  return(next(item for item in space['resources'] if
item['entity']["name"]==space_name)['metadata']['id'])
```

In [46]:

space_uid = guid_from_space_name(client, 'Trainmodel')
print("Space UID = " + space_uid)

Space UID = 616c7d74-e99b-4c09-9922-27394a62c2d0

In [47]:

client.set.default_space(space_uid)

Out[47]:

'SUCCESS'

In [48]:

client.software_specifications.list()

NAME ASSET ID **TYPE** default_py3.6 0062b8c9-8b7d-44a0-a9b9-46c416adcbd9 base kernel-spark3.2-scala2.12 020d69ce-7ac1-5e68-ac1a-31189867356a base pytorch-onnx_1.3-py3.7-edt 069ea134-3346-5748-b513-49120e15d288 base scikit-learn_0.20-py3.6 09c5a1d0-9c1e-4473-a344-eb7b665ff687 base spark-mllib 3.0-scala 2.12 09f4cff0-90a7-5899-b9ed-1ef348aebdee base pytorch-onnx_rt22.1-py3.9 0b848dd4-e681-5599-be41-b5f6fccc6471 base ai-function 0.1-py3.6 0cdb0f1e-5376-4f4d-92dd-da3b69aa9bda base shiny-r3.6 0e6e79df-875e-4f24-8ae9-62dcc2148306 base tensorflow_2.4-py3.7-horovod 1092590a-307d-563d-9b62-4eb7d64b3f22 base pytorch_1.1-py3.6 10ac12d6-6b30-4ccd-8392-3e922c096a92 base tensorflow_1.15-py3.6-ddl 111e41b3-de2d-5422-a4d6-bf776828c4b7 base runtime-22.1-py3.9 12b83a17-24d8-5082-900f-0ab31fbfd3cb base scikit-learn 0.22-py3.6 154010fa-5b3b-4ac1-82af-4d5ee5abbc85 base default_r3.6 1b70aec3-ab34-4b87-8aa0-a4a3c8296a36 base pytorch-onnx 1.3-py3.6 1bc6029a-cc97-56da-b8e0-39c3880dbbe7 base kernel-spark3.3-r3.6 1c9e5454-f216-59dd-a20e-474a5cdf5988 base pytorch-onnx rt22.1-py3.9-edt 1d362186-7ad5-5b59-8b6c-9d0880bde37f base tensorflow_2.1-py3.6 1eb25b84-d6ed-5dde-b6a5-3fbdf1665666 base spark-mllib 3.2 20047f72-0a98-58c7-9ff5-a77b012eb8f5 base tensorflow_2.4-py3.8-horovod 217c16f6-178f-56bf-824a-b19f20564c49 base runtime-22.1-py3.9-cuda 26215f05-08c3-5a41-a1b0-da66306ce658 base do_py3.8 295addb5-9ef9-547e-9bf4-92ae3563e720 base autoai-ts_3.8-py3.8 2aa0c932-798f-5ae9-abd6-15e0c2402fb5 base tensorflow_1.15-py3.6 2b73a275-7cbf-420b-a912-eae7f436e0bc base kernel-spark3.3-py3.9 2b7961e2-e3b1-5a8c-a491-482c8368839a base pytorch_1.2-py3.6 2c8ef57d-2687-4b7d-acce-01f94976dac1 base spark-mllib 2.3 2e51f700-bca0-4b0d-88dc-5c6791338875 base 32983cea-3f32-4400-8965-dde874a8d67e base pytorch-onnx_1.1-py3.6-edt spark-mllib 3.0-py37 36507ebe-8770-55ba-ab2a-eafe787600e9 base spark-mllib_2.4 390d21f8-e58b-4fac-9c55-d7ceda621326 base $xgboost_0.82-py3.6$ 39e31acd-5f30-41dc-ae44-60233c80306e base pytorch-onnx_1.2-py3.6-edt 40589d0e-7019-4e28-8daa-fb03b6f4fe12 base default_r36py38 41c247d3-45f8-5a71-b065-8580229facf0 base

```
4269d26e-07ba-5d40-8f66-2d495b0c71f7 base
autoai-ts_rt22.1-py3.9
autoai-obm_3.0
                        42b92e18-d9ab-567f-988a-4240ba1ed5f7 base
pmml-3.0 4.3
                       493bcb95-16f1-5bc5-bee8-81b8af80e9c7 base
spark-mllib_2.4-r_3.6
                         49403dff-92e9-4c87-a3d7-a42d0021c095 base
xgboost 0.90-py3.6
                         4ff8d6c2-1343-4c18-85e1-689c965304d3 base
pytorch-onnx_1.1-py3.6
                           50f95b2a-bc16-43bb-bc94-b0bed208c60b base
autoai-ts 3.9-py3.8
                        52c57136-80fa-572e-8728-a5e7cbb42cde base
spark-mllib_2.4-scala_2.11
                            55a70f99-7320-4be5-9fb9-9edb5a443af5 base
spark-mllib 3.0
                       5c1b0ca2-4977-5c2e-9439-ffd44ea8ffe9 base
autoai-obm_2.0
                        5c2e37fa-80b8-5e77-840f-d912469614ee base
spss-modeler_18.1
                         5c3cad7e-507f-4b2a-a9a3-ab53a21dee8b base
cuda-py3.8
                      5d3232bf-c86b-5df4-a2cd-7bb870a1cd4e base
autoai-kb_3.1-py3.7
                         632d4b22-10aa-5180-88f0-f52dfb6444d7 base
pytorch-onnx_1.7-py3.8
                           634d3cdc-b562-5bf9-a2d4-ea90a478456b base
spark-mllib_2.3-r_3.6
                         6586b9e3-ccd6-4f92-900f-0f8cb2bd6f0c base
tensorflow_2.4-py3.7
                          65e171d7-72d1-55d9-8ebb-f813d620c9bb base
spss-modeler 18.2
                         687eddc9-028a-4117-b9dd-e57b36f1efa5 base
Note: Only first 50 records were displayed. To display more use 'limit' parameter.
                                                                                  In [51]:
software_space_uid = client.software_specifications.get_uid_by_name("tensorflow_rt22.1-
py3.9")
software_spec_uid
                                                                                 Out[51]:
'leb25b84-d6ed-5dde-b6a5-3fbdf1665666'
                                                                                  In [54]:
ls
fruit-dataset/ fruit.h5 Train-model_new.tgz
                                                                                  In [56]:
model_details = client.repository.store_model(model= 'Train-model_new.tgz',
  meta_props={
    client.repository.ModelMetaNames.NAME:"CNN",
    client.repository.ModelMetaNames.TYPE:"tensorflow 2.7",
    client.repository.ModelMetaNames.SOFTWARE_SPEC_UID:software_space_uid}
  )
                                                                                  In [57]:
model id = client.repository.get model id(model details)
                                                                                  In [58]:
model id
                                                                                 Out[58]:
'd0aeb6a2-e89c-4f8d-bf2f-a28ca4ea3cca'
                                                                                  In [60]:
ls
fruit-dataset/ fruit.h5 Train-model_new.tgz
```

Test The Model

```
In [54]:
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
                                                                                             In [55]:
model=load_model('fruit.h5')
                                                                                             In [68]:
img=image.load_img(r"C:\Users\Sree Ram\Desktop\ibm\Dataset Plant Disease\fruit-
dataset fruit-dataset \ Apple \underline{\hspace{0.5cm}} healthy \ 0 adc 1 c5b-8958-47 c0-a 152-f 28078 c 214 f 1 \underline{\hspace{0.5cm}} RS\_HL
7825.JPG")
                                                                                             In [69]:
img
                                                                                            Out[69]:
                                                                                             In [70]:
img=image.load_img(r"C:\Users\Sree Ram\Desktop\ibm\Dataset Plant Disease\fruit-
dataset\fruit-dataset\test\Apple___healthy\0adc1c5b-8958-47c0-a152-f28078c214f1___RS_HL
7825.JPG",target_size=(128,128))
img
                                                                                            Out[70]:
                                                                                             In [71]:
x=image.img_to_array(img)
                                                                                             In [72]:
X
                                                                                            Out[72]:
array([[[ 99., 86., 106.],
     [101., 88., 108.],
     [118., 105., 125.],
     [ 92., 83., 102.],
     [ 93., 84., 103.],
     [89., 80., 99.]],
    [[ 96., 83., 103.],
     [87., 74., 94.],
     [102., 89., 109.],
     [88., 79., 98.],
     [89., 80., 99.],
     [83., 74., 93.]],
```

```
[[ 86., 73., 93.],
     [88., 75., 95.],
     [ 98., 85., 105.],
     [107., 98., 117.],
     [ 96., 87., 106.],
     [ 96., 87., 106.]],
    [[172., 175., 194.],
     [173., 176., 195.],
     [175., 178., 197.],
     [179., 180., 198.],
     [184., 185., 203.],
     [179., 180., 198.]],
    [[172., 175., 194.],
     [170., 173., 192.],
     [173., 176., 195.],
     [178., 179., 197.],
     [182., 183., 201.],
     [178., 179., 197.]],
    [[169., 172., 191.],
     [166., 169., 188.],
     [168., 171., 190.],
     [187., 188., 206.],
     [185., 186., 204.],
     [186., 187., 205.]]], dtype=float32)
                                                                                                In [73]:
x=np.expand\_dims(x,axis=0)
                                                                                                In [74]:
                                                                                               Out[74]:
array([[[ 99., 86., 106.],
     [101., 88., 108.],
     [118., 105., 125.],
     [ 92., 83., 102.],
     [ 93., 84., 103.],
     [89., 80., 99.]],
```

 \mathbf{X}

```
[[ 96., 83., 103.],
     [ 87., 74., 94.],
     [102., 89., 109.],
     [88., 79., 98.],
     [89., 80., 99.],
     [ 83., 74., 93.]],
     [[ 86., 73., 93.],
     [ 88., 75., 95.],
     [ 98., 85., 105.],
     [107., 98., 117.],
     [ 96., 87., 106.],
     [ 96., 87., 106.]],
     ...,
     [[172., 175., 194.],
     [173., 176., 195.],
     [175., 178., 197.],
     [179., 180., 198.],
     [184., 185., 203.],
     [179., 180., 198.]],
     [[172., 175., 194.],
     [170., 173., 192.],
     [173., 176., 195.],
     [178., 179., 197.],
     [182., 183., 201.],
     [178., 179., 197.]],
     [[169., 172., 191.],
     [166., 169., 188.],
     [168., 171., 190.],
     [187., 188., 206.],
     [185., 186., 204.],
     [186., 187., 205.]]]], dtype=float32)
                                                                                           In [75]:
y=np.argmax(model.predict(x),axis=1)
1/1 [======] - 0s 105ms/step
                                                                                           In [76]:
x_train.class_indices
```

```
Out[76]:
{'Apple___Black_rot': 0,
'Apple___healthy': 1,
'Corn_(maize)___Northern_Leaf_Blight': 2,
'Corn (maize) healthy': 3,
'Peach___Bacterial_spot': 4,
'Peach healthy': 5}
                                                                                  In [77]:
index=['Apple__Black_rot','Apple__healthy','Corn_(maize)__Northern_Leaf_Blight','Corn_(
maize) healthy', 'Peach Bacterial spot', 'Peach healthy']
                                                                                  In [78]:
index[y[0]]
                                                                                 Out[78]:
'Apple___healthy'
                                                                                  In [82]:
img=image.load img(r"C:\Users\Sree Ram\Desktop\ibm\Dataset Plant Disease\fruit-
dataset\fruit-dataset\test\Peach healthy\0a2ed402-5d23-4e8d-bc98-
b264aea9c3fb___Rutg._HL 2471.JPG",target_size=(128,128))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)
index=['Apple___Black_rot','Apple___healthy','Corn_(maize)___Northern_Leaf_Blight','Corn_(
maize) healthy', 'Peach Bacterial spot', 'Peach healthy']
index[y[0]]
1/1 [======] - 0s 26ms/step
                                                                                 Out[82]:
'Corn (maize) healthy'
                                                                                  In [83]:
import os
from tensorflow.keras.models import load model
from tensorflow.keras.preprocessing import image
from flask import Flask,render_template,request
                                                                                  In [61]:
app=Flask(__name__)
model=load_model("fruit.h5")
@app.route('/')
def index():
  return render_template("index.html")
@app.route('/predict',methods=['GET','POST'])
def upload():
  if request.method=='POST':
    f=request.files['image']
```

```
basepath=os.path.dirname('__file__')
     filepath=os.path.join(basepath,'uploads',f.filename)
     f.save(filepath)
    img=image.load_img(filepath,target_size=(128,128))
     x=image.img_to_array(img)
     x=np.expand\_dims(x,axis=0)
    pred=np.argmax(model.predict(x),axis=1)
index=['Apple___Black_rot','Apple___healthy','Corn_(maize)___Northern_Leaf_Blight','Corn_(
maize) healthy', 'Peach Bacterial spot', 'Peach healthy']
    text="The Classified Fruit disease is: " +str(index[pred[0]])
  return text
if __name__=='__main___':
  app.run(debug=False)
NameError
                              Traceback (most recent call last)
/tmp/wsuser/ipykernel_164/945920450.py in
----> 1 app=Flask(__name___)
   3 model=load_model("fruit.h5")
   5 @app.route('/')
```