Assignment -3 CNN Model for Classification Of Flowers

Assignment Date	18 October 2022
Student Name	Darrioh Lordson.A
Student Roll Number	610519104012
Maximum Marks	2 Marks

1.Download The Dataset

Input:

from google.colab import drive drive.mount('/content/drive')

output:

Mounted at /content/drive

#Import Lib

from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Convolution2D,MaxPooling2D,Flatten,Dense

from tensorflow.keras.preprocessing.image import ImageDataGenerator

2. Image Augmentation

Input:

train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)

test datagen=ImageDataGenerator(rescale=1./255)

x_train = train_datagen.flow_from_directory(r"/content/drive/MyDrive/flowers",target_size=(64,64), batch_size=32,class_mode="categorical")

#load your images data

Input:

x_test = test_datagen.flow_from_directory(r"/content/drive/MyDrive/flowers",target_size=(64,64), batch_size=32,class_mode="categorical")

Output:

Found 4317 images belonging to 6 classes.

Input:

x_train.class_indices

Output:

```
{'.tmp.driveupload': 0,
  'daisy': 1,
  'dandelion': 2,
  'rose': 3,
  'sunflower': 4,
  'tulip': 5}
```

3. Create a Model

#initialize the model

model=Sequential()

4.AddLayers (Convolution, MaxPooling, Flatten, Dense (Hidden, layers) output)

Import Lib:

import keras from keras.models import Sequential from keras.layers import Dense, Dropout, Flatten

#add convolution layer

model.add(Convolution2D(32,(3,3),input_shape=(64,64,3),activation='relu'))

#add max pooling layer

```
model.add(MaxPooling2D(pool\_size = (2,2)))
```

model.add(Flatten())

#hidden layers

```
model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu")) model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
```

#output layer

model.add(Dense(units=4,kernel_initializer="random_uniform",activation="softmax"))

5. Compile the model

#compile the model

model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=['accuracy'])

6. Fit the model

model.fit_generator(x_train,steps_per_epoch=39,epochs=25,validation_data=x_test,validation_steps=10)

7. Save the model

model.save('flowers.h5')

8. Test the model

#CNN prediction

from tensorflow.keras.models import load_model

from tensorflow.keras.preprocessing import image

import numpy as np

model = load_model('/content/flowers.h5')

img = image.load_img('/content/drive/MyDrive/flowers/sunflower/1022552002_2b93faf9e7_n.jpg', target_size=(64,64))

Input:

img

Output:



```
Input:
type(img)
Output:
PIL.Image.Image
x=image.img_to_array(img)
Input:
X
Input:
array([[[197., 207., 234.],
[191., 202., 230.],
[194., 206., 232.],
[165., 182., 212.],
[159., 182., 216.],
[154., 174., 207.]],
[[197., 205., 228.],
[200., 206., 232.],
[203., 211., 234.],
[159., 179., 212.],
[160., 177., 207.],
[168., 185., 215.]],
[[206., 212., 234.],
[205., 211., 233.],
[207., 214., 233.],
••••
[181., 190., 221.],
[164., 180., 214.],
[161., 180., 213.]],
[[ 89., 96., 65.],
[131., 134., 103.],
[124., 139., 110.],
```

```
[127., 147., 110.],
[154., 170., 134.],
[163., 178., 149.]],
[[112., 123., 91.],
[152., 155., 128.],
[ 98., 99., 67.],
[126., 143., 111.],
[151., 164., 136.],
[143., 156., 128.]],
[[114., 140., 105.],
[ 60., 85., 53.],
[132., 126., 100.],
[152., 167., 136.],
[134., 148., 122.],
[146., 161., 128.]]], dtype=float32)
Input:
x.shape
Output:
(64, 64, 3)
x=np.expand_dims(x,axis=0)
Input:
pred_prob=model.predict(x)
Output:
1/1 [======] - 0s 414ms/step
pred_prob
```

```
class_name=['daisy','dandelion','sunflower','rose']
pred_id=pred_prob.argmax(axis=1)[0]

Input:
pred_id
Output:
2
Input:
print('Predicted flower is',str(class_name[pred_id]))
```

Predicted flower is sunflower

Output: