

# IBM ASSIGNMENT-3

|                     |                 |
|---------------------|-----------------|
| Assignment Date     | 02 October 2022 |
| Student Name        | S. Yokeshwari   |
| Student Roll Number | 510119104023    |
| Maximum Marks       | 2marks          |

## ASSIGNMENT DETAILS:

Technology: IOT

Domain: Smart solution for railways

## ASSIGNMENT QUESTION

Write a python code for blinking LED and Traffic lights for Raspberry pi.

## CODE:

### 1.Blinking LED

```
import RPi.GPIO as GPIO          #Import raspberry Pi GPIO library
from time import sleep           #Import the sleep function from the time module

GPIO.setwarnings(False)          #Ignore warning for now
GPIO.setmode(GPIO.BOARD)         #use physical pin numbering
GPIO.setup(8, GPIO.OUT , initial=GPIO.LOW) #Set pin 8 to be an output pin and set initial value to low (off)

while True:                      #Run forever
    GPIO.output(8, GPIO.HIGH)     #Turn on
    sleep(1)                     #Sleep for 1 second
    GPIO.output(8,GPIO.LOW)       #Turn off
    sleep(1)                     #sleep for 1 second
```

## 2.Traffic lights

```
import RPi.GPIO as GPIO
import time
import signal
import sys

#Setup
GPIO.setmode(GPIO.BCM)
GPIO.setup(9, GPIO.OUT)
GPIO.setup(10, GPIO.OUT)
GPIO.setup(11, GPIO.OUT)

#Turn off all lights when user ends demo
def allLightsoff(signal, frame):
    GPIO.output(9, False)
    GPIO.output(10, False)
    GPIO.output(11, False)
    GPIO.cleanup()
    sys.exit(0)
signal.signal(signal.SIGINT, allLightsoff)

#Loop forever
while True:
    #Red
    GPIO.output(9, True)
    time.sleep(3)
    #Red and yellow
    GPIO.output(10, True)
    time.sleep(1)
    #Green
    GPIO.output(9, False)
    GPIO.output(10, False)
    GPIO.output(11, True)
    time.sleep(5)
    #Yellow
    GPIO.output(11, False)
    GPIO.output(10, True)
    time.sleep(2)
    #Yellow off(red comes on at top of loop)
    GPIO.output(10, False)
```

## Screenshot of code for Blinking LED

```
blinking_led.py - C:/Users/yokes/AppData/Local/Programs/Python/Python310/blinking_led.py (3.10.6)
File Edit Format Run Options Window Help
import RPi.GPIO as GPIO          #Import raspberry Pi GPIO library
from time import sleep          #Import the sleep function from the time module

GPIO.setwarnings(False)         #Ignore warning for now
GPIO.setmode(GPIO.BOARD)        #use physical pin numbering
GPIO.setup(8, GPIO.OUT, initial=GPIO.LOW) #Set pin 8 to be an output pin and set initial value to low (off)

while True:                     #Run forever
    GPIO.output(8, GPIO.HIGH)    #Turn on
    sleep(1)                    #Sleep for 1 second
    GPIO.output(8,GPIO.LOW)      #Turn off
    sleep(1)                    #sleep for 1 second
|
```

Ln 13 Col 0

## Screenshot of code for Traffic lights code

```
trafficLights.py - C:/Users/yokes/AppData/Local/Programs/Python/Python310/trafficLights.py (3.10.6)
File Edit Format Run Options Window Help
import RPi.GPIO as GPIO
import time
import signal
import sys

#Setup
GPIO.setmode(GPIO.BCM)
GPIO.setup(9, GPIO.OUT)
GPIO.setup(10, GPIO.OUT)
GPIO.setup(11, GPIO.OUT)

#Turn off all lights when user ends demo
def alllightsoff(signal, frame):
    GPIO.output(9, False)
    GPIO.output(10, False)
    GPIO.output(11, False)
    GPIO.cleanup()
    sys.exit(0)
signal.signal(signal.SIGINT, alllightsoff)

#Loop forever
while True:
    #red
    GPIO.output(9, True)
    time.sleep(3)
    #Red and yellow
    GPIO.output(10, True)
    time.sleep(1)
    #Green
    GPIO.output(9, False)
    GPIO.output(10, False)
    GPIO.output(11, True)
    time.sleep(5)
    #Yellow
    GPIO.output(11, False)
    GPIO.output(10, True)
    time.sleep(2)
    #Yellow off(red comes on at top of loop)
    GPIO.output(10, False)
|
```

Ln 41 Col 0