## Assignment-4

Date	28 October 2022
Team ID	PNT2022TMID23797
Project Name	Real time river water quality monitoring and
	Control System
Maximum Marks	4 Marks

# **Question:**

Write code and connections in wokwi for ultrasonic sensor. Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.


#### CODE:

```
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>//library for MQtt
#define ECHO_GPIO 12
#define TRIGGER GPIO 14
#define MAX DISTANCE CM 100 // Maximum of 5 meters
#include "Ultrasonic.h"
Ultrasonic ultrasonic(14, 12);
int distance;
 void callback(char* subscribetopic, byte* payload, unsigned
int payloadLength);
//----credentials of IBM Accounts-----
#define ORG "q6sux6"//IBM ORGANITION ID
#define DEVICE_TYPE "ESP32"//Device type mentioned in ibm watson IOT Platform
#define DEVICE_ID "BOOMI04"//Device ID mentioned in ibm watson IOT Platform
#define TOKEN "gp5PA9!jfw7jf9cV-g"
//Token String data3; float h, t;
//----- Customise the above values ------
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server
Name char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type
of event perform and format in which data to be send char subscribetopic[] =
"iot-2/cmd/command/fmt/String";// cmd REPRESENT command type AND COMMAND IS
TEST OF FORMAT STRING
char authMethod[] = "use-token-auth";// authentication method char
token[] = TOKEN; char clientId[] = "d:" ORG ":" DEVICE_TYPE ":"
DEVICE_ID;//client id
```


```
WiFiClient wifiClient; // creating the instance for wificlient
PubSubClient client(server, 1883, callback ,wifiClient); //calling the
predefined client id by passing parameter like server id, portand
wificredential
 void setup()// configureing the
ESP32
  Serial.begin(115200);
delay(10);
Serial.println();
wificonnect();
mqttconnect();
} void loop()// Recursive
Function
    distance =
ultrasonic.read(CM);
if(distance < 100){</pre>
  Serial.print("Distance in CM: ");
Serial.println(distance);
PublishData(distance);
delay(1000);
(!client.loop()) {
mqttconnect();
 }
delay(1000);
        ....retrieving to
 void PublishData(float temp) {
mqttconnect();//function call for connecting to ibm
    creating the String in in form JSon to update the data to ibm cloud
 String payload = "{\"Alert
Distance:\":"; payload += temp;
payload += "}";
```


```
Serial.print("Sending payload: ");
  Serial.println(payload);
  if (client.publish(publishTopic, (char*) payload.c_str())) {
    Serial.println("Publish ok");// if it sucessfully upload data on the cloud
then it will print publish ok in Serial monitor or else it will print publish
failed
  } else {
    Serial.println("Publish failed");
} void
mqttconnect() {
  if (!client.connected()) {
    Serial.print("Reconnecting client to ");
Serial.println(server);
    while (!!!client.connect(clientId, authMethod, token))
        Serial.print(".");
                                 delay(500);
     initManagedDevice();
     Serial.println();
  } } void wificonnect() //function defination for
wificonnect {
  Serial.println();
  Serial.print("Connecting to ");
 WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to establish
the connection
 while (WiFi.status() != WL_CONNECTED) {
delay(500);
    Serial.print(".");
 Serial.println("");
  Serial.println("WiFi connected");
  Serial.println("IP address: ");
  Serial.println(WiFi.localIP());
 void
initManagedDevice() {
 if (client.subscribe(subscribetopic)) {
Serial.println((subscribetopic));
    Serial.println("subscribe to cmd OK");
```

### **CIRCUIT DIAGRAM:**



#### **OUTPUT:**





## **Project Link:**

https://wokwi.com/projects/346773638705316434