

1. Consider the list [] and list operations.

Program:

```
list=[1,3,1,5,2,4,1]
#To insert the element
list.insert(5,6)
Print("The inserted list:",list)
#To remove first occurrence
list.remove(1)
Print("The first occurrence remove list:",list);
#To insert integer at the end
list.append(7)
print("The appended list:",list)
#To sort the list
list.sort()
print("The sorted list:",list)
#To pop the last element
list.pop()
print("The popped list:",list)
#To reverse the list
list.reverse()
Print("The reversed list:",list)
```

Output:

The inserted list: [1,3,1,5,2,6,4,1]


The first occurrence removed list: [3,1,5,2,6,4,1]

The appended list: [3,1,5,2,6,4,1,7]


The sorted list:[1,1,2,3,4,5,6,7]

The popped list: [1,1,2,3,4,5,6]

The reversed list: [6,5,4,3,2,1,1]



```
list.py - C:\Users\Ashifa\Desktop\list.py (3.10.7)
File Edit Format Run Options Window Help
list = [1,3,1,5,2,4,1]
#To insert
list.insert(5,6)
print("The inserted list:",list)
#To remove first occurrence
list.remove(1)
print("The first occurrence removed list:",list)
#To insert integer at the end
list.append(7)
print("The appended list:",list)
#To sort the list
list.sort()
print("The sorted list:",list)
#To pop the last element
list.pop()
print("The popped list:",list)
#To reverse
list.reverse()
print("The reversed list:",list)
```

A screenshot of a Python IDLE Shell window. The title bar reads 'IDLE Shell 3.10.7'. The menu bar includes 'File', 'Edit', 'Shell', 'Debug', 'Options', 'Window', and 'Help'. The status bar at the bottom shows 'Ln: 11 Col: 0'. The main text area contains the following output:

```
Python 3.10.7 (tags/v3.10.7:6cc6b13, Sep 5 2022, 14:08:36) [MSC v.1933 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:\Users\Ashifa\Desktop\list.py =====
The inserted list: [1, 3, 1, 5, 2, 6, 4, 1]
The first occurrence removed list: [3, 1, 5, 2, 6, 4, 1]
The appended list: [3, 1, 5, 2, 6, 4, 1, 7]
The sorted list: [1, 1, 2, 3, 4, 5, 6, 7]
The popped list: [1, 1, 2, 3, 4, 5, 6]
The reversed list: [6, 5, 4, 3, 2, 1, 1]
```

2. Calculator program in python.

Program:

Program make a simple calculator

This function adds two numbers

```
def add(x, y):
```

```
    return x + y
```

This function subtracts two numbers

```
def subtract(x, y):
```

```
    return x - y
```

```
# This function multiplies two numbers
```

```
def multiply(x, y):
```

```
    return x * y
```

```
# This function divides two numbers
```

```
def divide(x, y):
```

```
    return x / y
```

```
print("Select operation.")
```

```
print("1.Add")
```

```
print("2.Subtract")
```

```
print("3.Multiply")
```

```
print("4.Divide")
```

```
while True:
```

```
    # take input from the user
```

```
    choice = input("Enter choice(1/2/3/4): ")
```

```
    # check if choice is one of the four options
```

```
    if choice in ('1', '2', '3', '4'):
```

```
num1 = float(input("Enter first number: "))
```

```
num2 = float(input("Enter second number: "))
```

```
if choice == '1':
```

```
    print(num1, "+", num2, "=", add(num1, num2))
```

```
elif choice == '2':
```

```
    print(num1, "-", num2, "=", subtract(num1, num2))
```

```
elif choice == '3':
```

```
    print(num1, "*", num2, "=", multiply(num1, num2))
```

```
elif choice == '4':
```

```
    print(num1, "/", num2, "=", divide(num1, num2))
```

```
# check if user wants another calculation
```

```
# break the while loop if answer is no
```

```
next_calculation = input("Let's do next calculation? (yes/no): ")
```

```
if next_calculation == "no":
```

```
    break
```

```
else:
```

```
print("Invalid Input")
```

Output:

Select operation.

1.Add

2.Subtract

3.Multiply

4.Divide

Enter choice(1/2/3/4): 1

Enter first number: 2

Enter second number: 2

$2.0 + 2.0 = 4.0$

Let's do next calculation? (yes/no): yes

Enter choice(1/2/3/4): 2

Enter first number: 8

Enter second number: 4

$8.0 - 4.0 = 4.0$

Let's do next calculation? (yes/no): yes

Enter choice(1/2/3/4): 3

Enter first number: 2

Enter second number: 3

$2.0 * 3.0 = 6.0$

Let's do next calculation? (yes/no): yes


Enter choice(1/2/3/4): 4

Enter first number: 8

Enter second number: 2

$8.0 / 2.0 = 4.0$

Let's do next calculation? (yes/no): no

A screenshot of a Windows desktop showing a Python script named 'calculator.py' running in a text editor. The script implements a simple calculator with four operations: addition, subtraction, multiplication, and division. It uses a while loop to repeatedly prompt the user for a choice and numbers. The user has entered '4' for the choice, '8' for the first number, and '2' for the second number. The program has calculated '8.0 / 2.0 = 4.0' and is now asking if the user wants to do the next calculation. The user has responded 'no'. The taskbar at the bottom shows the Windows Start button, a search bar, and several application icons. The system tray on the right indicates the temperature is 28°C, it is raining, and the date is 17-09-2022.

```
calculator.py - C:/Users/Ashifa/Desktop/calculator.py (3.10.7)
File Edit Format Run Options Window Help
# This function adds two numbers
def add(x, y):
    return x + y
# This function subtracts two numbers
def subtract(x, y):
    return x - y
# This function multiplies two numbers
def multiply(x, y):
    return x * y
# This function divides two numbers
def divide(x, y):
    return x / y

print("Select operation.")
print("1.Add")
print("2.Subtract")
print("3.Multiply")
print("4.Divide")

while True:
    # take input from the user
    choice = input("Enter choice(1/2/3/4): ")

    # check if choice is one of the four options
    if choice in ('1', '2', '3', '4'):
        num1 = float(input("Enter first number: "))
        num2 = float(input("Enter second number: "))

        if choice == '1':
            print(num1, "+", num2, "=", add(num1, num2))

        elif choice == '2':
            print(num1, "-", num2, "=", subtract(num1, num2))

        elif choice == '3':
            print(num1, "*", num2, "=", multiply(num1, num2))

        elif choice == '4':
            print(num1, "/", num2, "=", divide(num1, num2))

        # check if user wants another calculation
        # break the while loop if answer is no
        next_calculation = input("Let's do next calculation? (yes/no): ")
        if next_calculation == "no":
            break
```

```
calculator.py - C:/Users/Ashifa/Desktop/calculator.py (3.10.7)
File Edit Format Run Options Window Help

    return x - y

# This function multiplies two numbers
def multiply(x, y):
    return x * y

# This function divides two numbers
def divide(x, y):
    return x / y

print("Select operation.")
print("1.Add")
print("2.Subtract")
print("3.Multiply")
print("4.Divide")

while True:
    # take input from the user
    choice = input("Enter choice(1/2/3/4): ")

    # check if choice is one of the four options
    if choice in ('1', '2', '3', '4'):
        num1 = float(input("Enter first number: "))
        num2 = float(input("Enter second number: "))

        if choice == '1':
            print(num1, "+", num2, "=", add(num1, num2))

        elif choice == '2':
            print(num1, "-", num2, "=", subtract(num1, num2))

        elif choice == '3':
            print(num1, "*", num2, "=", multiply(num1, num2))

        elif choice == '4':
            print(num1, "/", num2, "=", divide(num1, num2))

        # check if user wants another calculation
        # break the while loop if answer is no
        next_calculation = input("Let's do next calculation? (yes/no): ")
        if next_calculation == "no":
            break

    else:
        print("Invalid Input")
```

```
IDLE Shell 3.10.7
File Edit Shell Debug Options Window Help

Python 3.10.7 (tags/v3.10.7:6cc6b13, Sep 5 2022, 14:08:36) [MSC v.1933 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:/Users/Ashifa/Desktop/calculator.py =====
Select operation.
1.Add
2.Subtract
3.Multiply
4.Divide
Enter choice(1/2/3/4): 1
Enter first number: 2
Enter second number: 2
2.0 + 2.0 = 4.0
Let's do next calculation? (yes/no): yes
Enter choice(1/2/3/4): 2
Enter first number: 8
Enter second number: 4
8.0 - 4.0 = 4.0
Let's do next calculation? (yes/no): yes
Enter choice(1/2/3/4): 3
Enter first number: 2
Enter second number: 3
2.0 * 3.0 = 6.0
Let's do next calculation? (yes/no): yes
Enter choice(1/2/3/4): 4
Enter first number: 8
Enter second number: 2
8.0 / 2.0 = 4.0
Let's do next calculation? (yes/no): no
>>>
```

3.Program to concatenate, reverse and slice a string.

Program:

Str1="Hello"


```
Str2="World"
```

```
#To concatenate 2 strings
```

```
Str=" ".join([str1 ,str2])
```

```
Print("The Concatenated String:",str)
```

```
#To reverse a string
```

```
Print("The reversed String:",str[::-1])
```

```
#To sliced a string
```


```
Print("The Sliced String:",str[6:11])
```

Output:

The Concatenated String: Hello World


The reversed String: dlroW olleH

The Sliced String: World

A screenshot of a Windows desktop showing a Python script being executed. The script is named 'string.py' and is located at 'C:\Users\Ashifa\Desktop\string.py (3.10.7)'. The script contains the following code:

```
str1="Hello"  
str2="World"  
#To concatenate 2 strings  
str=" ".join([str1, str2])  
print("The concatenated string:",str)  
#To reverse a string  
print("The reversed String:",str[::-1])  
#To slice a string  
print("The sliced string:",str[6:11])
```

The output of the script is displayed in the console window, showing the concatenated string 'Hello World', the reversed string 'dlroW olleH', and the sliced string 'World'. The Windows taskbar at the bottom shows the system clock as 16:07 on 17-09-2022, and the weather as 28°C Light rain.



```
Python 3.10.7 (tags/v3.10.7:6cc6b13, Sep 5 2022, 14:08:36) [MSC v.1933 64 bit (AMD64)] on win32
Type "help", "copyright", "credits" or "license()" for more information.
>>>
===== RESTART: C:\Users\Ashifa\Desktop\string.py =====
The concatenated string: Hello World
The reversed String: dlroW olleH
The sliced string: World
>>>
```

4. Why is python a popular programming language?

- The Python language is one of the accessible programming languages available because it has simplified syntax and not complicate, which gives more emphasis on natural language.
- Due to its ease of learning and usage, python codes can be easily written and execute much faster than other programming language.

REASONS:

- i. Python is easy to learn and use,
- ii. Python is handy for web development purposes,
- iii. The language is extensively used in Data Science,
- iv. Has Multiple Libraries and frameworks,
- v. Python can be used in ML Tool,

- vi. Python for Academics,
- vii. Has a highly supportive community,
- viii. Flexibility and Reliability,
- ix. Python Automates Tasks,
- x. The first choice always.

5. What are the Other Frameworks that can be used with python?

TYPES OF FRAME WORKS:

1. Full-stack Framework:

A full-stack framework, also known as enterprise framework, is the one-stop solution for all development needs. They support the development of databases, frontend interfaces, and backend services.

2. Micro Framework:

Micro frameworks are lightweight, minimalistic web application frameworks that have limited functionalities and features. Usually, micro frameworks offer only those components that are required for building an application.

3. Asynchronous Framework:

The asynchronous framework is the latest to join the python framework bangwagon. It is a unique micro framework that lets Developers handle and manage large sets of concurrent connections. These frameworks feed on python's Asyncio library.

4. Django:

Django is an open-source, full-stack Python framework. It follows the DRY(Don't Repeat Yourself) principle. Django allows you to develop

any kind of application you desire from large web application to small-scale projects.

5. Pyramid:

Another open-source Python framework on our list is pyramid. It runs on Python3 and aims to accomplish as much as possible with minimal complexity. Pyramid boasts of an active community that's continually contributing to enrich the framework.

6. TurboGears:

TurboGears is an open-source, data-drive, full-stack Python framework. It incorporates some of the best components of other python frameworks and comes with many useful libraries. TurboGears has a user-friendly templating engine and a robust ORM.

7. Web2py:

Web2py is a highly scalable, open-source full stack python framework. It comes with its individual web-based IDE that includes a code editor, debugger, and a one-click deployment feature. Web2py is a potent data handling tool.

8.CherryPy:

CherryPy is one of the oldest open-source, object-oriented Python micro frameworks. Following a minimalistic approach, CherryPy is designed for extensibility. It includes mechanisms for hook points and extensions. Moreover, the "Cherry" on top is that any CherryPy-based web application having its unique embedded multi-threaded web server.

9. Flask:

Flask is a python micro framework available under the BSD license. It drew inspiration from the Sinatra Ruby framework. Flask requires Jinja2template and Werkzeug WSGI toolkit to run. It has a lightweight and

modular design that makes it easily adaptable to a wide range of development needs.

10. Sanic:

Sanic is one of the most preferred asynchronous frameworks by developers since it can read and write cookies; allows different types of logging, has plugin support, and supports blueprints for sub-routing within an application, among other things.

6. Full Form of WSGI.

- The full form of WSGI is Web Server Gateway Interface.
- A Web Server Gateway Interface (WSGI) server implements the web server side of the WSGI interface for running python web applications.
- The Web Server Gateway Interface is a simple calling convention for Web servers to forward requests to web applications or frameworks written in the python programming language. The current version of WSGI, version 1.0.1, is specified in Python Enhancement Proposal.