Assignment -1 HTML Form

Assignment Date	19 September 2022
Student Name	BALAJI M
Student Roll Number	820419104012
Maximum Marks	2 Marks

Question-1:

Create registration page in html with username, email and phone number and by using POST method display it in next html page.

App.py:

```
from flask import Flask, render_template, request, redirect, url_for, flash
from flask_wtf import FlaskForm
from wtforms import StringField, PasswordField, SubmitField
from wtforms.validators import DataRequired, Email, EqualTo
app = Flask( name ) app.config['SECRET_KEY'] = 'mysecretkey'
class RegistrationForm(FlaskForm):
first name = StringField('First Name', validators=[DataRequired()])
last name = StringField('Last Name', validators=[DataRequired()])
email = StringField('Email', validators=[DataRequired(), Email()])
phone = StringField('Phone', validators=[DataRequired()])
password = PasswordField('Password', validators=[DataRequired()])
submit = SubmitField('Submit')
@app.route('/', methods=['GET', 'POST'])
def index():
return render_template('index.html')
@app.route('/register', methods=['GET', 'POST'])
def register():
form = RegistrationForm()
if form.validate_on_submit():
flash(f'Account created for {form.first_name.data} {form.last_name.data}!', 'success')
return render template('success.html', form=form)
```

```
return render_template('success.html',
form=form) @app.route('/success',
methods=['GET', 'POST']) def success():
return render_template('success.html',
first_name=request.args.get('first_name'),
last_name=request.args.get('last_name'),
email=request.args.get('email'),
phone=request.args.get('phone'))
if name == ' main ':
app.run(debug=True)
Index.html:
<!DOCTYPE html>
<html>
<head>
<title>Flask App</title>
k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css" integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z" cross
origin="anonymous">
</head>
<body>
<h1>Registration Page</h1>
<form action="/register" method="POST">
<label for="first_name">
First Name:
</label>
<input type="text" name="first_name" id="first_name"> <br>
<label for="last_name">
Last Name:
</label>
<input type="text" name="last_name" id="last_name"> <br>
<label for="email">
```

```
Email:
</label>
<input type="text" name="email" id="email"> <br>
<label for="phone">
Phone:
</label>
<input type="text" name="phone" id="phone"> <br>
<label for="password">
Password:
</label>
<input type="password" name="password" id="password"> <br>
<input type="submit" value="Submit"> </form>
</body>
</html>
Success.html:
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Success</title>
<link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
</head>
<body>
<h1>Success</h1>
<h2>Thank you for submitting your information</h2>
<h3>Here is the information you submitted:</h3>
```

```
First Name: {{form.first_name}}
>
Last Name: {{form.last_name}}
>
Email: {{form.email}}
>
Phone: {{form.phone}}
</body>
</html>
   Registration Page
   First Name: Aburva
   Last Name: J
   Email: abu@gmail.com
   Phone: 6354357623
   Password: ·····
   Submit
```

Question 2:

Develop a flask program which should contain at least 5 packages used from pypi.org.

Program:

```
# Importing flask module in the project is mandatory
# An object of Flask class is our WSGI application.
From flask import Flask

# Flask constructor takes the name of
# current module (__name__) as argument.
app =Flask( name )
```

```
# The route() function of the Flask class is a decorator,
# which tells the application which URL should call
# the associated function.
@app.route('/')
# '/' URL is bound with hello_world() function.
Def hello_world():
    return 'HelloWorld'

# main driver function
if __name__ =='__main__':
# run() method of Flask class runs the application
    # on the local development server.
    app.run()
```