
Assignment -4 Kubernetes / Docker


PROJECT NAME	Personal Expense Tracker Application
Team ID	PNT2022TMID31320
Student Name	GURUVAYURAPPAN M
Student Roll Number	710719104036

Question-1:

Pull an Image from docker hub and run it in docker playground.

Solution:





Question-2:

Create a docker file for the jobportal application and deploy it in Docker desktop application.

Solution:

app.py

```
from flask import *
app = Flask(__name__)
@app.route("/")
def home():
    return "Hello World"
if__name__ == "__main__":
    app.run(debug=True)
```

Dockerfile:

FROM python:3.6

WORKDIR /app

ADD . /app

COPY requirements.txt /app

RUN python3 -m pip install -r requirements.txt

RUN python3 -m pip install ibm_db


EXPOSE 5000

CMD ["python","app.py"]

D. 10 - D. 1 - 1 D 1 + - 1 TDM D 1 4 1 1 1 1					
D:\OneDrive\Desktop\IBM Docs\Assigments\assignment-four>c	locker images				
REPOSITORY	TAG	IMAGE ID	CREATE		
D SIZE assignment-four	latest	c078f0dadaef	55 sec		
onds ago 1.08GB <none></none>	<none></none>	43c70dac96eb	15 min		
utes ago 913MB docker101tutorial	latest	3da8546f1c85	5 davs		
ago 28.9MB					
alpine/git s ago 43.6MB	latest	42a1cda0ba24	2 week		
docker/desktop-git-helper s ago 45.8MB	cle302e18fba86bb07f6b657155011bd6791dfc5	352f04e41a19	2 week		
hubproxy.docker.internal:5000/docker/desktop-kubernetes	kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian	09d7e1dbc2c4	6 week		
s ago 363MB k8s.gcr.io/kube-apiserver	v1.25.2	97801f839490	6 week		
s ago 128MB k8s.gcr.io/kube-scheduler	v1.25.2	ca0ea1ee3cfd	6 week		
s ago 50.6MB k8s.gcr.io/kube-controller-manager	v1.25.2	dbfceb93c69b	6 week		
s ago 117MB k8s.qcr.io/kube-proxy	v1.25.2	1c7d8c51823b	6 week		
s ago 61.7MB k8s.ocr.io/pause	3.8				
hs ago 711kB		4873874c08ef	4 mont		
k8s.gcr.io/etcd hs ago 300MB	3.5.11-0	a8a176a5d5d6	5 mont		
k8s.gcr.io/coredns hs ago 48.8MB	v1.9.3	5185b96f0bec	5 mont		
hs age 28.8MB	latest	cb90f98fd791	7 mont		
docker/desktop-git-helper	5a4fca126aadcd3f6cc3a011aa991de982ae7000	efe2d67c403b	15 mon		
ths ago 44.2MB docker/desktop-vpnkit-controller	v2.0	8c2c38aa676e	18 mon		
ths ago 21MB docker/desktop-storage-provisioner	v2.0	99f89471f470	18 mon		
ths ago 41.9MB					
D:\OneDrive\Desktop\IBM Docs\Assigments\assignment-four>docker run -p 5000:5000 assignment-four * Serving Flask app 'app' (lazy loading)					
* Environment: production WARNING: This is a development server. Do not use it in a production deployment.					
WARNING. This is a development server. Do not use it i	in a production deproyment.				

☐ C:\Windows\System32\cmd.e × + ∨		-	o ×	
docker101tutorial	latest	3da8546f1c85	5 days	
ago 28.9MB alpine/git	latest	42a1cda0ba24	2 week	
s ago 43.6MB	tatest	42a1C0a6Da24	2 Week	
docker/desktop-git-helper	cle302e18fba86bb07f6b657155011bd6791dfc5	352f04e41a19	2 week	
s ago 45.8MB hubproxy.docker.internal:5000/docker/desktop-kubernetes	kubernetes-v1.25.2-cni-v1.1.1-critools-v1.24.2-cri-dockerd-v0.2.5-1-debian	09d7e1dbc2c4	6 week	
s ago 363MB k8s.gcr.io/kube-apiserver s ago 128MB	v1.25.2	97801f839490	6 week	
s ago 128MB k8s.gcr.io/kube-scheduler s ago 50.6MB	v1.25.2	ca0ea1ee3cfd	6 week	
s ago 59.5ms k8s.gcr.io/kube-controller-manager s ago 117MB	v1.25.2	dbfceb93c69b	6 week	
k8s.gcr.io/kube-proxy s ago 61.7MB	v1.25.2	1c7d8c51823b	6 week	
k8s.gcr.io/pause hs.ago 711kB	3.8	4873874c08ef	4 mont	
k8s.gcr.io/etcd hs.ago 300MB	3.5.4-0	a8a176a5d5d6	5 mont	
k8s.gcr.io/coredns hs.ago 48.8MB	v1.9.3	5185b96f0bec	5 mont	
docker/getting-started hs ago 28.8MB	latest	cb90f98fd791	7 mont	
docker/desktop-git-helper ths aco 44.2MB	5a4fca126aadcd3f6cc3a011aa991de982ae7000	efe2d67c403b	15 mon	
docker/desktop-vpnkit-controller ths ago 21MB	v2.0	8c2c38aa676e	18 mon	
docker/desktop-storage-provisioner ths ago 41.9MB	v2.0	99f89471f470	18 mon	
D:\OneDrive\Desktop\IBM Docs\Assignents\assignment-four>docker run -p 5000:5000 assignment-four * Serving Flask app 'app' (lazy loading) * Serving Flask app 'app' (lazy loading) * Environment: production WARNING: Ihis is a development server. Do not use it in a production deployment. Use a production WSGI server instead. * Debug mode: on * Running on http://127.0.0 1:5000/ (Press CTRL+C to cuit) * Restarting with stat * Debugger is active! * Debugger PIN: 569-750-282				






Question-3:

Create a IBM container registry and deploy helloworld app or jobportalapp.

Solution:



```
OK

C:\Users\ASUS>docker tag assignment-four icr.io/helloworldapp/testrepo:helloworldtest

C:\Users\ASUS>docker push icr.io/helloworldapp/testrepo:helloworldtest

The push refers to repository [icr.io/helloworldapp/testrepo]

7/541f-3385hac: Pushed

224111355-51: Pushed

3594bcb2ef50: Pushed

9ea805ac7e5d: Pushed

78ac31885ac19: Pushed

aade886219f6: Pushed

aade886219f6: Pushed

8b39f699869bas: Pushed

2680fc39fc19fe: Pushed

6280fc39fc29fe19: Pushed

6280fc39fc39fc2: Pushed

6380fc3968bd: Pushed


6360fc356bd: Pushed


63650fc635bd: Pushed

8b-412cb8de72: Pushed

8b-42cb8de72: Pushed
```







Question-4:

Create a Kubernetes cluster in IBM cloud and deploy helloworld image or jobportal image and also expose the same app to run in nodeport.

Solution:

