

MODEL BUILDING

Prediction

Date	17 November 2022
Team ID	PNT2022TMID33064
Project Name	Emerging Methods for Early Detection of Forest Fires.

##Importing The ImageDataGenerator Library

```
import keras  
from keras.preprocessing.image import ImageDataGenerator
```

###Define the parameters/arguments for ImageDataGenerator class

```
train_datagen=ImageDataGenerator(rescale=1./255, shear_range=0.2, rotation_range=180, zoom_range=0.2, horizontal_flip=True)
```

```
test_datagen=ImageDataGenerator(rescale=1./255)
```

###Applying ImageDataGenerator Functionality to trainset

```
x_train=train_datagen.flow_from_directory(r'C:\archive\Dataset\Dataset\train_set',  
target_size=(128,128), batch_size=32, class_mode='binary')
```

###Applying ImageDataGenerator Functionality to testset

```
x_test=test_datagen.flow_from_directory(r'C:\archive\Dataset\Dataset\test_set', target_size=(128,128), batch_size=32, class_mode='binary')
```

##Import model building libraries

#To Define linear initialization import Sequential

from keras.models import Sequential

#To add layers import Dense

from keras.layers import Dense

#To create Convolution kernel import Convolution 2D

from keras.layers import Convolution2D

#import maxpooling layers

from keras.layers import MaxPooling2D

#import flatten Layer

from keras.layers import Flatten

import warnings

warnings.filterwarnings('ignore')

#Initializing the Model

model=Sequential()

##adding CNN layers

model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))

##adding maxpooling layer

model.add(MaxPooling2D(pool_size=(2,2)))

##adding flatten Layer

model.add(Flatten())

##add hidden layer

```
model.add(Dense(150,activation='relu'))
```

##add output layer

```
model.add(Dense(1,activation='sigmoid'))
```

#Configure the Learning Process

```
model.compile(loss="binary_crossentropy",optimizer="adam",metrics=['accuracy'])
```

Training the model

```
model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_data=x_test,validation_steps=4)
```

```
Epoch 1/10
14/14 [=====] - 65s 4s/step - loss: 3.5263 - accuracy: 0.6445 - val_loss: 0.2863 - val_accuracy: 0.884
3
Epoch 2/10
14/14 [=====] - 39s 3s/step - loss: 0.3504 - accuracy: 0.8555 - val_loss: 0.1233 - val_accuracy: 0.950
4
Epoch 3/10
14/14 [=====] - 41s 3s/step - loss: 0.2072 - accuracy: 0.9083 - val_loss: 0.1185 - val_accuracy: 0.958
7
Epoch 4/10
14/14 [=====] - 49s 4s/step - loss: 0.1969 - accuracy: 0.9243 - val_loss: 0.1069 - val_accuracy: 0.975
2
Epoch 5/10
14/14 [=====] - 39s 3s/step - loss: 0.1679 - accuracy: 0.9381 - val_loss: 0.0966 - val_accuracy: 0.975
2
Epoch 6/10
14/14 [=====] - 30s 2s/step - loss: 0.1608 - accuracy: 0.9312 - val_loss: 0.0865 - val_accuracy: 0.975
2
Epoch 7/10
14/14 [=====] - 28s 2s/step - loss: 0.1668 - accuracy: 0.9266 - val_loss: 0.0880 - val_accuracy: 0.975
2
Epoch 8/10
14/14 [=====] - 28s 2s/step - loss: 0.1717 - accuracy: 0.9197 - val_loss: 0.0901 - val_accuracy: 0.975
2
Epoch 9/10
14/14 [=====] - 28s 2s/step - loss: 0.1622 - accuracy: 0.9404 - val_loss: 0.0688 - val_accuracy: 0.975
2
Epoch 10/10
14/14 [=====] - 33s 2s/step - loss: 0.1456 - accuracy: 0.9450 - val_loss: 0.0718 - val_accuracy: 0.975
2
```

```
Out[14]: <keras.callbacks.History at 0x1ab5f462548>
```

#save the model

```
model.save("forest1.h5")
```

#prediction

```
from keras.model import load_model
from tensorflow.keras.preprocessing import image
import numpy as np
import cv2
```

##loading the model

```
Model=load_model("forest1.h5")
Img=image.load_img(r' C:\archive\Dataset\Dataset\test_set\with fire\
b2683a16be44f230a90f50bb944315e994b43042e43df798bb4feaf27e0f8bc8.jpg')
x=image.img_to_array(img)
res=cv2.resize(x,dsize=(128,128),interpolation=cv2.INTER_CUBIC)
x=np.expand_dims(res,axis=0)
```

PREDICTION

```
pred=model.predict(x)
pred
```

```
In [2]: from keras.models import load_model
        from tensorflow.keras.preprocessing import image
        import numpy as np
        import cv2

In [5]: model=load_model("forest1.h5")
        img=image.load_img(r'C:\archive\Dataset\Dataset\test_set\with fire\b2683a16be44f230a90f50bb944315e994b43042e43df798bb4feaf27e0f8t
        x=image.img_to_array(img)

In [7]: res=cv2.resize(x,dsize=(128,128),interpolation=cv2.INTER_CUBIC)
        x=np.expand_dims(res,axis=0)

In [8]: pred=model.predict(x)

In [9]: pred
Out[9]: array([[1.]], dtype=float32)

In [ ]: |
```