
CUSTOMER CARE REGISTRY

CONTAINERIZE THE APP

Team ID	PNT2022TMID31329
Team Lead	JANANI.V
Team Member 1	INDHU.J
Team Member 2	HARIPRIYABALA.M
Team Member 3	JOTHI.A
College Name	DR NGP INSTITUTE OF TECHNOLOGY
Department	COMPUTER SCIENCE AND ENGINEERING

CREATE DOCKER FILE:



DOCKER PUSH:

```
kunals-mbp:web kunalmalhotra$ docker build -t app:latest .
Sending build context to Docker daemon 348.2kB
Step 1/8: FROM python:2.7
 ---> 6c76e39e7cfe
Step 2/8 : LABEL maintainer="Kunal Malhotra, kunal.malhotra1@ibm.com"
 ---> Using cache
 ---> d8b57d41591c
Step 3/8 : RUN apt-get update
 ---> Usina cache
 ---> 6262a134e40e
Step 4/8 : COPY . /app
 ---> f07f7377099f
Step 5/8 : WORKDIR /app
Removing intermediate container f9010b99d2fe
 ---> 0bcc6af20e3d
Step 6/8 : RUN pip install -r requirements.txt
 ---> Running in 8153040b00b7
Collecting click=6.7 (from -r requirements.txt (line 1))
 Downloading https://files.pythonhosted.org/packages/34/c1/8806f99713ddb993c5366c362b2f908f18269f8d792aff1abfd700775a77/click-6.7-py2.py3-none-any.whl (71kB)
Collecting Flask=1.0.2 (from -r requirements.txt (line 2))
 Downloading https://files.pythonhosted.org/packages/7f/e7/08578774ed4536d3242b14dacb4696386634607af824ea997202cd0edb4b/Flask-1.0.2-py2.py3-none-any.whl (91kB)
Collecting itsdangerous=0.24 (from -r requirements.txt (line 3))
 Downloading https://files.pythonhosted.org/packages/dc/b4/a60bcdba945c00f6d608d8975131ab3f25b22f2bcfe1dab221165194b2d4/itsdangerous-0.24.tar.gz (46kB)
Collecting Jinja2=2.10 (from -r requirements.txt (line 4))

Downloading https://files.pythonhosted.org/packages/7f/ff/ae64bacdfc95f27a016a7bed8e8686763ba4d277a78ca76f32659220a731/Jinja2-2.10-py2.py3-none-any.whl (126kB)
 Collecting MarkupSafe=1.0 (from -r requirements.txt (line 5))
 Downloading https://files.pythonhosted.org/packages/4d/de/32d741db316d8fdb7680822dd37001ef7a448255de9699ab4bfcbdf4172b/MarkupSafe-1.0.tar.gz
Collecting Werkzeug==0.14.1 (from -r requirements.txt (line 6))
 Downloading https://files.pythonhosted.org/packages/20/c4/12e3e56473e52375aa29c4764e70d1b8f3efa6682bef8d0aae04fe335243/Werkzeug-0.14.1-py2.py3-none-any.whl (322kB)
Building wheels for collected packages: itsdangerous, MarkupSafe
 Running setup.py bdist_wheel for itsdangerous: started
 Running setup.py bdist_wheel for itsdangerous: finished with status 'done'
 Stored in directory: /root/.cache/pip/wheels/2c/4a/61/5599631c1554768c6290b08c02c72d7317910374ca602ff1e5
 Running setup.py bdist_wheel for MarkupSafe: started
Running setup.py bdist_wheel for MarkupSafe: finished with status 'done'
 Stored in directory: /root/.cache/pip/wheels/33/56/20/ebe49a5c612fffe1c5a632146b16596f9e64676768661e4e46
 Successfully built itsdangerous MarkupSafe
Installing collected packages: click, itsdangerous, MarkupSafe, Jinja2, Werkzeug, Flask
Successfully installed Flask-1.0.2 Jinja2-2.10 MarkupSafe-1.0 Werkzeug-0.14.1 click-6.7 itsdangerous-0.24
Removing intermediate container 8153040b00b7
 ---> 66d2636b97bc
Step 7/8 : ENTRYPOINT [ "python" ]
 ---> Running in bdc1c83815e1
Removing intermediate container bdc1c83815e1
 ---> 73cefc38ac1c
Step 8/8 : CMD [ "app.py" ]
 ---> Running in a784d430dd6f
Removing intermediate container a784d430dd6f
 ---> d8b6b83763a5
Successfully built d8b6b83763a5
Successfully tagged app:latest
kunals-mbp:web kunalmalhotra$
```


kunals-mbp:web kunalmalhotra\$ docker run -d -p 5000:5000 app 3c2bbf86f758e9a606006eb52a2ef389ea8400eb88263137ca5543c60c616247

kunals-mbp:web kunalmalhotra\$ docker ps

CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES

3c2bbf86f758 3c2bbf86f758 app kunals-mbp:web kunalmalhotra\$ Less than a second ago Up 5 seconds 0.0.0.0:5000->5000/tcp compassionate_keldysh "python app.py"

CONTAINERIZING THE APPLICATION:



THANK YOU