

Project Design Phase-II
Technology Stack (Architecture & Stack)

| | |
|---------------|---|
| Date | 16 October 2022 |
| Team ID | PNT2022TMID30270 |
| Project Name | SmartFarmer - IoT Enabled Smart Farming Application |
| Maximum Marks | 4 Marks |

Technical Architecture:




Table-1 : Components & Technologies:

| S.No | Component | Description | Technology |
|------|---------------------------------|--|-------------------------|
| 1. | User Interface | Mobile and web application. | HTML, CSS, JavaScript |
| 2. | Application Logic-1 | Gets the permission from the farmer before the initializing the irrigation pump. | Python |
| 3. | Cloud Database | IBM DB2 is used to collect and store the data of the field for further analyses | IBM DB2 |
| 4. | File Storage | App code and IoT credentials are stored and API keys | IBM Block Storage |
| 5. | External API-1 | To get the details of parameters detected in field | IBM field detection API |
| 6. | External API-2 | To get the decision from the farmer | IBM decision API |
| 7. | Infrastructure (Server / Cloud) | To host the server and application | Node Red |

Table-2: Application Characteristics:

| S.No | Characteristics | Description | Technology |
|------|--------------------------|---|-------------------------|
| 1. | Open-Source Frameworks | To develop the application interface, we use MIT App Inventor | MIT APP INVENTOR |
| 2. | Security Implementations | To secure the users login credentials and personal information | SHA-256, OWASP |
| 3. | Scalable Architecture | To scale the application database | IBM Auto scaling |
| 4. | Availability | To make use the application and data are available 24/7 | IBM Cloud load balancer |
| 5. | Performance | To increase the performance the application in hosted in the high-performance instance. | IBM instance |

