


DEPLOY IN KUBERNETES CLUSTER

Task	TSK-275370
Team ID	PNT2022TMID44544
Student Name	Kavitha.P
Student Roll No	731719205013

The screenshot shows the Kubernetes dashboard interface. The left sidebar contains a navigation menu with categories: Workloads (Cron Jobs, Daemon Sets, Deployments, Jobs, Pods, Replica Sets, Replication Controllers, Stateful Sets), Service (Ingresses, Ingress Classes, Services), and Config and Storage (Config Maps, Persistent Volume Claims, Secrets). The main panel is titled 'Deployments' and displays a table with the following data:

Name	Images	Labels	Pods	Created
helloapp	nginx	k8s-app: helloapp	2 / 2	a minute ago



Hostname: echoserver-deployment-859b75d8c4-w75jn

Pod Information:

node name: 10.94.21.13
pod name: echoserver-deployment-859b75d8c4-w75jn
pod namespace: default
pod IP: 172.30.45.7

Server values:

server_version=nginx: 1.13.3 - lua: 10088

Request Information:

client_address=172.30.45.5
method=GET
real_path=/
query=
request_version=1.1
request_scheme=http
request_url=http://echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud:8080/

Request Headers:

accept=/*/*
host=echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud
user-agent=curl/7.54.0
x-forwarded-for=195.218.100.100
x-forwarded-host=echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud
x-forwarded-port=443
x-forwarded-proto=https
x-global-k8sfdic-transaction-id=f09b6d1f00c1b7b63bf96dbf02396378
x-real-ip=195.218.100.100

Request Body:

-no body in request-

```
$ curl http://169.61.18.4:1884
```

```
Hostname: echoserver-deployment-859b75d8c4-r6s62
```

```
Pod Information:
```

```
node name:      10.73.115.27  
pod name:       echoserver-deployment-859b75d8c4-r6s62  
pod namespace:  default  
pod IP: 172.30.154.209
```

```
Server values:
```

```
server_version=nginx: 1.13.3 - lua: 10008
```

```
Request Information:
```

```
client_address=195.21.1.1  
method=GET  
real path=/  
query=  
request_version=1.1  
request_scheme=http  
request_uri=http://169.61.18.4:8080/
```

```
Request Headers:
```

```
accept=/*/*  
host=169.61.18.4:1884  
user-agent=curl/7.54.0
```

```
Request Body:
```

```
-no body in request-
```

```
$ curl https://echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud
```

Hostname: echoserver-deployment-859b75d8c4-d6fdx

Pod Information:

node name: 10.73.115.19
pod name: echoserver-deployment-859b75d8c4-d6fdx
pod namespace: default
pod IP: 172.30.116.132

Server values:

server_version=nginx: 1.13.3 - lua: 10008

Request Information:

client_address=172.30.119.129
method=GET
real_path=/
query=
request_version=1.1
request_scheme=http
request_uri=http://echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud:8080/

Request Headers:

accept=/*/*
host=echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud
user-agent=curl/7.54.0
x-forwarded-for=10.184.100.58
x-forwarded-host=echoserver.arpad-ipvs-test-aug14.us-south.containers.appdomain.cloud
x-forwarded-port=443
x-forwarded-proto=https
x-global-k8sdlc-transaction-id=838e8708691877ea4ac7448370362e22
x-real-ip=10.184.100.58

Request Body:

-no body in request-