

Assignment -4

Assignment Date	8 November 2022
Student Name	GODSY D
Student Roll Number	962819106016
Maximum Marks	2 Marks

Question:

Write code and connections in wokwi for ultrasonic sensor.

Whenever distance is less than 100 cms send "alert" to IBM cloud and display in device recent events.

Upload document with wokwi share link and images of ibm cloud

Solution:

```
#include <WiFi.h>
#include <PubSubClient.h>
#include <ArduinoJson.h>
#define echoPin 12
#define trigPin 13
#define led1 14
void callback(char* subscribetopic, byte* payload, unsigned int
payloadLength);

//-----credentials of IBM Accounts-----

#define ORG "wpc1j0"//IBM ORGANITION ID
#define DEVICE_TYPE "PNTIBMnk62devicetype"//Device type mentioned in ibm
watson IOT Platform
#define DEVICE_ID "PNTIBMnk62deviceid"//Device ID mentioned in ibm
watson IOT Platform
#define TOKEN "6xDs_yHiG5Ky_(0PBc" //Token
String data3;
float duration,distance;

//----- Customise the above values -----
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server
Name
char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type
of event perform and format in which data to be send
char subscribetopic[] = "iot-2/cmd/command/fmt/String";// cmd REPRESENT
command type AND COMMAND IS TEST OF FORMAT STRING
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;//client id
```

```

//-----
WiFiClient wifiClient;
PubSubClient client(server, 1883, callback ,wifiClient);
//-----
void setup()// configureing the ESP32
{
  pinMode(trigPin,OUTPUT); // Sets the trigPin as an OUTPUT
  pinMode(echoPin, INPUT);
  pinMode(led1,OUTPUT); // Sets the echoPin as an INPUT
  Serial.begin(115200); // // Serial Communication is starting with 9600
of baudrate speed
  wificonnect();
  mqttconnect();
}

void loop()// Recursive Function
{

  digitalWrite(trigPin, LOW);
  delayMicroseconds(2);
  digitalWrite(trigPin, HIGH);
  delayMicroseconds(10);
  digitalWrite(trigPin, LOW);
  // Reads the echoPin, returns the sound wave travel time in
microseconds
  duration = pulseIn(echoPin, HIGH);
  distance=duration*0.034/2;
  Serial.println("duration:"+String(distance)+ "cm");
  if (distance<=100)
  {
    digitalWrite(led1,HIGH);
    PublishData(duration,distance);
    delay(1000);
    if (!client.loop()) {
      mqttconnect();
    }
    else{
      digitalWrite(led1,LOW);
    }
  }
}

/*.....retrieving to
Cloud..... */

```

```

void PublishData(float dur, float dist)
{
    mqttconnect();//function call for connecting to ibm
    /*
        creating the String in in form JSon to update the data to ibm cloud
    */
    String payload = "{\"Duration\":";
    payload += dur;
    payload += "," " \"Distance\":";
    payload += dist;
    payload += "}";

    Serial.print("Sending payload: ");
    Serial.println(payload);

    if (client.publish(publishTopic, (char*) payload.c_str())) {
        Serial.println("Publish ok");// if it sucessfully upload data on the
        cloud then it will print publish ok in Serial monitor or else it will
        print publish failed
    } else {
        Serial.println("Publish failed");
    }
}

void mqttconnect() {
    if (!client.connected()) {
        Serial.print("Reconnecting client to ");
        Serial.println(server);
        while (!!!client.connect(clientId, authMethod, token)) {
            Serial.print(".");
            delay(500);
        }

        initManagedDevice();
        Serial.println();
    }
}

void wificonnect() //function defination for wificonnect
{
    Serial.println();
    Serial.print("Connecting to ");

    WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to
    establish the connection
    while (WiFi.status() != WL_CONNECTED) {

```

```

        delay(500);
        Serial.print(".");
    }
    Serial.println("");
    Serial.println("WiFi connected");
    Serial.println("IP address: ");
    Serial.println(WiFi.localIP());
}

void initManagedDevice() {
    if (client.subscribe(subscribetopic)) {
        Serial.println((subscribetopic));
        Serial.println("subscribe to cmd OK");
    } else {
        Serial.println("subscribe to cmd FAILED");
    }
}

void callback(char* subscribetopic, byte* payload, unsigned int
payloadLength)
{
    Serial.print("callback invoked for topic: ");
    Serial.println(subscribetopic);
    for (int i = 0; i < payloadLength; i++) {
        //Serial.print((char)payload[i]);
        data3 += (char)payload[i];
    }

    Serial.println("data: "+ data3);
    if(data3=="lighton")
    {
        Serial.println(data3);
        digitalWrite(led1,HIGH);

    }

    else
    {
        Serial.println(data3);
        digitalWrite(led1,LOW);

    }
    data3="";
}

```


Simulation

↺

■

⏸

🕒 06:42.436



Publish ok

duration:48.96cm

Sending payload: {"Duration":2880.00,"Distance":48.96}

Publish ok

duration:48.96cm

Sending payload: {"Duration":2880.00,"Distance":48.96}

Publish ok

IBM Watson IoT Platform

962819106033@smartintenz.com
ID: wpej0

Browse Action Device Types Interfaces

Add Device

Search by Device ID

Device Simulator

Device ID	Status	Device Type	Class ID	Date Added	Descriptive Location	Added By	Device Class
PNTIBMk62deviceid	Connected	PNTIBMk62devicetype	Device	Oct 25, 2022 10:01 AM		962819106033@smartintenz.com	

Identity Device Information Recent Events State Logs

The recent events listed show the live stream of data that is coming and going from this device.

Event	Value	Format	Last Received
Data	{"Duration":2881,"Distance":48.98}	json	a few seconds ago
Data	{"Duration":2880,"Distance":48.96}	json	a few seconds ago
Data	{"Duration":2880,"Distance":48.96}	json	a few seconds ago
Data	{"Duration":2880,"Distance":48.96}	json	a few seconds ago
Data	{"Duration":2880,"Distance":48.96}	json	a few seconds ago

Items per page: 50 | 1-1 of 1 item

1 Simulation running

Wokwi link : <https://wokwi.com/projects/347142880979059282>