



### ASSIGNMENT- 3

Student Name	Ms.S.Lavanya
Student roll number	814619104012
Maximum marks	2 marks

1.Create a Bucket in IBM object storage.



2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.



Input:

image.html

```
<html>
<body>








</body>
</html>
```

Output:



3. Upload a css page to the object storage and use the same page in your HTML code.

Input:

**index.html**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Images</title>
  <link rel="stylesheet" href="main.css">
</head>
<body>
  <div class="image-grid">
    
```

```
        
        
        
        
    </div>
</body>
</html>
```

## main.css

```
body
{
    margin: 0;
    background-color: lightskyblue;
}

.image-grid {
    --gap: 14px;
    --num-cols: 4;
    --row-height: 250px;

    box-sizing: border-box;
    padding: var(--gap);

    display: grid;
    grid-template-columns: repeat(var(--num-cols), 1fr);
    grid-auto-rows: var(--row-height);
    gap: var(--gap);
}


.image-grid>img {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.image-grid-col-2 {
    grid-column: span 2;
}

.image-grid-row-2 {
    grid-row: span 2;
}
```


```
@media screen and (max-width: 1024px) {
  .image-grid {
    --num-cols: 2;
    --row-height: 200px;
  }
}
```

Output:



4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

<https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-3ea452fc-fef6-4c4c-bfa7-012683085117%3A%3A62d3054f-0e9b-4b20-bd14-bb4d33c382a7&integrationID=d82b1ee4-278c-4130-ad15-4f4c3708690e&region=au-syd&serviceInstanceID=3ea452fc-fef6-4c4c-bfa7-012683085117>



5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Input:

candy.html

```
<!DOCTYPE html>
<html>

<body bgcolor="pink">

    <script>
        window.watsonAssistantChatOptions = {
            integrationID: "38534042-b7c6-4e4e-a8bd-bcf001a4df07", // The ID of
this integration.
            region: "au-syd", // The region your integration is hosted in.
            serviceInstanceID: "3ea452fc-fef6-4c4c-bfa7-012683085117", // The ID
of your service instance.
            onLoad: function(instance) { instance.render(); }
        };
        setTimeout(function(){
            const t=document.createElement('script');
            t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
```

```
(window.watsonAssistantChatOptions.clientVersion || 'latest') +  
"/WatsonAssistantChatEntry.js";  
    document.head.appendChild(t);  
  });  
</script>  
  
</body>  
  
</html>
```

Output:

