

SETTING UP THE APPLICATION ENVIRONMENT


Docker CLI Installation

DATE	27 October 2022
TEAM ID	PNT2022TMID48534
PROJECT NAME	Inventory Management System for Retailers

Docker CLI Installation:

Command

>> start /w "" "Docker Desktop Installer.exe" install



Docker CLI Installation :

```
Administrator: PowerShell
~ git:(main) docker

Usage:  docker [OPTIONS] COMMAND

A self-sufficient runtime for containers

Options:
  --config string          Location of client config files (default
                             "C:\\Users\\Akaash\\.docker")
  -c, --context string      Name of the context to use to connect to the
                             daemon (overrides DOCKER_HOST env var and
                             default context set with "docker context use")
  -D, --debug              Enable debug mode
  -H, --host list          Daemon socket(s) to connect to
  -l, --log-level string    Set the logging level
                             ("debug"|"info"|"warn"|"error"|"fatal")
                             (default "info")
  --tls                   Use TLS; implied by --tlsverify
  --tlscacert string       Trust certs signed only by this CA (default
                             "C:\\Users\\Akaash\\.docker\\ca.pem")
  --tlscert string         Path to TLS certificate file (default
                             "C:\\Users\\Akaash\\.docker\\cert.pem")
  --tlskey string          Path to TLS key file (default
                             "C:\\Users\\Akaash\\.docker\\key.pem")
  --tlsverify              Use TLS and verify the remote
  -v, --version            Print version information and quit

Management Commands:
  builder      Manage builds
  buildx*      Docker Buildx (Docker Inc., v0.9.1)
  compose*     Docker Compose (Docker Inc., v2.12.1)
  config       Manage Docker configs
  container    Manage containers
  context      Manage contexts
```

Docker Desktop:

