DEVELOP THE PYTHON SCRIPT-DEVELOP THE PYTHON SCRIPT

Date	11.11.2022
Team ID	PNT2022TMID54425
Project Name	SMART SOLUTION FOR RAILWAY SYSTEM

```
import wiotp.sdk.device
import time
import random
myConfig = {
  "identity": {
  "orgId":
  "gagtey",
  "typeId": "GPS",
  "deviceId":"12345"
  },
  "auth":{
    "token":"12345678"
    }
def myCommandcallback(cmd):
  print("message received from IBM IOT Platform: %s" % cmd.data['command'])
  m=cmd.data['command']
client = wiotp.sdk.device.deviceclient(config=myConfig, logHandlers=None)
client.connect()
def pub(data):
  client.publishEvent(eventId="status", msgFormat="json",data=mydata,qos=0,
  print("publishe data successfully:%s", mydata)
while True:
  mydata={'name':'Train1','lat':17.6387448,'lon': 78.4754336)
  pub(myData)
  time.sleep(3)
  #mydata={'name':'Train2','lat':17.6387448,'lon': 78.4754336)
  #pub(myData)
  \#time.sleep(3)
  mydata={'name':'Train1','lat':17.6341908,'lon': 78.4744722)
  pub(myData)
  time.sleep(3)
  mydata={'name':'Train1','lat':17.6340889,'lon': 78.4745052)
  pub(myData)
  time.sleep(3)
  mydata={'name':'Train1','lat':17.6248626,'lon': 78.4720259)
  pub(myData)
  time.sleep(3)
  mydata={'name':'Train1','lat':17.6188577,'lon': 78.4698726)
  pub(myData)
```

```
time.sleep(3)
  mydata={'name':'Train1','lat':17.6132382,'lon': 78.4707318)
  pub(myData)
 time.sleep(3)
  client.commandCallback=mycommanCallbak
client.disconnect()
import cv2
import numpy as np
import time
import pyzbar.pyzbar as puzbar
from ibmcloudant.cloudant_v1 import cloudantv1
from ibmcloudant import couchDbsessionAuthenticator
from ibm_cloud_sdk_core.Authenticators import BasicAuhtenticator
authenticator=BasicAuthenticator('apikey-v2-
16u3crmdpkghhxefdikvpssoh5fwezrmuup5fv5g3ubz','b0ab119f45d3e6255eabb978)
service =cloudantv1(authenticator=authenticator)
service.set_service_url('https://apikey-v2-
16u3crmdpkghhxefdikvpssoh5fwezrmuup5fv5g3ubz:b0ab119f45d3e6255eabb978
cap = cv2.videoCapture(0)
font = cv2.FONT_HERSHEY_PLAIN
while True:
  \_, frame = cap.read(0)
  decodeObjects = pyzbar.decode(frame)
  for obj in decodeObjects:
    #print("Data",obj.data)
    a=obj.data.decode('UTF-8')
    cv2.putText(frame, "Ticket", (50, 50), font,
    2,
          (255,0,0),3)
    #print(a)
    try:
       responce = service.get document (
         db='booking',
         doc_id = a
         ).get_result()
       print(response)
       time.sleep(5)
    except Exception as e:
      print ("Not valid
      Ticket")time.sleep(5)
  cap.imshow("Frame", frame)
  if cv2.waitKey{1} & 0XFF ==
   ord('q'):break
```

cap.release()
cv2.destroyAllWindows(
)client.disconnect()