Assignment -3

Build CNN Model for Classification Of Flowers

Assignment Date	19 November 2022
Student Name	N.Arullakshmi
Student Roll Number	820519106013
Maximum Marks	2 Marks

Question-1:

Download the dataset

Question-2:

Image Augmentation

Solution

from tensorflow.keras.preprocessing.image import ImageDataGenerator train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)

test_datagen=ImageDataGenerator(rescale=1./255)

2)Image Augmentation	1	↓ G	□	1	<u></u>	ï	:
[] from tensorflow.keras.preprocessing.image import ImageDataGenerator							
[] train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)							
[] test_datagen=ImageDataGenerator(rescale=1./255)							
Load Data							
[] x_train=train_datagen.flow_from_directory(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Training",target_size=(64,64),class_	_mode=	cat	egori	cal'	,bat	:h_si	lz€
Found 3293 images belonging to 5 classes.							
[] x_test=test_datagen.flow_from_directory(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Testing",target_size=(64,64),class_models_	ie='ca	tego	rical	',ba	tch_	size=	-24
Found 1317 images belonging to 5 classes.							
[] x_train.class_indices							
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}							

Question-3:

Create model

Solution

from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten model=Sequential()

3)Create Model	
[] from tensorflow.keras.models import Sequential	
[] from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten	
[] model=Sequential()	
	↑ ↓ ⊖ 目 / ∏ i :

Question-4:

Add Layers (Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)

Solution

a)Convolution Layer

model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))

b) MaxPooling Layer

model.add(MaxPooling2D(pool_size=(2,2)))

c) Flatten Layer

model.add(Flatten())

d) Dense(Hidden layer)

model.add(Dense(300,activation="relu"))
model.add(Dense(300,activation="relu"))

e) Output layer

model.add(Dense(5,activation="softmax"))

a)Convolution Layer	
[] model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))	
b)MaxPooling Layer	
[] model.add(MaxPooling2D(pool_size=(2,2)))	
c)Flatten	
[] model.add(Flatten())	
d)Dense(Hidden layer)	
[] model.add(Dense(300,activation="relu"))	
[] model.add(Dense(300,activation="relu"))	
d)Dense(Hidden layer)	
[] model.add(Dense(300,activation="relu"))	
[] model.add(Dense(300,activation="relu"))	
e)Output layer	
<pre>model.add(Dense(5,activation="softmax"))</pre>	i :

Question-5:

Compile The Model

Solution

model.compile(loss="categorical_crossentropy",metrics=['accuracy'],optimizer='adam')

```
5)Compile the model

[ ] model.compile(loss="categorical_crossentropy",metrics=['accuracy'],optimizer='adam')
```

Question-6:

Fit The Model

Solution

model.fit(x_train,epochs=5,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test))

```
6)Fit the model

[ ] model.fit(x_train,epochs=5,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test))

Epoch 1/5

138/138 [==========] - 295 205ms/step - loss: 0.0980 - accuracy: 0.9712 - val_loss: 2.5114 - val_accuracy: 0.6560 epoch 2/5

138/138 [=========] - 265 190ms/step - loss: 0.1125 - accuracy: 0.9623 - val_loss: 2.1169 - val_accuracy: 0.6735 Epoch 3/5

138/138 [==========] - 265 190ms/step - loss: 0.0765 - accuracy: 0.9787 - val_loss: 1.8115 - val_accuracy: 0.7213 Epoch 4/5

138/138 [==========] - 275 193ms/step - loss: 0.0675 - accuracy: 0.9757 - val_loss: 1.8917 - val_accuracy: 0.7160 epoch 5/5

138/138 [==========] - 265 192ms/step - loss: 0.0841 - accuracy: 0.9745 - val_loss: 2.0121 - val_accuracy: 0.7183 (keras.callbacks.History at 0.775d2lb18710)
```

Question-7:

Save The Model

Solution

model.save("Flowers.h5")

```
7)Save the model

[ ] model.save("Flowers.h5")
```

Question-8:

Test The Model

Solution

```
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
model=load_model("Flowers.h5")
img=image.load_img(r"/content/drive/MyDrive/Assignment 3/Flowers-
Dataset/Testing/daisy/14333681205_a07c9f1752_m.jpg",target_size=(64,64))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=model.predict(x)
pred
index=['daisy','dandelion','rose','sunflower','tulip']
index[np.argmax(pred)]
```

8)T	est the model		
[]	<pre>import numpy as np from tensorflow.keras.models import load_model from tensorflow.keras.preprocessing import image</pre>		
[]	<pre>model=load_model("Flowers.h5")</pre>		
[]	img-image.load_img(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Testing/daisy/14333681205_a07c9f1752_m.jpg",target_size=(6	4,64))	
[]	ing		
[]	x=image.img_to_array(img)		
[]	$x = np.expand_dims(x, axis = \theta)$		
[]	x=image.img_to_array(img)		
[]	x=np.expand_dims(x,axis=0)		
[]	pred=model.predict(x)		
[]	pred		
	array([[1., 0., 0., 0., 0.]], dtype=float32)		
[]	<pre>index=['daisy','dandelion','rose','sunflower','tulip']</pre>		
0	<pre>index[np.argmax(pred)]</pre>	↑ ↓ © 目 ‡ [J W :
	'daisy'		