

Assignment - 4

ASSIGNMENT DATE	05 NOV 2022
STUDENT NAME	R.P.RAMVIGNHESH
STUDENT ROLL NO	920819106048
MAXIMUM MARK	2 MARKS

Question-1:

Write code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events. Upload document

with wokwi share link and images of
IBM cloud

Program:

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;

#define ORG "v6wg8x"
#define DEVICE_TYPE "nodeMcu"
#define DEVICE_ID "NodeMCU"
#define TOKEN "123456789"
#define speed 0.034
#define led 14
```

```
void callback(char* topic, byte* payload,  
unsigned int payloadLength);
```

```
char server[] = ORG
```

```
".messaging.internetofthings.ibmcloud.com";
```

```
char publishTopic[] = "iot-  
2/evt/Data/fmt/json";
```

```
char topic[] = "iot-2/cmd/test/fmt/String";
```

```
char authMethod[] = "use-token-auth";
```

```
char token[] = TOKEN;
```

```
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":"  
DEVICE_ID;
```

```
PubSubClient client(server, 1883, callback ,  
wifiClient);
```

```
void publishData();
```

```
const int trigpin=5;  
const int echopin=18;  
String command;  
String data="";
```

```
long duration;
```

```
float dist;
```

```
void setup()
```

```
{
```

```
  Serial.begin(115200);
```

```
  pinMode(led, OUTPUT);
```

```
  pinMode(trigpin, OUTPUT);
```

```
  pinMode(echopin, INPUT);
```

```
  wifiConnect();
```

```
  mqttConnect();
```

```
}
```

```
void loop() {  
    bool isNearby = dist < 100;  
    digitalWrite(led, isNearby);
```

```
    publishData();  
    delay(500)
```

```
if (!client.loop()) {  
    mqttConnect();  
    }  
}
```

```
void wifiConnect() {  
    Serial.print("Connecting to ");  
    Serial.print("Wifi");  
    WiFi.begin("Wokwi-GUEST", "", 6);
```

```
while (WiFi.status() != WL_CONNECTED) {  
    delay(500);  
    Serial.print(".");  
}  
Serial.print("WiFi connected, IP address: ");  
Serial.println(WiFi.localIP());  
}  
  
void mqttConnect() {  
    if (!client.connected()) {  
        Serial.print("Reconnecting MQTT client to ");  
        Serial.println(server);
```

```
    while (!client.connect(clientId, authMethod,
token)) {
Serial.print(".");
    delay(500);
    }
initManagedDevice();
Serial.println();
    }
}
```

```
void initManagedDevice() {
    if (client.subscribe(topic)) {
        // Serial.println(client.subscribe(topic));
        Serial.println("IBM subscribe to cmd OK");
    } else {
        Serial.println("subscribe to cmd FAILED");
    }
}
```

```
}  
  
}  
void publishData()  
{  
    digitalWrite(trigpin,LOW);  
  
    digitalWrite(trigpin,HIGH);  
    delayMicroseconds(10);  
    digitalWrite(trigpin,LOW);  
    duration=pulseIn(echopin,HIGH);  
    dist=duration*speed/2;  
    if(dist<100){  
        String payload = "{\\"Normal Distance\\":";  
        payload += dist;  
        payload += "}";  
    }  
}
```



```
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);

    if (client.publish(publishTopic, (char*)
payload.c_str())) {
Serial.println("Publish OK");

    }

}

if(dist>101 &&dist<111){
String payload = "{\\"Alert distance\\":";

payload += dist;
payload += "}";
```

```
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
    if(client.publish(publishTopic, (char*)
payload.c_str())) {
Serial.println("Warning crosses 110cm -- it
automaticaly of the loop");
digitalWrite(led,HIGH);
    }else {
Serial.println("Publish FAILED");
    }

}

}

void callback(char* subscribeTopic, byte*
payload, unsigned intpayloadLength){
```

```
Serial.print("callback invoked for topic:");  
Serial.println(subscribeTopic);  
for(int i=0; i<payloadLength; i++){  
  dist += (char)payload[i];  
}  
Serial.println("data:" + data3);  
if(data3=="lighton"){  
  Serial.println(data3);  
  digitalWrite(led,HIGH);  
}  
  data3="";  
}
```

Output:

Recent Events

The recent events listed show the live stream of data that is coming and going from this device.


Event	Value	Format	Last Received
Data	{"Normal Distance":85.99}	json	a few seconds ago
Data	{"Normal Distance":85.99}	json	a few seconds ago
Data	{"Normal Distance":85.99}	json	a few seconds ago
Data	{"Normal Distance":85.95}	json	a few seconds ago
Data	{"Alert distance":110.98}	json	a few seconds ago

```
Sending payload: {"Normal Distance":99.98}
Publish OK
```

```
Sending payload: {"Normal Distance":99.98}
Publish OK
```

```
Sending payload: {"Alert distance":110.98}
Warning crosses 110cm -- it automaticaly of the loop
```

```
Sending payload: {"Normal Distance":85.95}
Publish OK
```



Connection Information

Basic connection information about this device.

Device ID	NodeMCU
Device Type	nodeMcu
Date Added	Nov 1, 2022 7:27 PM
Added By	312319104058@smartinternz.com
Connection Status	Disconnected Last Connected: Nov 1, 2022 7:58 PM Client Address: 145.40.94.93 Insecure Duration: a few seconds Data Transferred: 1.5 KB

sketch.ino

diagram.json

libraries.txt


Library Manager

Simulation

01:19.958 100%

Editing Ultrasonic Distance Sensor

Distance: 86cm



Publish OK

Sending payload: {"Alert distance":110.98}
Warning crosses 110cm -- it automaticaly of the loop

Sending payload: {"Normal Distance":85.95}
Publish OK