

#### Assignment -4

Assignment Date	24 October 2022
Student Name	Mr.Arul Prakasam
Student Roll Number	412719106003
Team ID	PNT2022TMID38376

#### Question :

Write code and connections in wokwi for ultrasonic sensors. That whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images

#### Code:

```
#include <WiFi.h>
#include <PubSubClient.h>
#include <ArduinoJson.h>

WiFiClient wifiClient;

#define ORG "pcig8v"
#define DEVICE_TYPE "Arul"
#define DEVICE_ID "2002"
#define TOKEN "123456789"
#define speed 0.034

char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/raspberrypi_1/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();

const int trigpin=5;
const int echopin=18;
String command;
String data="";
String lat="14.167589";
String lon="80.248510";
String name="point2";
String icon="";

long duration;
int dist;
```

```

void setup()
{
    Serial.begin(115200);
    pinMode(trigpin, OUTPUT);
    pinMode(echopin, INPUT);
    wifiConnect();
    mqttConnect();
}

void loop() {

    publishData();
    delay(500);

    if (!client.loop()) {
        mqttConnect();
    }
}

void wifiConnect() {
    Serial.print("Connecting to "); Serial.print("Wifi");
    WiFi.begin("Wokwi-GUEST", "", 6);
    while (WiFi.status() != WL_CONNECTED) {
        delay(500);
        Serial.print(".");
    }
    Serial.print("WiFi connected, IP address: ");
    Serial.println(WiFi.localIP());
}

void mqttConnect() {
    if (!client.connected()) {
        Serial.print("Reconnecting MQTT client to "); Serial.println(server);
        while (!client.connect(clientId, authMethod, token)) {
            Serial.print(".");
            delay(1000);
        }
        initManagedDevice();
        Serial.println();
    }
}

void initManagedDevice() {
    if (client.subscribe(topic)) {
        Serial.println(client.subscribe(topic));
        Serial.println("subscribe to cmd OK");
    } else {

```


```

        Serial.println("subscribe to cmd FAILED");
    }
}
void publishData()
{
    digitalWrite(trigpin, LOW);
    digitalWrite(trigpin, HIGH);
    delayMicroseconds(10);
    digitalWrite(trigpin, LOW);
    duration=pulseIn(echopin, HIGH);
    dist=duration*speed/2;

    if(dist<100){
        dist=100-dist;
        icon="fa-trash";
    }else{
        dist=0;
        icon="fa-trash-o";
    }
    DynamicJsonDocument doc(1024);
    String payload;
    doc["Name"]=name;
    doc["Latitude"]=lat;
    doc["Longitude"]=lon;
    doc["Icon"]=icon;
    doc["FillPercent"]=dist;
    serializeJson(doc, payload);
    delay(3000);
    Serial.print("\n");
    Serial.print("Sending payload: ");
    Serial.println(payload);
    if (client.publish(publishTopic, (char*) payload.c_str())) {
        Serial.println("Publish OK");
    } else {
        Serial.println("Publish FAILED");
    }
}
}

```

## Diagram :



## Wokwi link :

<https://wokwi.com/projects/346391868501656148>

## Output :

```
44  
45   publishData();  
46   delay(500);  
47  
48   if (!client.loop()) {  
49     mqttConnect();  
50   }  
51 }  
52  
53 void wifiConnect() {  
54   Serial.print("Connecting to "); Serial.print("Wifi");  
55   WiFi.begin("Wokwi-GUEST", "", 6);  
56   while (WiFi.status() != WL_CONNECTED) {  
57     delay(500);  
58     Serial.print(".");  
59   }  
60   Serial.print("Wifi connected, IP address: "); Serial.println(WiFi.localIP());  
61 }  
62  
63 void mqttConnect() {  
64   if (!client.connected()) {  
65     Serial.print("Reconnecting MQTT client to "); Serial.println(server);  
66     while (!client.connect(clientId, authMethod, token)) {  
67       Serial.print(".");  
68       delay(1000);  
69     }  
70     initManagedDevice();  
71     Serial.println();  
72   }  
73 }
```

Connecting to Wifi...Wifi connected, IP address: 10.10.0.2  
Reconnecting MQTT client to  
oiz9pr.messaging.internetofthings.ibmcloud.com  
1  
subscribe to cmd OK