

SPRINT 3

Date	18 NOVEMBER 2022
Team ID	PNT2022TMID34709
Project	Personal Assistance for Seniors who Are Self Reliant

Iot device program :

```
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>//library for MQTT
#include <LiquidCrystal_I2C.h>
#include "DHT.h"// Library for dht11
#define DHTPIN 15 // what pin we're connected to
#define DHTTYPE DHT11 // define type of sensor DHT 11
#define Buzzer 2

DHT dht (DHTPIN, DHTTYPE);// creating the instance by passing pin and typr of dht
connected

void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);

//-----credentials of IBM Accounts-----

#define ORG "1l6lvq"//IBM ORGANITION ID
#define DEVICE_TYPE "nodeMCU"//Device type mentioned in ibm watson IOT Platform
#define DEVICE_ID "12345"//Device ID mentioned in ibm watson IOT Platform #define
TOKEN "?nUW@lkY)OglhHt)i6" //Token
String data3="";

//----- Customise the above values -----
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server Name char
publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type of event perform and format
```

in which data to be send

```
char subscribetopic[] = "iot-2/cmd/command/fmt/String";// cmd REPRESENT command type
```

AND COMMAND IS TEST OF FORMAT STRING

```
char authMethod[] = "use-token-auth";// authentication method char
```

```
token[] = TOKEN;
```

```
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;//client id LiquidCrystal_I2C  
lcd(0x27,16,2);
```

```
//-----
```

```
WiFiClient wifiClient; // creating the instance for wificlient
```

```
PubSubClient client(server, 1883, callback ,wifiClient); //calling the predefined client id by  
passing parameter like server id,portand wificredential void setup()// configureing the ESP32  
{
```

```
  Serial.begin(115200); dht.begin();
```

```
  pinMode(Buzzer,OUTPUT);
```

```
  delay(10); Serial.println();
```

```
  wificonnect();
```

```
  mqttconnect();
```

```
}
```

```
void loop()// Recursive Function
```

```
{ if
```

```
(!client.loop()) {
```

```
  mqttconnect();
```

```
  } }
```

```
void PublishData(float temp, float humid) {
```

```
  mqttconnect();//function call for connecting to ibm
```

```
  } void mqttconnect() {
```

```
    if (!client.connected())
```

```
    {
```

```
      Serial.print("Reconnecting client to ");
```

```
      Serial.println(server); while (!client.connect(clientId,
```

```

authMethod, token)) { Serial.print(".");
delay(500);
}
initManagedDevice();
Serial.println();
} }

void wificonnect() //function defination for wificonnect
{
Serial.println();
Serial.print("Connecting to ");

WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to establish the
connection while (WiFi.status() != WL_CONNECTED) { delay(500);
Serial.print(".");
}
Serial.println("");
Serial.println("WiFi connected");
Serial.println("IP address: ");
Serial.println(WiFi.localIP());
}

void initManagedDevice() { if
(client.subscribe(subscribetopic)) {
Serial.println((subscribetopic));
Serial.println("subscribe to cmd OK");
} else {
Serial.println("subscribe to cmd FAIBuzzer");
}
}

void callback(char* subscribetopic, byte* payload, unsigned int payloadLength) {
Serial.print("callback invoked for topic: ");

```

```
Serial.println(subscribetopic); for (int i =  
0; i < payloadLength; i++) {  
//Serial.print((char)payload[i]); data3 +=  
(char)payload[i];  
}
```

```
Serial.println("Medicine Name: "+ data3);  
if(data3 != "")  
{ lcd.init(); lcd.print(data3);  
digitalWrite(Buzzer,HIGH);  
delay(20000);  
digitalWrite(Buzzer,LOW);  
} else  
{  
digitalWrite(Buzzer,LOW);  
}  
data3="";  
}
```