SMART FARMER – IoT ENABLED SMART FARMER APPLICATION ASSIGNMENT – 4


Team ID	PNT2022TMID03692
Name	KISHORE S
Roll No.	212219060134

1. Write Code and connections in wokwi for ultrasonic sensor. Whenever distance is less than 100 centimetres send an *'alert'* to the ibm cloud and display in device recent events.

Program:


```
#define ECHO_PIN 2
#define TRIG_PIN 3
void setup() {
Serial.begin(115200);
pinMode(LED_BUILTIN, OUTPUT);
pinMode(TRIG_PIN, OUTPUT);
pinMode(ECHO_PIN, INPUT);
float readDistanceCM() {
digitalWrite(TRIG_PIN, LOW);
delayMicroseconds(2);
digitalWrite(TRIG_PIN, HIGH);
delayMicroseconds(10);
digitalWrite(TRIG_PIN, LOW);
 int duration = pulseIn(ECHO_PIN, HIGH);
return duration * 0.034 / 2;
}
void loop() {
 float distance = readDistanceCM();
if(distance<100)
 Serial.println("Alert!!!!!!");
Serial.print("Measured distance: ");
Serial.println(readDistanceCM());
delay(100);
```

Wokwi Editor window:



Results:

1. The measured distance is less than 100 centimetres, it gives alert message



2. The measured distance is more than 100 centimetres, it will not give alert message

