

Assignment-3

Date	10 October 2022
Team ID	PNT2022TMID47816
Project Name	Inventory Management System for Retailers
Batch No	B8-2A4E

1. Create a Bucket in IBM object storage.




2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.




Display.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>ASSIGNMENT</title>
link rel="stylesheet" href="{{url_for('redirect_to',link='https://s3.jp-tok.cloud-objectstorage.appdomain.cloud//vigneshramdass/assign%203.pdf')}}" type="text/css">
</head>
<body>
<h1>DISPLAYING IMAGES FROM CLOUD OBJECT STORAGE</h1>
{% for image in arr: %}
<img src="{{url_for('redirect_to',link=image)}}">
{% endfor %}
</body>
</html>
```


Output:



3.Upload a css page to the object storage and use the same page in your HTML code.



4.Design a chatbot using IBM Watson assistant for hospital.




Web URL for Assistant:

<script>

window.watsonAssistantChatOptions = { integrationID: "6b77ddfe-1472-4ab5-a4a3-a3edd9fceccc", // The ID of this integration. region: "au-syd", // The region your integration is hosted in.


```
serviceInstanceID: "aa508c3a-c190-4d5e-a720-8c8a6df7e3d2", // The ID of your service
instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
    (window.watsonAssistantChatOptions.clientVersion || 'latest') +
    "/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});</script>
```


5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.














Html code:

<!DOCTYPE html>

<html><head>

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Chatbot </title>

k rel="stylesheet"

href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="vicky647-

xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N" crossorigin="anonymous">

k rel="stylesheet" href="{{url_for('static',filename='styles/login.css')}}" type="text/css">

k rel="preconnect" href="https://fonts.googleapis.com">

```
k rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>
link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300
&display=swap" rel="stylesheet"></head>
<body style="background:rgba(128,0,128,0.2"> <h1
style="font-weight: bolder; margin: 12%;
font-size: xxx-large;">Building Chatbot For Hospital</h1> <script>
window.watsonAssistantChatOptions = { integrationID: "6b77ddfe-1472-4ab5-a4a3-
a3edd9fceccc ", // The ID of this integration. region: "au-syd", // The region your
integration is hosted in.
serviceInstanceID: "aa508c3a-c190-4d5e-a720-8c8a6df7e3d2", // The ID of your service
instance.
onLoad: function(instance) { instance.render(); }};
setTimeout(function(){
const t=document.createElement('script');
t.src="https://webchat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});</script>
</body></html>
```