IOT Based Smart Crop Protection System for Agriculture


Team ID - PNT2022TMID49683

SPRINT - 1

SIMULATION CREATION

(connect Arduino sensor with python code)

Arduino Sensor in Wokwi platform -



Code in the python IDE -

import random import ibmiotf.application import ibmiotf.device import pyfirmata

```
from time import sleep
import sys
board = pyfirmata.Arduino('https://wokwi.com/projects/348657938695455388')
#IBM Watson Device Credentials...
organization = "m48kdy"
deviceType = "ArduinoUNO"
deviceId = "PNT2022TMID49683"
authMethod = "token"
authToken = "12345678910"
def myCommandCallback(cmd):
  print("Command received: %s" % cmd.data['command'])
  status=cmd.data['command']
  if status=="sprinkler on":
    print ("sprinkler is turning ON")
  else:
    print ("sprinkler is turning OFF")
try:
  deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-
method": authMethod, "auth-token": authToken}
  deviceCli = ibmiotf.device.Client(deviceOptions)
except Exception as e:
  print("Exception detected in connecting device: %s" % str(e))
  sys.exit()
#Connecting to IBM watson...
deviceCli.connect()
while True:
  #Getting values from sensors...
  temp sensor = round( random.uniform(0,80),2)
  PH sensor = round(random.uniform(1,14),3)
  camera = ["Detected","Not Detected","Not Detected","Not Detected","Not
```

```
Detected","Not Detected",1
  camera reading = random.choice(camera)
  flame = ["Detected","Not Detected","Not Detected","Not Detected","Not
Detected","Not Detected",]
  flame reading = random.choice(flame)
  moist level = round(random.uniform(0,100),2)
  water level = round(random.uniform(0,30),2)
  #storing the sensor data to send in json format to cloud.
  temp data = { 'Temp' : temp sensor }
  PH data = { 'PH value' : PH sensor }
  camera data = { 'Animal attack' : camera reading}
  flame_data = { 'Flame' : flame_reading }
  moist data = { 'Moisture level' : moist level}
  water data = { 'Water level' : water level}
  # publishing Sensor datas to IBM Watson for every 5-10 seconds.
  success = deviceCli.publishEvent("Temperature sensor", "json", temp_data, gos=0)
  sleep(1)
  if success:
    print ("... ...publish ok... ... ...")
    print ("Published Temp = %s C" % temp sensor, "to IBM Watson")
    success = deviceCli.publishEvent("PH sensor", "json", PH data, qos=0)
    sleep(1)
  if success:
    print ("Published PH value = %s" % PH sensor, "to IBM Watson")
    success = deviceCli.publishEvent("camera", "json", camera data, gos=0)
    sleep(1)
  if success:
    print ("Published Animal attack %s" % camera reading, "to IBM Watson")
    success = deviceCli.publishEvent("Flame sensor", "json", flame data, qos=0)
    sleep(1)
  if success:
```

```
print ("Published Flame %s " % flame reading, "to IBM Watson")
     success = deviceCli.publishEvent("Moisture sensor", "json", moist_data, qos=0)
     sleep(1)
  if success:
     print ("Published Moisture level = %s " % moist level, "to IBM Watson")
     success = deviceCli.publishEvent("Water sensor", "json", water data, qos=0)
     sleep(1)
  if success:
     print ("Published Water level = %s cm" % water level, "to IBM Watson")
     print ("")
  #Automation to control sprinklers by present temperature an to send alert message to
IBM Watson.
  if (temp sensor > 35):
     print("sprinkler-1 is ON")
     success = deviceCli.publishEvent("Alert1", "json",{ 'alert1' : "Temperature(%s) is
high, sprinkerlers are turned ON" %temp sensor }, qos=0)
     sleep(1)
  if success:
     print( 'Published Alert1 : ', "Temperature(%s) is high, sprinkerlers are turned ON"
%temp sensor,"to IBM Watson")
     print("")
  else:
     print("sprinkler-1 is OFF")
     print("")
   #To send alert message if farmer uses the unsafe fertilizer to crops.
  if (PH sensor > 7.5 or PH sensor < 5.5):
     success = deviceCli.publishEvent("Alert2", "json",{ 'alert2' : "Fertilizer PH level(%s)
is not safe, use other fertilizer" %PH sensor } , qos=0)
     sleep(1)
```

```
if success:
     print('Published Alert2:', "Fertilizer PH level(%s) is not safe, use other fertilizer"
%PH sensor,"to IBM Watson")
     print("")
   #To send alert message to farmer that animal attack on crops.
  if (camera reading == "Detected"):
     success = deviceCli.publishEvent("Alert3", "json", { 'alert3' : "Animal attack on
crops detected" }, qos=0)
     sleep(1)
  if success:
     print('Published Alert3:', "Animal attack on crops detected", "to IBM Watson", "to
IBM Watson")
    print("")
   #To send alert message if flame detected on crop land and turn ON the splinkers to
take immediate action.
  if (flame reading == "Detected"):
     print("sprinkler-2 is ON")
     success = deviceCli.publishEvent("Alert4", "json", { 'alert4' : "Flame is detected
crops are in danger, sprinklers turned ON" }, qos=0)
     sleep(1)
  if success:
     print( 'Published Alert4 : ' , "Flame is detected crops are in danger, sprinklers turned
ON","to IBM Watson")
     print("")
  else:
     print("sprinkler-2 is OFF")
     print("")
  #To send alert message if Moisture level is LOW and to Turn ON Motor-1 for
irrigation.
```

```
if (moist level < 20):
     print("Motor-1 is ON")
     success = deviceCli.publishEvent("Alert5", "json", { 'alert5' : "Moisture level(%s) is
low, Irrigation started" %moist level }, qos=0)
     sleep(1)
  if success:
     print('Published Alert5:', "Moisture level(%s) is low, Irrigation started"
%moist level,"to IBM Watson")
     print("")
  else:
     print("Motor-1 is OFF")
     print("")
   #To send alert message if Water level is HIGH and to Turn ON Motor-2 to take water
out.
  if (water level > 20):
     print("Motor-2 is turning ON")
     success = deviceCli.publishEvent("Alert6", "json", { 'alert6' : "Water level(%s) is
high, so motor is ON to take water out " %water_level }, qos=0)
     sleep(1)
  if success:
     print('Published Alert6: ', "water level(%s) is high, so motor is ON to take water
out " %water level,"to IBM Watson" )
     print("")
  else:
     print("Motor-2 is turning OFF")
     print("")
#command received by farmer
deviceCli.commandCallback = myCommandCallback
# Disconnect the device and application from the cloud
deviceCli.disconnect()
```

Connect with python to get the output -

