
## **ASSIGNMENT 4**

## **CLOUD APPLICATION DEVELOPMENT**


Assignment Date	9 October 2022
Student Name	S.Parameshwari
Student Roll Number	912619104017
Maximum Marks	2 Marks

1. Create a Bucket in IBM object storage.



Thus a bucket is created with an unique name sanrasheed29.

2. Upload an 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.




Thus, Five images are uploaded and access is made public.

# **PYTHON CODE:**


```
from flask import Flask,render_template,request,redirect,url_for
from connect import *
from objstorage import *
app= Flask( name )
@app.route("/assign3")
def objstorage():
  for i in range(0,len(imagearr)):
     imagearr[i]="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/sanrasheed29/"+imagearr[i]
  print("objstorage ", imagearr)
  return render_template('assign3.html',arr=imagearr)
@app.route('/redirect_to')
def redirect_to():
  link = request.args.get('link', '/')
  return redirect(link), 301
if(_name_=='_main___'):
  app.run()
```

# HTML CODE TO DISPLAY IMAGES:



Thus the 5 images stored in cloud object storage has been displayed in the website.

3. Upload a css page to the object storage and use the same page in your HTML code.




A CSS page is uploaded in object storage.


The same CSS file is used inside the HTML Code.

4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

A chatbot using IBM Watson assistant for hospital has been designed.



Now the user comes with query to know the branches for that hospital in the city.





### **WEB URL OF ASSISTANT:**

```
    window.watsonAssistantChatOptions = {
        integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service
        instance.
        onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
        (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
});
```

5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.


The user is coming up with a query of vaccination details.






A Watson assistant with 3 conditions is given.


## **GREETINGS ACTION:**



## **BRANCHES QUERY ACTION:**



## VACCINATION QUERY ACTION:



#### HTML CODE WITH ASSISTANT EMBEDDED:

```
<!DOCTYPE html>
<html><head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Chatbot </title>
    k rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-
xOolHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
k rel="stylesheet" href="{{url for('static',filename='styles/login.css')}}" type="text/css">
<link rel="preconnect" href="https://fonts.googleapis.com">
link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
 <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>
link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&displ
ay=swap" rel="stylesheet">
  </head>
<body style="background:rgba(128,0,128,0.2">
<h1 style="font-weight: bolder;
  margin: 12%;
  font-size: xxx-large;">Building Chatbot For Hospital</h1>
 <script>
 window.watsonAssistantChatOptions = {
  integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
 }:
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });</script>
</body>
</html>
```