Assignment -4

Python Programming

Assignment Date	10 October 2022
Student Name	Vishnu Vardhan.R
Student Roll Number	713319CS168
Maximum Marks	2 Marks

Question-1:

Write code and connections in wokwi for ultrasonic sensor.


Whenever distance is less than 100 cms send "alert" to ibm cloud and display in device recent events.

Upload document with wokwi share link and images of ibm cloud.

Solution:


```
← → C # wokwi.com/projects/346566226034557523
                                                                                                           8 t 0 0 1
WOKWI
                               SHARE
sketch.ino ● diagram.json libraries.bt ● Library Manager ▼
                                                                                                                             Simu
        #includecwiFi.ha//library for wifi
        #includecPubSubClient.ha//library for MQTT
        void callback(char* subscribetopic, byte* payload,unsigned int payloadlength);
                         -credentials of IBM Account
        #define ORG "izyy6o"// IBM ORGANIZATION ID
        #define DEVICE_TYPE "iotdeviceproject"//DEVICE TYPE MENTIONED IN 101 MAISON PLATFORM
        #define DEVICE_ID "229714"//DEVICE ID MENTIONED IN IDT WATSON PLATEFORM
        #define TOKEN "24681812"//Token
        String data3;
   10
        float dist;
   11
                     -customize the above value--
       char server[]-ORG ".messaging.internetofthings.ibmcloud.com";//server name
   12
   13
        char publishtopic[]="ultrasonic/evt/Data/fmt/json";/"topic name and type of event perform
   14
         and format in which date to be send",
   15
        char subscribetopic[]="ultrasonic/cmd/test/fmt/String";/*cmd REPRESENT Command tope and
   16
        COMMAND IS TEST OF FORMAT STRING*
   17
        char authMethod[]="use-token-auth";//authentication method
   16
        char token[]=TOKEN;
        char clientid[]="d:" ORG ":" DEVICE_TYPE":" DEVICE_ID://CLIENT ID
   19
   20
   21
        WiFiClient wifiClient;// creating an instance for wificlient
        PubSubClient client(server, 1883 , callback , wifiClient);/*calling the predefined client id
   22
   23
        by passing parameter like server id, portand wificredential*/
   24
        int LED =4;
                                                                                                                           nn.
   25
        int trig =5;
                                                                                                                           pe
   26
        int echo-18;
                                                                                                                           ti
   27
        void setup()
   28
                                                                                                                           ng
          Serial.begin(115200);
   29
                                                                                                                           to .
   319
          pinMode(trig, DUTPUT);
```


```
← → C ■ wokwi.com/projects/346566226034557523
                                                                                                                         避 京 🗆 🔮
WOKWI
             B SAVE
                                                                                                                                  Docs
sketch.ino •
                diagram.json
                                libraries txt ● Library Manager ▼
                                                                                                                                            Simu
    93
              initManagedDevice();
    93
    94
              Serial.printin();
    95
    96
    97
          void wificonnect()//function defenition for wificonnect
    98
    99
            Serial.printin();
            Serial.print("Connecting to ");
Wifi.begin("Wokwi.GUEST", "",6);//PASSING THE WIFI CHEDIDENTIALS TO ESTABLISH CONNECTION while (WiFi.status() !-NL_CONNECTED){
   100
   101
   192
              delay(S08);
   183
   184
              Serial print(".");
   105
            Serial.printle("");
Serial.printle("WiFi connected");
Serial.printle("IP address");
   186
   197
   108
   109
            Serial.println(WiF1.localIP());
   110
   111
          void initHanagedDevice(){
   112
            if(client.subscribe(subscribetopic))(
   133
              Serial.printin((subscribetopic));
   114
              Serial.println("subscribe to cmd OK");
                                                                                                                                          Co.
   115
                                                                                                                                          nn
   116
              Serial.println("subscribe to cmd failed");
                                                                                                                                          ec
   117
                                                                                                                                          ti
   118
          void callback(char* subscribetopic,byte*payload,unsigned int payloadLength)
   119
                                                                                                                                          ng
   129
                                                                                                                                          to -
            Serial.print("callback invoked for topic: ");
   121
            Serial.println(subscribetopic);
```



OUTPUT:

DATA IS SENT TO IBM CLOUD WHEN NO OBJECT IS DETECTED





When object is detected in ultrasonic detector

