Assignment -3

Assignment Date	26 October 2022
Student Name	Davin Jegath Sony.D
Student Roll Number	501920
Maximum Marks	2 Marks

write python code for blinking led and traffic light for raspberry pi.

LED Blink:

import RPi.GPIO as IO # calling header file for GPIO's of PI

import time # calling for time to provide delays in program

IO.setmode (IO.BOARD) # programming the O

called as PIN40

programming the GPIO by BOARD pin numbers, GPIO21 is

IO.setup(40,IO.OUT) # initialize digital pin40 as an output.

IO.output(40,1) # turn the LED on (making the voltage level HIGH)

time.sleep(1) # sleep for a second

IO.cleanup() # turn the LED off (making all the output pins LOW)

time.sleep(1) #sleep for a second

#loop is executed second time

IO.setmode (IO.BOARD)

IO.setup(40,IO.OUT)

IO.output(40,1)

time.sleep(1)

IO.cleanup()

time.sleep(1)

```
#loop is executed third time
IO.setmode (IO.BOARD)
IO.setup(40,IO.OUT)
IO.output(40,1)
time.sleep(1)
IO.cleanup()
time.sleep(1)
Traffic Light:
import RPi.GPIO as GPIO
import time
import signal
import sys
# Setup
GPIO.setmode(GPIO.BCM)
GPIO.setup(9, GPIO.OUT)
GPIO.setup(10, GPIO.OUT)
GPIO.setup(11, GPIO.OUT)
# Turn off all lights when user ends demo
def allLightsOff(signal, frame):
       GPIO.output(9, False)
       GPIO.output(10, False)
       GPIO.output(11, False)
       GPIO.cleanup()
       sys.exit(0)
signal.signal(signal.SIGINT, allLightsOff)
# Loop forever
while True:
       # Red
       GPIO.output(9, True)
       time.sleep(3)
       # Red and amber
       GPIO.output(10, True)
       time.sleep(1)
       # Green
       GPIO.output(9, False)
```

GPIO.output(10, False)
GPIO.output(11, True)
time.sleep(5)
Amber
GPIO.output(11, False)
GPIO.output(10, True)
time.sleep(2)
Amber off (red comes on at top of loop)
GPIO.output(10, False)