```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from keras.models import Model
from keras.layers import LSTM, Activation, Dense, Dropout, Input, Embedding
from keras.optimizers import RMSprop
from keras.preprocessing.text import Tokenizer
from keras.preprocessing import sequence
from keras.utils import pad_sequences
from keras.utils import to_categorical
from keras.callbacks import EarlyStopping
```

▼ READ DATASET AND PRE PROCESSING

```
df = pd.read_csv('/content/spam.csv',delimiter=',',encoding='latin-1')
df.head()
```

```
v1
                                                       v2 Unnamed: 2 Unnamed: 3 Unnamed: 4
0
    ham
              Go until jurong point, crazy.. Available only ...
                                                                   NaN
                                                                                 NaN
                                                                                               NaN
1
                                Ok lar... Joking wif u oni...
                                                                   NaN
    ham
                                                                                 NaN
                                                                                               NaN
          Free entry in 2 a wkly comp to win FA Cup fina...
                                                                   NaN
                                                                                 NaN
                                                                                               NaN
                                                                                 NaN
3
    ham
           U dun say so early hor... U c already then say...
                                                                   NaN
                                                                                               NaN
4
    ham
             Nah I don't think he goes to usf, he lives aro...
                                                                   NaN
                                                                                 NaN
                                                                                               NaN
```

```
Data columns (total 2 columns):

# Column Non-Null Count Dtype

0 v1 5572 non-null object
1 v2 5572 non-null object
dtypes: object(2)
memory usage: 87.2+ KB
```

```
X = df.v2
Y = df.v1
le = LabelEncoder()
```

```
Y = le.fit_transform(Y)
Y = Y.reshape(-1,1)
X_train,X_test,Y_train,Y_test = train_test_split(X,Y,test_size=0.15)
max words = 1000
max len = 150
tok = Tokenizer(num_words=max_words)
tok.fit_on_texts(X_train)
sequences = tok.texts to sequences(X train)
sequences_matrix = pad_sequences(sequences, maxlen=max_len)
```

Create Model and Add Layers (LSTM, Dense-(Hidden Layers), Output)

```
inputs = Input(name='inputs',shape=[max_len])
layer = Embedding(max_words,50,input_length=max_len)(inputs)
layer = LSTM(64)(layer)
layer = Dense(256, name='FC1')(layer)
layer = Activation('relu')(layer)
layer = Dropout(0.5)(layer)
layer = Dense(1,name='out_layer')(layer)
layer = Activation('sigmoid')(layer)
model = Model(inputs=inputs,outputs=layer)
model.summary()
```

Model: "model"

Layer (type)	Output Shape	Param #
inputs (InputLayer)	[(None, 150)]	0
embedding (Embedding)	(None, 150, 50)	50000
lstm (LSTM)	(None, 64)	29440
FC1 (Dense)	(None, 256)	16640
activation (Activation)	(None, 256)	0
dropout (Dropout)	(None, 256)	0
out_layer (Dense)	(None, 1)	257
<pre>activation_1 (Activation)</pre>	(None, 1)	0
=======================================	.======================================	========

Total params: 96,337

Trainable params: 96,337 Non-trainable params: 0

Compile the Model

```
model.compile(loss='binary_crossentropy',optimizer=RMSprop(),metrics=['accuracy'])
```

Train and Fit the Model

```
Epoch 1/10
30/30 [================ ] - 12s 286ms/step - loss: 0.3377 - accuracy: 0.874
Epoch 2/10
Epoch 3/10
30/30 [============== ] - 10s 327ms/step - loss: 0.0395 - accuracy: 0.989
Epoch 4/10
30/30 [=================== ] - 9s 317ms/step - loss: 0.0311 - accuracy: 0.992
Epoch 5/10
30/30 [=============== ] - 9s 294ms/step - loss: 0.0213 - accuracy: 0.992
Epoch 6/10
Epoch 7/10
Epoch 8/10
30/30 [=============== ] - 9s 286ms/step - loss: 0.0081 - accuracy: 0.9979
Epoch 9/10
Epoch 10/10
<keras.callbacks.History at 0x7f03f70fe810>
```

→ Save The Model

```
model.save('sms_classifier.h5')
```

Preprocessing the Test Dataset

```
test_sequences = tok.texts_to_sequences(X_test)
```

test_sequences_matrix = pad_sequences(test_sequences,maxlen=max_len)

▼ Testing the Model

Colab paid products - Cancel contracts here

×