
Assignment Date	19 September 2022
Student Name	A.Babitha
Student Roll Number	962719104007
Maximum Mark	

# Question -1

## 1. Download the dataset:



# Question-2

2. Load the dataset.

Solution:

import numpy as np

import pandas as pd

df = pd.read\_csv("/content/Churn\_Modelling.csv")




- 3. Perform Below Visualizations.
- Univariate Analysis

Solution:

import seaborn as sns

sns.histplot(df.EstimatedSalary,kde=True)




• Bi - Variate Analysis

Solution:

import seaborn as sns

sns.scatterplot(df.Balance,df.EstimatedSalary)

plt.ylim(0,15000)



• Multi - Variate Analysis

Solution:

import seaborn as sns

df=pd.read\_csv("/content/Churn\_Modelling.csv")

sns.pairplot(df)




## Question\_4

4. Perform descriptive statistics on the data set

Solution:

df=pd.read\_csv("/content/Churn\_Modelling.csv")

df.describe(include='all')



5. Handle the Missing values.

Solution:

from ast import increment\_lineno

import pandas as pd

import numpy as np

import seaborn as sns


import matplotlib.pyplot as plt

%matplotlib inline

sns.set(color\_codes=True)

df=pd.read\_csv("/content/Churn\_Modelling.csv")

df.head()



6. Find the outliers and replace the outliers

#### Solution:

import pandas as pd

import matplotlib


from matplotlib import pyplot as pyplot

%matplotlib inline

matplotlib.rcParams['figure.figsize']=(10,6)

df=pd.read\_csv("/content/Churn\_Modelling.csv")

df.sample(5)



7. Check for Categorical columns and perform encoding.

Solution:

df=pd.read\_csv("/content/Churn\_Modelling.csv")

df.columns

import pandas as pd

import numpy as np


headers=['RowNumber','CustomerID','Surname','CreditScore','Geography',

'Gender','Age','Tenure','Balance','NumofProducts','HasCard'

'IsActiveMember', 'EstimatedSalary', 'Exited']

import seaborn as sns

#### df.head()



## Questioh\_8

8. Split the data into dependent and independent variables.

Solution:

x=df.iloc[:,:-1].values

print(x)

y=df.iloc[:,-1].\_values

print(y)



9. Scale the independent variables

Solution:


import seaborn as sns

df=pd.read\_csv("/content/Churn\_Modelling.csv")

dff=df[['Balance','Age']]

sns.heatmap(dff.corr(), annot=True)

sns.set(rc={'figure.figsize':(40,40)})



### Question\_10

10. Split the data into training and testing

Solution:

from scipy.sparse.construct import random

```
x=df.iloc[:, 1:2].values
y=df.iloc[:,2].values
from sklearn.model_selection import train_test_split
x_train, x_test, y_train, y_test=train_test_split(x,y,test_size=0.2,random_state=0)
print('Row count of x_train table'+'-'+str(f"{len(x_train):,}"))
print('Row count of y_train table'+'-'+str(f"{len(y_train):,}"))
print('Row count of x_test table'+'-'+str(f"{len(x_test):,}"))
print('Row count of y_test table'+'-'+str(f"{len(y_test):,}"))
```

