

Project Development Phase

Sprint-4

| | |
|--------------|--|
| Date | 19 November 2022 |
| Team ID | PNT2022TMID32928 |
| Project Name | Project - Emerging Methods For Early Detection of Forest Fires |

Sprint - 4 Code

```
[ ] from google.colab import drive
drive.mount('/content/drive')
```

Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).

```
!pip install tensorflow
!pip install opencv-python
!pip install opencv-contrib-python
import tensorflow as tf
import numpy as np
from tensorflow import keras
import os
import cv2
from tensorflow.keras.preprocessing.image import ImageDataGenerator
from tensorflow.keras.preprocessing import image
```

Looking in indexes: <https://pypi.org/simple>, <https://us-python.pkg.dev/colab-wheels/public/simple/>
Requirement already satisfied: tensorflow in /usr/local/lib/python3.7/dist-packages (2.9.2)
Requirement already satisfied: tensorboard<2.10,>=2.9 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (2.9.1)
Requirement already satisfied: h5py>=2.9.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (3.1.0)
Requirement already satisfied: libclang>=13.0.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (14.0.6)
Requirement already satisfied: typing-extensions>=3.6.6 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (4.1.1)
Requirement already satisfied: gast<=0.4.0,>=0.2.1 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (0.4.0)
Requirement already satisfied: six>=1.12.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.15.0)
Requirement already satisfied: flatbuffers<2,>=1.12 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.12)
Requirement already satisfied: keras<2.10.0,>=2.9.0rc0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (2.9.0)
Requirement already satisfied: packaging in /usr/local/lib/python3.7/dist-packages (from tensorflow) (21.3)
Requirement already satisfied: opt-einsum>=2.3.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (3.3.0)
Requirement already satisfied: wrapt>=1.11.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.14.1)
Requirement already satisfied: keras-preprocessing>=1.1.1 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.1.2)

Requirement already satisfied: termcolor>=1.1.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (2.1.0)

Requirement already satisfied: six>=1.12.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.15.0)

Requirement already satisfied: typing-extensions>=3.6.6 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (4.1.1)

Requirement already satisfied: keras<2.10.0,>=2.9.0rc0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (2.9.0)

Requirement already satisfied: wrapt>=1.11.0 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.14.1)

Requirement already satisfied: grpcio<2.0,>=1.24.3 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.50.0)

Requirement already satisfied: setuptools in /usr/local/lib/python3.7/dist-packages (from tensorflow) (57.4.0)

Requirement already satisfied: tensorboard<2.10,>=2.9 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (2.9.1)

Requirement already satisfied: numpy>=1.20 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (1.21.6)

Requirement already satisfied: opt-einsum>=2.3.2 in /usr/local/lib/python3.7/dist-packages (from tensorflow) (3.3.0)

Requirement already satisfied: wheel<1.0,>=0.23.0 in /usr/local/lib/python3.7/dist-packages (from astunparse>=1.6.0->tensorflow) (0.38.3)

Requirement already satisfied: cached-property in /usr/local/lib/python3.7/dist-packages (from h5py>=2.9.0->tensorflow) (1.5.2)

Requirement already satisfied: werkzeug>=1.0.1 in /usr/local/lib/python3.7/dist-packages (from tensorboard<2.10,>=2.9->tensorflow) (1.0.1)

Requirement already satisfied: tensorboard-data-server<0.7.0,>=0.6.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard<2.10,>=2.9->tensorflow) (0.6.1)

Requirement already satisfied: google-auth-oauthlib<0.5,>=0.4.1 in /usr/local/lib/python3.7/dist-packages (from tensorboard<2.10,>=2.9->tensorflow) (0.4.6)

Requirement already satisfied: google-auth<3,>=1.6.3 in /usr/local/lib/python3.7/dist-packages (from tensorboard<2.10,>=2.9->tensorflow) (2.14.1)

Requirement already satisfied: requests<3,>=2.21.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard<2.10,>=2.9->tensorflow) (2.23.0)

Requirement already satisfied: tensorboard-plugin-wit>=1.6.0 in /usr/local/lib/python3.7/dist-packages (from tensorboard<2.10,>=2.9->tensorflow) (1.8.1)

Requirement already satisfied: markdown>=2.6.8 in /usr/local/lib/python3.7/dist-packages (from tensorboard<2.10,>=2.9->tensorflow) (3.4.1)

Requirement already satisfied: pyasn1-modules>=0.2.1 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard<2.10,>=2.9->tensorflow) (0.2.8)

Requirement already satisfied: cachetools<6.0,>=2.0.0 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard<2.10,>=2.9->tensorflow) (5.2.0)

Requirement already satisfied: rsa<5,>=3.1.4 in /usr/local/lib/python3.7/dist-packages (from google-auth<3,>=1.6.3->tensorboard<2.10,>=2.9->tensorflow) (4.9)

Requirement already satisfied: requests-oauthlib>=0.7.0 in /usr/local/lib/python3.7/dist-packages (from google-auth-oauthlib<0.5,>=0.4.1->tensorboard<2.10,>=2.9->tensorflow) (1.3.1)

Requirement already satisfied: importlib-metadata>=4.4 in /usr/local/lib/python3.7/dist-packages (from markdown>=2.6.8->tensorboard<2.10,>=2.9->tensorflow) (4.13.0)

Requirement already satisfied: zipp>=0.5 in /usr/local/lib/python3.7/dist-packages (from importlib-metadata>=4.4->markdown>=2.6.8->tensorboard<2.10,>=2.9->tensorflow) (3.10.0)

Requirement already satisfied: pyasn1<0.5.0,>=0.4.6 in /usr/local/lib/python3.7/dist-packages (from pyasn1-modules>=0.2.1->google-auth<3,>=1.6.3->tensorboard<2.10,>=2.9->tensorflow) (0.4.8)

Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard<2.10,>=2.9->tensorflow) (3.0.4)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard<2.10,>=2.9->tensorflow) (2022.9.24)

Requirement already satisfied: urllib3!=1.25.0,!1.25.1,<1.26,>=1.21.1 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard<2.10,>=2.9->tensorflow) (1.24.3)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard<2.10,>=2.9->tensorflow) (2022.9.24)

Requirement already satisfied: urllib3!=1.25.0,!1.25.1,<1.26,>=1.21.1 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard<2.10,>=2.9->tensorflow) (1.24.3)

Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-packages (from requests<3,>=2.21.0->tensorboard<2.10,>=2.9->tensorflow) (2.10)

Requirement already satisfied: oauthlib>=3.0.0 in /usr/local/lib/python3.7/dist-packages (from requests-oauthlib>=0.7.0->google-auth-oauthlib<0.5,>=0.4.1->tensorboard<2.10,>=2.9->tensorflow) (3.0.9)

Requirement already satisfied: pyparsing!=3.0.5,>=2.0.2 in /usr/local/lib/python3.7/dist-packages (from packaging->tensorflow) (3.0.9)

Looking in indexes: <https://pypi.org/simple>, <https://us-python.pkg.dev/colab-wheels/public/simple/>

Requirement already satisfied: opencv-python in /usr/local/lib/python3.7/dist-packages (4.6.0.66)

Requirement already satisfied: numpy>=1.14.5 in /usr/local/lib/python3.7/dist-packages (from opencv-python) (1.21.6)

Looking in indexes: <https://pypi.org/simple>, <https://us-python.pkg.dev/colab-wheels/public/simple/>

Requirement already satisfied: opencv-contrib-python in /usr/local/lib/python3.7/dist-packages (4.6.0.66)

Requirement already satisfied: numpy>=1.14.5 in /usr/local/lib/python3.7/dist-packages (from opencv-contrib-python) (1.21.6)

```
[ ] train=ImageDataGenerator(rescale=1./255,  
                             shear_range=0.2,  
                             rotation_range=180,  
                             zoom_range=0.2,  
                             horizontal_flip=True)  
  
train = ImageDataGenerator(rescale=1/255)  
test = ImageDataGenerator(rescale=1/255)
```

```
[ ] train_dataset = train.flow_from_directory("/content/drive/MyDrive/forest-fire/Dataset/Dataset/train_set",  
                                             target_size=(128,128),  
                                             batch_size = 32,  
                                             class_mode = 'binary' )
```

Found 436 images belonging to 2 classes.

```
[ ] test_dataset = test.flow_from_directory("/content/drive/MyDrive/forest-fire/Dataset/Dataset/train_set",  
                                           target_size=(128,128),  
                                           batch_size = 32,  
                                           class_mode = 'binary' )
```

Found 436 images belonging to 2 classes.

```
[ ] test_dataset.class_indices  
  
{'forest': 0, 'with fire': 1}
```

```
[ ] #to define linear initialisation import sequential  
    from keras.models import Sequential  
    #to add layer import Dense  
    from keras.layers import Dense  
    #to create convolution kernel import convolution2D  
    from keras.layers import Convolution2D  
    #import Maxpooling layer  
    from keras.layers import MaxPooling2D  
    #import flatten layer  
    from keras.layers import Flatten  
    import warnings  
    warnings.filterwarnings('ignore')
```

```
[ ] model = keras.Sequential()  
    model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))  
    model.add(MaxPooling2D(pool_size=(2,2)))  
    model.add(Convolution2D(32,(3,3),activation='relu'))  
    model.add(MaxPooling2D(pool_size=(2,2)))  
    model.add(Convolution2D(32,(3,3),activation='relu'))  
    model.add(MaxPooling2D(pool_size=(2,2)))  
    model.add(Convolution2D(32,(3,3),activation='relu'))  
    model.add(MaxPooling2D(pool_size=(2,2)))  
    model.add(Flatten())
```

```
[ ] model.add(Dense(150,activation='relu'))  
  
model.add(Dense(1,activation='sigmoid'))
```

```
[ ] model.compile(loss = 'binary_crossentropy',  
                  optimizer = "adam",  
                  metrics = ["accuracy"])
```

```
[ ] r = model.fit(train_dataset, epochs = 5, validation_data = test_dataset)
```

```
Epoch 1/5  
14/14 [=====] - 109s 8s/step - loss: 0.5099 - accuracy: 0.7202 - val_loss: 0.4518 - val_accuracy: 0.7752  
Epoch 2/5  
14/14 [=====] - 38s 3s/step - loss: 0.3181 - accuracy: 0.8486 - val_loss: 0.1922 - val_accuracy: 0.9243  
Epoch 3/5  
14/14 [=====] - 39s 3s/step - loss: 0.1754 - accuracy: 0.9335 - val_loss: 0.1402 - val_accuracy: 0.9427  
Epoch 4/5  
14/14 [=====] - 36s 3s/step - loss: 0.1616 - accuracy: 0.9404 - val_loss: 0.1253 - val_accuracy: 0.9633  
Epoch 5/5  
14/14 [=====] - 38s 3s/step - loss: 0.1277 - accuracy: 0.9564 - val_loss: 0.1183 - val_accuracy: 0.9495
```

```
[ ] predictions = model.predict(test_dataset)  
predictions = np.round(predictions)
```

```
14/14 [=====] - 16s 1s/step
```

▶ predictions

```
↗ array([[0.],  
         [0.],  
         [0.],  
         [1.],  
         [0.],  
         [0.],  
         [0.],  
         [0.],  
         [0.],  
         [0.],  
         [1.],  
         [0.],  
         [0.],  
         [1.],  
         [0.],  
         [0.],  
         [0.],  
         [1.],  
         [0.],  
         [0.],  
         [0.],  
         [0.],  
         [1.],  
         [0.],  
         [1.],  
         [0.],  
         [1.],  
         [1.]])
```

```
[ ] print(len(predictions))
```

436


```
[ ] model.save("/content/forest1.h5")
```

```
[ ] #import load_model from keras.model
    from keras.models import load_model
    #import image class from keras
    import tensorflow as tf
    from tensorflow.keras.preprocessing import image
    #import numpy
    import numpy as np
    #import cv2
    import cv2
```

```
[ ] model = load_model("/content/forest1.h5")
```

```
[ ] plt.plot(r.history['accuracy'],label='acc')
    plt.plot(r.history['val_accuracy'],label='val_acc')
    plt.legend()
```


<matplotlib.legend.Legend at 0x7fe03d7e9a90>




```
[ ] def predictImage(filename):  
    img1=image.load_img(filename,target_size=(128,128))  
    plt.imshow(img1)  
    y=image.img_to_array(img1)  
    x=np.expand_dims(y,axis=0)  
    val=model.predict(x)  
    print(val)  
    if val==0:  
        plt.xlabel(" NO fire",fontsize=30)  
    elif val==1:  
        plt.xlabel("fire",fontsize=30)
```

▶ predictImage("/content/drive/MyDrive/forest fire.jpg")

1/1 [=====] - 0s 113ms/step
[[1.]]



```
[ ] predictImage("/content/drive/MyDrive/download (1).jpg")
```

```
1/1 [=====] - 0s 26ms/step  
[[0.]]
```



NO fire

```
[ ] pip install twilio
```

```
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/  
Requirement already satisfied: twilio in /usr/local/lib/python3.7/dist-packages (7.15.3)  
Requirement already satisfied: PyJWT<3.0.0,>=2.0.0 in /usr/local/lib/python3.7/dist-packages (from twilio) (2.6.0)  
Requirement already satisfied: pytz in /usr/local/lib/python3.7/dist-packages (from twilio) (2022.6)  
Requirement already satisfied: requests>=2.0.0 in /usr/local/lib/python3.7/dist-packages (from twilio) (2.23.0)  
Requirement already satisfied: urllib3!=1.25.0,!1.25.1,<1.26,>=1.21.1 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (1.24.3)  
Requirement already satisfied: chardet<4,>=3.0.2 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (3.0.4)  
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (2022.9.24)  
Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (2.10)
```

```
[ ] pip install playsound
```

```
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/  
Collecting playsound  
  Downloading playsound-1.3.0.tar.gz (7.7 kB)  
Building wheels for collected packages: playsound  
  Building wheel for playsound (setup.py) ... done  
  Created wheel for playsound: filename=playsound-1.3.0-py3-none-any.whl size=7035 sha256=a0ae42b911d3b3fd6d3ac0cb3c1938927416aaaa8fbcda494b55eabd267f16a3  
  Stored in directory: /root/.cache/pip/wheels/ba/f8/bb/ea57c0146b664dca3a0ada4199b0ecb5f9dfcb7b7e22b65ba2  
Successfully built playsound  
Installing collected packages: playsound  
Successfully installed playsound-1.3.0
```

```
[ ] pip install opencv-python
```

Looking in indexes: <https://pypi.org/simple>, <https://us-python.pkg.dev/colab-wheels/public/simple/>
Requirement already satisfied: opencv-python in /usr/local/lib/python3.7/dist-packages (4.6.0.66)
Requirement already satisfied: numpy>=1.14.5 in /usr/local/lib/python3.7/dist-packages (from opencv-python) (1.21.6)

```
[ ] #import opencv librariy
import cv2
#import numpy
import numpy as np
#import image function from keras
from keras.preprocessing import image
#import load_model from keras
from keras.models import load_model
#import client from twilio API
from twilio.rest import Client
#imort playsound package
from playsound import playsound
```

```
[ ] #load the saved model
model = load_model(r'/content/forest1.h5')
#define video
video = cv2.VideoCapture('/content/drive/MyDrive/pexels-arnav-kainthola-7543653.mp4')
#define the features
name = ['forest', 'with forest']
```

```
[ ] video.isOpened()
```

True

```
[ ] from tensorflow.keras.preprocessing import image
```

```
[ ] from IPython.display import Audio
```

```

while(video.isOpened()):
    success,frame=video.read()
    cv2.imwrite("image.jpg",frame)
    img=image.load_img("image.jpg",target_size=(128,128))
    x=image.img_to_array(img)
    x=np.expand_dims(x,axis=0)
    pred=model.predict(x)
    p=pred[0]
    print(pred)
    cv2.putText(frame,"predicted class = ",(100,100),cv2.FONT_HERSHEY_SIMPLEX, 1, (0,0,0), 1)
    if pred[0]==1:
        account_sid='AC78ba7cac649688be703fe64e44ade4a'
        auth_token='9f95514e9bcb9d58bda93aba728f6af5'
        client=Client(account_sid,auth_token)
        message=client.messages \
            .create(
                body="Forest fire is detected ,stay alert",
                from_='+15595464324',
                to='+91 6383095416')
        print(message.sid)
        print('Fire detected')
        print('SMS sent')
        wn=Audio('/content/drive/MyDrive/alarm-sound.mp3',autoplay=True)
        display(wn)
        break
    else:
        print('No danger')
        break
    if cv2.waitKey(1) & 0xFF==ord('a'):
        break

```

```

video.release()
cv2.destroyAllWindows()

```