```
**Project title**: Intelligent Vehicle Damage Assessment and Cos Estimator for Insurance Companies

<br/>
<br/>
**Name**: Bibin <br/>
**Roll Number**:720719104037
```

## Import the data

## Image Augmentation

### INITIALISING AND CREATING MODEL

```
model = Sequential()
model.add(Convolution2D(32,(3,3),activation='relu',input_shape=(64,64,3)))
model.add(MaxPooling2D((2,2)))
model.add(Flatten())
model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
model.add(Dense(5,activation='softmax'))
model.summary()
```

```
Model: "sequential"
```

model.compile(optimizer='adam',loss='categorical\_crossentropy',metrics=['accuracy'])

```
model.fit\_generator(x\_train,steps\_per\_epoch=len(x\_train),\ validation\_data=x\_test,\ validation\_steps=len(x\_test),\ epochs=\ 30)
```

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: UserWarning: `Model.fit_generator` is deprecated and will
 """Entry point for launching an IPython kernel.
Epoch 1/30
Epoch 2/30
44/44 [====
            ==========] - 54s 1s/step - loss: 1.1316 - accuracy: 0.5363 - val_loss: 1.1560 - val_accuracy:
Epoch 3/30
44/44 [==============] - 54s 1s/step - loss: 1.0400 - accuracy: 0.5847 - val_loss: 0.9855 - val_accuracy:
Epoch 4/30
44/44 [=====
          ==========] - 54s 1s/step - loss: 0.9853 - accuracy: 0.6145 - val_loss: 0.9951 - val_accuracy:
Epoch 5/30
44/44 [=====
        Epoch 6/30
44/44 [==============] - 54s 1s/step - loss: 0.9200 - accuracy: 0.6384 - val_loss: 0.8748 - val_accuracy:
Epoch 7/30
44/44 [===============] - 53s 1s/step - loss: 0.8649 - accuracy: 0.6699 - val_loss: 0.7901 - val_accuracy:
Epoch 8/30
44/44 [====
           Epoch 9/30
44/44 [=============] - 54s 1s/step - loss: 0.7936 - accuracy: 0.6977 - val_loss: 0.8195 - val_accuracy:
Epoch 10/30
           44/44 [======
Epoch 11/30
Epoch 12/30
44/44 [=============] - 54s 1s/step - loss: 0.7062 - accuracy: 0.7299 - val_loss: 0.7277 - val_accuracy:
Epoch 13/30
Epoch 14/30
          ========= ] - 54s 1s/step - loss: 0.6783 - accuracy: 0.7452 - val loss: 0.6552 - val accuracy:
44/44 [=======
Epoch 15/30
44/44 [=====
         Epoch 16/30
44/44 [=====
          Epoch 17/30
44/44 [============= ] - 55s 1s/step - loss: 0.6105 - accuracy: 0.7700 - val loss: 0.5874 - val accuracy:
Epoch 18/30
44/44 [======
           ==========] - 55s 1s/step - loss: 0.6032 - accuracy: 0.7748 - val_loss: 0.5833 - val_accuracy:
Epoch 19/30
Epoch 20/30
44/44 [=====
          Epoch 21/30
Fnoch 22/30
44/44 [======
            :=========] - 54s 1s/step - loss: 0.5171 - accuracy: 0.8073 - val_loss: 0.3808 - val_accuracy:
Epoch 23/30
44/44 [=====
          =========] - 55s 1s/step - loss: 0.4879 - accuracy: 0.8221 - val loss: 0.3838 - val accuracy:
Epoch 24/30
44/44 [===============] - 54s 1s/step - loss: 0.4354 - accuracy: 0.8351 - val_loss: 0.3471 - val_accuracy:
Epoch 25/30
          44/44 [=======
Epoch 26/30
44/44 [======
         ==========] - 54s 1s/step - loss: 0.4662 - accuracy: 0.8307 - val_loss: 0.4308 - val_accuracy:
Epoch 27/30
44/44 [==============] - 54s 1s/step - loss: 0.4386 - accuracy: 0.8429 - val_loss: 0.4306 - val_accuracy:
Epoch 28/30
```

#### SAVE THE MODEL

```
# save model
model.save('flowers.h5')
```

# → Test the model

```
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image

model=load_model('flowers.h5')

val = list(x_train.class_indices.keys())
val

    ['daisy', 'dandelion', 'rose', 'sunflower', 'tulip']

img=image.load_img("/content/gdrive/MyDrive/flowers/daisy/2535769822_513be6bbe9.jpg",target_size=(64,64))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
y=np.argmax(model.predict(x),axis=1)

index=['daisy', 'dandelion', 'rose', 'sunflower', 'tulip']
index[y[0]]

'daisy'
```

Colab paid products - Cancel contracts here

• ×