

Assignment Date	04. NOVEMBER. 2022
Student Name	Vignesh.J
Student Roll Name	612719104070
Maximum Marks	2Marks

```
from flask import Flask,redirect,url_for,render_template,request import
```

```
ibm_boto3
```

```
from ibm_botocore.client import Config, ClientError
```

```
COS_ENDPOINT="https://s3.jp-tok.cloud-object-storage.appdomain.cloud"
```

```
COS_API_KEY_ID="erYOO-
```

```
lq7dwN0LigQFZUw9ZhSjUSZPeUrZl8VaIOZwoC"
```

```
COS_INSTANCE_CRN="crn:v1:bluemix:public:cloud-object-  
storage:global:a/11d1eefda09948f1a3075e4fab8e60f6:712106a7-5039-4a5e-8c83-  
c72c3638249a:."
```

```
# Create resource https://s3.ap.cloud-object-storage.appdomain.cloud cos
```

```
= ibm_boto3.resource("s3",
```

```
    ibm_api_key_id=COS_API_KEY_ID,
```

```
    ibm_service_instance_id=COS_INSTANCE_CRN,
```

```
    config=Config(signature_version="oauth"), endpoint_url=COS_ENDPOINT
```

```
)
```

```
app=Flask(__name__)
```

```
def get_item(bucket_name, item_name):
```

```
print("Retrieving item from bucket: {0}, key: {1}".format(bucket_name, item_name))
```

```
try:
```

```
    file = cos.Object(bucket_name, item_name).get()
```

```
    print("File Contents:
```

```
{0}".format(file["Body"].read())) except ClientError as
```

```
be: print("CLIENT ERROR:
```

```
{0}\n".format(be)) except Exception as e:
```

```
    print("Unable to retrieve file contents: {0}".format(e))
```

```
def get_bucket_contents(bucket_name):
```

```
    print("Retrieving bucket contents from: {0}".format(bucket_name)) try:
```

```
        files = cos.Bucket(bucket_name).objects.all()
```

```
        files_names = [] for file in files:
```

```
            files_names.append(file.key) print("Item: {0}
```

```
            ({1} bytes)".format(file.key,
```

```
            file.size)) return files_names
```

```
except ClientError as be:
```

```
    print("CLIENT ERROR:
```

```
{0}\n".format(be)) except Exception as e:
```

```
    print("Unable to retrieve bucket contents: {0}".format(e))
```

```
def delete_item(bucket_name, object_name):
```

```
try:

    cos.delete_object(Bucket=bucket_name, Key=object_name)

    print("Item: {0} deleted!\n".format(object_name))
except ClientError as be:

    print("CLIENT ERROR:

{0}\n".format(be)) except Exception as e:

    print("Unable to delete object: {0}".format(e))
```

```
def multi_part_upload(bucket_name, item_name, file_path):
```

```
try:

    print("Starting file transfer for {0} to bucket: {1}\n".format(item_name, bucket_name))

    # set 5 MB chunks

    part_size = 1024 * 1024 * 5


    # set threshold to 15 MB file_threshold

    = 1024 * 1024 * 15


    # set the transfer threshold and chunk size transfer_config

    = ibm_boto3.s3.transfer.TransferConfig(

        multipart_threshold=file_threshold, multipart_chunksize=part_size
```

)

# the upload\_fileobj method will automatically execute a multi-part upload

# in 5 MB chunks for all files over 15 MB with open(file\_path, "rb") as

file\_data:

cos.Object(bucket\_name, item\_name).upload\_fileobj(

Fileobj=file\_data,

Config=transfer\_confi

g

)

print("Transfer for {0} Complete!\n".format(item\_name))

except ClientError as be:

print("CLIENT ERROR:

{0}\n".format(be)) except Exception as e:

print("Unable to complete multi-part upload: {0}".format(e))

@app.route('/') def

index():

files = get\_bucket\_contents('flaskbucket')

return render\_template('index.html', files = files)

```

@app.route('/deletefile', methods = ['GET', 'POST'])
def deletefile():
    if request.method == 'POST': bucket=request.form['bucket']
        name_file=request.form['filename']

        delete_item(bucket,name_file) return
        'file deleted successfully'

    if request.method == 'GET':

        return render_template('delete.html')


@app.route('/uploader', methods = ['GET', 'POST'])
def upload():
    if request.method == 'POST':
        bucket=request.form['bucket']
        name_file=request.form['filename']
        f
        = request.files['file']
        multi_part_upload(bucket,name_file,f.filename)

        return 'file uploaded successfully <a href="/">GO to Home</a>'

    if request.method == 'GET':

```

```
return render_template('upload.html')
```

```
if __name__=='__main__': app.run(host='0.0.0.0',port=8080,debug=True)
```

Upload.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Upload Files</title>
```

```
    <link rel="stylesheet" href="{ {url_for('static',filename='css/style.css')}}">
```

```
</head>
```

```
<body>
```

```
    <div class="section">
```

```
        <div class="menu">
```

```
            <ul class="menu-list">
```

```
                <li><a href="{ {url_for('index')}}">Index</a></li>
```

<li><a href="{ {url\_for('upload')}} ">Upload</a></li>

<li><a href="{ {url\_for('deletefile')}} ">Delete</a></li>

</ul>

</div>

<h1>IBM Upload File</h1>

<form action="/uploader" method="POST" enctype="multipart/form-data">

<input type="text" placeholder="Enter bucket name" name="bucket" />

<br>

<br>

<input type="text" placeholder="Enter file name" name="filename" />

<br>

<br>

<input class="file-inp" type="file" name="file" />

<br>

<br>

<input class="btn-submit" type="submit" />

</form>

</div>

</body>

</html>

Index.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Home</title>

<link rel="stylesheet" href="{ {url\_for('static',filename='css/style.css')} }">

</head>

<body>

<div class="section">

<div class="menu">

<ul class="menu-list">

<li><a href="{ {url\_for('index')} }">Index</a></li>

<li><a href="{ {url\_for('upload')} }">Upload</a></li>

<li><a href="{ {url\_for('deletefile')} }">Delete</a></li>

</ul>

</div>



<hr>

<h1>IBM Object Storage</h1>

<h2>{% for row in files %}</h2>

<div class="content">

<h3>Filename : { {row}} </h3>



</div>

{% endfor %}

</div>

</body>

</html>

Delete.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Delete File</title>

<link rel="stylesheet" href="{ { url_for('static',filename='css/style.css') } }">

</head>

<body>

<div class="section">

    <div class="menu">

        <ul class="menu-list">

            <li><a href="{ { url_for('index') } }">Index</a></li>

            <li><a href="{ { url_for('upload') } }">Upload</a></li>

            <li><a href="{ { url_for('deletefile') } }">Delete</a></li>

        </ul>

    </div>

    <hr>

    <h1>IBM Object Storage</h1>

    <form action="/deletefile" method="POST">

        <input type="text" placeholder="Enter bucket name" name="bucket" />

        <br>
```

```
        <br>

        <input type="text" placeholder="Enter file name" name="filename" />

        <br>

        <br>

        <input class="btn-submit" type="submit" />

    </form>

</div>
</body>

</html>
```

Style.css

```
* {

    margin: 0;

    padding: 0;

    color: white;

    font-family: Arial, Helvetica, sans-serif;

}

html {

    width: 100%;

    height: 100vh;

}
```

```
body {  
  
    width: 100%;  
  
    height: 100%;  
  
    background-color: rgb(8, 82, 124);  
  
    display: flex;  
  
    justify-content: center;  
  
}  
.section { width:  
    30%; height: fit-  
    content; display:  
    flex;  
  
    flex-direction: column;  
  
    /* border: 1px solid #fff; */  
  
  
    box-shadow: 2px 2px 1px 2px rgba(167, 167, 167,  
    0.644); border-radius: 2rem;  
  
    border-left: 1px solid rgba(255, 255, 255, 0.3);  
  
    border-top: 1px solid rgba(255, 255, 255, 0.3);  
  
    align-items: center; padding-bottom: 5rem;  
  
    margin-top: 5rem;  
}
```

```
a {  
  
    text-decoration: none;  
  
}
```

```
.menu {  
  
    margin-top: 2rem;  
    width:      100%;  
    height:     3rem;  
    display: flex;  
  
    align-items: center;  
  
    /* background-color: bisque; */ justify-content:  
    center;  
    border-bottom: 2px solid rgba(255, 255, 255, 0.555); padding-  
    bottom: 2rem;  
  
}
```

```
.menu-list { width:  
    100%;  
    list-style-type: none;  
    text-transform: uppercase; display:  
    flex;
```

```
}
```

```
.menu-list li { width: 100%;  
  display: flex; justify-content:  
  space-around;
```

```
}
```

```
a {  
  box-shadow: 1px 1px 2px 2px rgba(167, 167, 167, 0.4); padding: 1rem 1.4rem; border-radius:  
  1rem;  
}
```

```
h1 {  
  /* padding-left: 2rem; */ margin-top:  
  1rem;  
}
```

```
h2 {  
  margin-top: 1rem;  
}
```

```
.content {
```

```
/* margin-left: 2rem; */ margin-top:  
2rem;  
}
```

```
form {  
  
/* margin-left: 2rem; */ margin-top:  
1rem;  
}
```

```
input {  
  
height: 2.6rem; width:  
18rem; padding-left:  
.6rem; border: none;  
border-radius: .4rem;  
color: #000;  
}
```

```
.btn-submit { width: 5rem;  
padding: .2rem; height:  
2rem; color: rgb(104, 104,  
104); text-transform:  
uppercase;  
}
```

```
.file-inp {  
  width: 15rem;  
  height: 2rem;  
  border: none;  
}
```

```
.btn-submit:hover { color:  
  #000;  
}
```