

EMERGINGMETHODSFOREARLYDETEC TION OF FOREST FIRES

Video

AnalysisCreatingAnAccountInTwilioSer vice

Date	06November2022
TeamID	PNT2022TMID30386
ProjectName	EmergingMethodsforEarlyDetectionof ForestFires

ImportingTheImageDataGeneratorLibrary

```
importkeras  
fromkeras.preprocessing.imageimportImageDataGenerator
```

Definetheparameters/argumentsforImageDataGeneratorclass

```
train_datagen=ImageDataGenerator(rescale=1./255, shear_range=0.2,  
rotation_range=180, zoom_range=0.2, horizontal_flip=True)  
test_datagen=ImageDataGenerator(rescale=1./255)
```

ApplyingImageDataGeneratorfunctionalitytotrainset

```
x_train=train_datagen.flow_from_directory(r'/content/drive/MyDrive/Dataset/train_set', target_size  
=(128,128), batch_size=32, class_mode='binary')
```

Found436imagesbelongingto2classes.

Applying ImageDataGenerator functionality to test set

```
x_test=test_datagen.flow_from_directory(r'/content/drive/MyDrive/Dataset/test_set',target_size=(128,128),batch_size=32, class_mode='binary')
```

Found 121 images belonging to 2 classes.

Import model building libraries

```
#To define Linear initialisation import Sequential
from keras.models import Sequential
#To add layers import Dense
from keras.layers import Dense
#To create Convolution kernel import Convolution2D
from keras.layers import Convolution2D
#import Maxpooling layer
from keras.layers import MaxPooling2D
#import flatten layer
from keras.layers import Flatten
import warnings
warnings.filterwarnings('ignore')
```

Initializing the model

```
model=Sequential()
```

|

Add CNN Layer

```
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
#add maxpooling layer
model.add(MaxPooling2D(pool_size=(2,2)))
#add flatten layer
model.add(Flatten())
```

Add Dense Layer

```
#add hidden
layermodel.add(Dense(150,activation='relu'))
#add output
layermodel.add(Dense(1,activation='sigmoid'))
```

Configure the learning process

```
model.compile(loss='binary_crossentropy',optimizer="adam",metrics=["accuracy"])
```

Train the model

```

model.fit_generator(x_train,steps_per_epoch=14,epochs=10,validation_da
ta=x_test,validation_steps=4)
Epoch1/10
14/14[=====]-205s15s/step-loss:2.7344-
accuracy:0.7454-val_loss:0.2016-val_accuracy:0.9256
Epoch 2/10
14/14[=====]-20s1s/step-loss:accuracy:0.8945-
val_loss:0.2290-val_accuracy:0.9339 Epoch
3/10
14/14[=====]-20s1s/step-loss:accuracy:0.8922-
val_loss:0.0524-val_accuracy:0.9835 Epoch
4/10
14/14[=====]-20s1s/step-loss:accuracy:0.9174-
val_loss:0.1570-val_accuracy:0.9421 Epoch
5/10
14/14[=====]-20s1s/step-loss:accuracy:0.9083-
val_loss:0.0767-val_accuracy:0.9752 Epoch
6/10
14/14[=====]-20s1s/step-loss:accuracy:0.9335-
val_loss:0.0749-val_accuracy:0.9752 Epoch
7/10
14/14[=====]-20s1s/step-loss:accuracy:0.9312-
val_loss:0.1264-val_accuracy:0.9421 Epoch
8/10
14/14[=====]-20s1s/step-loss:accuracy:0.9266-
val_loss:0.0652-val_accuracy:0.9835 Epoch
9/10
14/14[=====]-20s1s/step-loss:accuracy:0.9358-
val_loss:0.0567-val_accuracy:0.9835 Epoch
10/10
14/14[=====]-20s1s/step-loss:accuracy:0.9404-
val_loss:0.0448-val_accuracy:0.9917
0.3267-
0.2991-
0.2418-
0.1984-
0.1643-
0.1538-
0.1732-
0.1514-
0.1445-
<keras.callbacks.Historyat0x7f51fdf33610>

```

SaveTheModel

```
model.save("forest1.h5")
```

Predictions

```
#importload_modelfromkeras.model

fromkeras.modelsimportload_model

#import image class from keras
fromtensorflow.keras.preprocessingimportimage#importnumpyimportnumpyas np
#importcv2
import cv2

#loadthesavedmodel
model=load_model("forest1.h5")

img=image.load_img(r'/content/drive/MyDrive/Dataset/test_set/forest/0.48
007200_1530881924_final_forest.jpg') x=image.img_to_array(img)
res=cv2.resize(x,dsize=(128,128),interpolation=cv2.INTER_CUBIC)#expandthe image
shape

x=np.expand_dims(res,axis=0)
pred= model.predict(x)
1/1[=====]-0s94ms/stepped
array([[0.]],dtype=float32)
```

OpenCVForVideoProcessing

```
pipinstalltwilio
Lookinginindexes:https://pypi.org/simple,https://us-
python.pkg.dev/colab-wheels/public/simple/Collecting
twilio
Downloadingtwilio-7.15.1-py2.py3-none-any.whl(1.4MB)
entalreadysatisfied:pytzin/usr/local/lib/python3.7/dist-packages(fromtwilio) (2022.5)
CollectingPyJWT<3.0.0,>=2.0.0
DownloadingPyJWT-2.6.0-py3-none-any.whl(20kB)
Requirement already satisfied: requests>=2.0.0 in /usr/local/lib/python3.7/dist-
packages(fromtwilio)(2.23.0)Requirementalsatisfied:chardet<4,>=3.0.2in
/usr/local/lib/python3.7/dist-packages (from requests>=2.0.0->twilio) (3.0.4)
Requirementalsatisfied:idna<3,>=2.5in/usr/local/lib/python3.7/dist-packages
(from requests>=2.0.0->twilio)
(2.10)
Requirementalsatisfied:certifi>=2017.4.17in/usr/local/lib/python3.7/dist- packages
(from requests>=2.0.0->twilio) (2022.9.24)
Requirementalsatisfied:urlib3!=1.25.0,!1.25.1,<1.26,>=1.21.1in
```

```

/usr/local/lib/python3.7/dist-packages(fromrequests>=2.0.0->twilio)(1.24.3)
Installing collected packages: PyJWT, twilio
Successfully installed PyJWT-2.6.0 twilio-7.15.1
pip install playsound
Looking in indexes: https://pypi.org/simple, https://us-
python.pkg.dev/colab-wheels/public/simple/Collecting
playsound
Downloading playsound-1.3.0.tar.gz(7.7kB) Building wheels for collected
packages: playsound
Building wheel for playsound (setup.py) ... e=playsound-1.3.0-py3- none-any.whl
size=7035
sha256=e7e96c774a98522e182b59b7b292f0f932097658d8bfce86c922c363f862b0e
2
Stored in directory:
/root/.cache/pip/wheels/ba/f8/bb/ea57c0146b664dca3a0ada4199b0ecb5f9dfc
b7b7e22b65ba2
Successfully built playsound
Installing collected packages: playsound
Successfully installed playsound-1.3.0
#import opencv library
import cv2
#import numpy
import numpy as np
#import image function from keras
from keras.preprocessing import image
#import load_model from keras
from keras.models import load_model
#import client from twilio API
from twilio.rest import Client
#import playsound package
from playsound import playsound
WARNING: playsound: playsound is relying on another python subprocess. Please use
`pip install pygobject` if you want playsound to run more efficiently.
#load the saved model
model = load_model("forest1.h5") #define video
video = cv2.VideoCapture(0) #define
the features name = ['forest', 'with fire']

```

Creating An Account In Twilio Service

```

account_sid = 'ACfb4e6d0e7b0d25def63044919f1b96e3'
auth_token = 'f9ae4fc4a617a527da8672e97eeb2d8'
client = Client(account_sid, auth_token)
message = client.messages \
.create(
    body = 'Forest Fire is detected, stay alert',
    from_ = '+1 302 248 4366',
    to = '+919940012164'
)

```

```
)  
print(message.sid)
```

SM4aa5a4751b7bcec159dc4c695752293d