## **ASSIGNMENT-2**

- 1. Create a Flask App
- 2. Add the Home page, About Page
- 3. Add the Bootstrap
- 4. Add the Sign in page and App the Signup Page + database connectivity

## app.py

def addrec():

```
from turtle import st
from flask import Flask, render_template, request, redirect, url_for, session
from markupsafe import escape
import ibm db
conn = ibm db.connect("DATABASE=bludb;HOSTNAME=3883e7e4-18f5-4afe-b
e8c-fa31c41761d2.bs2io90l08kgb1od8lcg.databases.appdomain.cloud;PORT=
31498;SECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=cqc7
127;PWD=2d8IfxYcI85CayCc ",'','')
print(conn)
app = Flask(__name__)
@app.route('/')
def home():
return render_template('home.html')
@app.route('/addstudent')
def new student():
return render_template('add_student.html')
@app.route('/addrec',methods = ['POST', 'GET'])
```

```
if request.method == 'POST':
  name = request.form['name']
  address = request.form['address']
  city = request.form['city']
  pin = request.form['pin']
  sql = "SELECT * FROM students WHERE name =?"
  stmt = ibm_db.prepare(conn, sql)
  ibm db.bind param(stmt,1,name)
  ibm_db.execute(stmt)
  account = ibm db.fetch assoc(stmt)
  if account:
   return render template('list.html', msg="You are already a member, please
login using your details")
  else:
   insert sql = "INSERT INTO students VALUES (?,?,?,?)"
   prep_stmt = ibm_db.prepare(conn, insert_sql)
   ibm db.bind param(prep stmt, 1, name)
   ibm_db.bind_param(prep_stmt, 2, address)
   ibm_db.bind_param(prep_stmt, 3, city)
   ibm_db.bind_param(prep_stmt, 4, pin)
   ibm db.execute(prep stmt)
  return render_template('home.html', msg="Student Data saved
successfuly..")
@app.route('/list')
def list():
 students = []
```

```
sql = "SELECT * FROM Students"
 stmt = ibm db.exec immediate(conn, sql)
 dictionary = ibm_db.fetch_both(stmt)
 while dictionary != False:
  # print ("The Name is : ", dictionary)
  students.append(dictionary)
  dictionary = ibm_db.fetch_both(stmt)
 if students:
  return render template("list.html", students = students)
@app.route('/delete/<name>')
def delete(name):
 sql = f"SELECT * FROM Students WHERE name='{escape(name)}'"
 print(sql)
 stmt = ibm db.exec immediate(conn, sql)
 student = ibm db.fetch row(stmt)
 print ("The Name is:", student)
 if student:
  sql = f"DELETE FROM Students WHERE name='{escape(name)}'"
  print(sql)
  stmt = ibm_db.exec_immediate(conn, sql)
  students = []
  sql = "SELECT * FROM Students"
  stmt = ibm db.exec immediate(conn, sql)
  dictionary = ibm_db.fetch_both(stmt)
  while dictionary != False:
   students.append(dictionary)
```

```
dictionary = ibm_db.fetch_both(stmt)
  if students:
   return render_template("list.html", students = students, msg="Delete
successfully")
add student.html:
a href="/">HOME</a>
<a href="/addstudent">Add New Student</a>
<a href="/list">List Student</a>
<hr>
<form action = "{{ url for('addrec') }}" method = "POST">
  <h3>Student Information</h3>
  Name<br>
  <input type = "text" name="name" /></br>
  Address<br>
 <textarea name="address" ></textarea><br>
  City<br>
  <input type = "text" name="city" /><br>
  PINCODE<br>
  <input type = "text" name="pin" /><br><br>
 <input type = "submit" value = "submit" /><br>
</form>
home.html:
<a href="/">HOME</a>
<a href="/addstudent">Add New Student</a>
```

```
<a href="/list">List Student</a>
<hr>
{{msg}}
<h1>Welcome to Student DB APP</h1>
list.html:
<!doctype html>
<html>
 <body>
 <a href="/">HOME</a>
 <a href="/addstudent">Add New Student</a>
 <a href="/list">List Student</a>
 <br>><hr>
 {{ msg }}
  <thead>
     Name
     Address
     city
     Pincode
     </thead>
   {% for row in students %}
     {{row["NAME"]}}
      {{ row["ADDRESS"]}}
      {{row["CITY"]}}
```

```
{\frow['PIN']}}
{\td>{\td>}
{\td>}
{\td>}

</body>
</html>

result.html:
<!doctype html>
<html>
<body>
{{\tmsg }}
<h2><a href = "\">Back to home page</a></h2>
</body>
</html>
```



