Assignment -2

Assignment Date	01-11-2022
Student Name	GOKULKRISHNAN V
Student Roll Number	711719104303
Team ID	PNT2022TMID31596

- 1. Create a User table with Username, email, roll number, password
- 2. Perform UPDATE and DELETE queries
- 3. Connect python code to database
- 4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the datain database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Solution:

```
App.py
ffrom flask import Blueprint, redirect, render template, request, flash
import ibm db
import re # regular expression
blue_print = Blueprint("blue_print", "__name__")
conn = ibm db.connect('DATABASE=bludb;HOSTNAME=b70af05b-76e4-4bca-a1f5-
23dbb4c6a74e.c1ogi3sd0tgtu0lgde00.databases.appdomain.cloud;PORT=32716;SECURITY=
SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=rnp46787;PWD=KX5RE6zbCXU439
Bt', ", ")
@blue_print.route('/', methods = ['GET', 'POST'])
def home():
  if request.method == 'POST':
    # getting the data entered by the user
    email = request.form.get('email')
    password = request.form.get('password')
    # validating the inputs
    if len(email) < 10:
       flash("Email must be atleast 10 characters long", category="error")
    elif len(password) < 6:
```

```
flash("Password must be atleast 6 characters long", category="error")
    else:
       # checking whether the user with the email exists in the database
       sql check query = "SELECT * FROM user WHERE email = ?"
       stmt = ibm_db.prepare(conn, sql_check_query)
       ibm db.bind param(stmt, 1, email)
       ibm_db.execute(stmt)
       account = ibm_db.fetch_assoc(stmt)
       print(account)
       if account:
          # email id exists
         # checking if the password is correct
          if not account['PASSWORD'] == password:
            flash('Invalid password', category='error')
          else:
            # user entered the correct password
            # redirecting the user to the dashboard
            return render template('dashboard.html', account=account)
       else:
          # email id does not exist in the database
          flash('Email invalid... Try Again', category='error')
    return render_template('login.html')
  return render_template('login.html')
@blue print.route('/register', methods = ['GET', 'POST'])
def register():
  if request.method == 'POST':
    # getting the data entered by the user
    username = request.form.get('username')
    email = request.form.get('email')
    number = request.form.get('number')
    password = request.form.get('password')
    # validating the data entered by the user
```

flash("Reg. No must be 12 numbers long", category="error")

if(len(number) < 12):

```
elif not re.match(r'^[a-zA-Z]*$', username):
  flash("Use only alphabets in username", category="error")
elif len(username) < 6:
  flash("Username must be atleast 6 characters long", category="error")
elif len(password) < 6:
  flash("Password must be atleast 6 characters long", category="error")
elif len(email) < 10:
  flash("Email must be atleast 10 characters long", category="error")
else:
  # checking whether the user table contains an entry with the email already
  sql_check_query = "SELECT * FROM user WHERE email = ?"
  stmt = ibm_db.prepare(conn, sql_check_query)
  ibm_db.bind_param(stmt, 1, email)
  ibm_db.execute(stmt)
  account = ibm db.fetch assoc(stmt)
  # email id does not exist in the database
  if not account:
     # inserting the data into the database
     sql_insert_query = "INSERT INTO user VALUES (?, ?, ?, ?)"
     stmt = ibm_db.prepare(conn, sql_insert_query)
    ibm _db.bind_param(stmt, 1, username)
     ibm_db.bind_param(stmt, 2, email)
     ibm db.bind param(stmt, 3, int(number))
     ibm_db.bind_param(stmt, 4, password)
     ibm db.execute(stmt)
     # user data has been inserted into the database
     # showing login page to the user
     flash('User created successfully! Please Login', category='success')
     return redirect('/')
  else:
     flash('Email id already exists! Try another one', category='error')
return render template('register.html')
```

```
return render template('register.html')
 @blue_print.route('/dashboard')
 def dashboard():
   return render_template('dashboard.html')
 Models.py
 import sqlite3 as sql
 def retrieveUsers():con
   sql.connect("User_database.db") cur
   = con.cursor()
   cur.execute("SELECT username, pin FROM
   users") users = cur.fetchone()
   con.close()
   return users
   sglite db s
   etup.py:
 import sqlite3
 conn = sqlite3.connect('User database.db')
 print("Opened database successfully")
 conn.execute('CREATE TABLE users (email TEXT, username TEXT, rollnumber
 INTEGER, pin INTEGER)')
 print("Table created successfully")
 conn.close()
 Base.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>{% block title %}{% endblock %}</title>
  <style>
     @import
url('https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,400;1,20
0;1,300&display=swap');
  </style>
  <link rel="stylesheet" href="{{ url_for('static', filename='css/style.css') }}"/>
</head>
<body>
```

<!-- Nav Bar -->

```
<nav>
     <div>
       <h3>User Registration Assignment</h3>
     </div>
  </nav>
  {% with messages = get_flashed_messages(with_categories=true) %}
     {% if messages %}
       {% for category, message in messages %}
         {% if category == "error" %}
            <div class="flash-div">
              <h4>{{ message }}</h4>
            </div>
         {% else %}
            <div class="flash-div success">
              <h4>{{ message }}</h4>
            </div>
         {% endif %}
       {% endfor %}
     {% endif %}
  {% endwith %}
<div class="main-
           div">
     {% block main %}
     {% endblock %}
  </div>
</body>
</html>
 Dashboard.html
 <{% extends 'base.html' %}
 {% block title %}
   Dashboard
 {% endblock %}
 {% block main %}
   <div class="form-main-div">
     <div class="table-div">
        <h2>Your Details</h2>
        Welcome
          Email
            {{ account['EMAIL'] }}
```

```
UserName
          {{ account['USERNAME'] }}
        Register Number
          {{ account['ROLLNO'] }}
        Password
          {{ account['PASSWORD'] }}
        </div>
  </div>
{% endblock %}
Login.html:
{% extends 'base.html' %}
{% block title %}
  Login
{% endblock %}
{% block main %}
  <div class="form-main-div">
    <div class="form-div">
      <h3>Login</h3>
      <form method="POST">
        <label>Email</label> <br>
        <input class="inputs" type="text" placeholder="Enter your email" name="email"/>
        <label>Password</label> <br>
        <input class="inputs" type="tex t" placeholder="Enter your password"
name="password"/>
        <button class="submit">Login</button>
        <div>
          <a href="/register">Don't have an account? Create one</a>
        </div>
      </form>
    </div>
  </div>
{% endblock %}
```

```
Register.html:
```

```
{% extends 'base.html' %}
{% block title %}
  Sign up
{% endblock %}
{% block main %}
  <div class="form-main-div">
    <div class="form-div">
       <h3>Enter all the details</h3>
       <form method="POST">
         <label>Email</label> <br>
         <input class="inputs" type="text" placeholder="Enter your email" name="email"/>
         <label>Username</label> <br>
         <input class="inputs" type="text" placeholder="Enter your username"
name="username"/>
         <label>Register Number</label> <br>
         <input class="inputs" type="number" placeholder="Enter your email"
name="number"/>
         <label>Password</label> <br>
         <input class="inputs" type="password" placeholder="Enter your password"
name="password"/>
         <input class="submit" type="submit"/>
         <div>
            <a href="/">Already have an account? Login</a>
         </div>
       </form>
    </div>
  </div>
{% endblock %}
```