

### Assignment -3

Assignment Date	17 November 2022
Student Name	JEFNA ASHA J
Student Roll Number	953419104026
Maximum Marks	2 Marks

#### Question:

1. Create a Bucket in IBM object storage.
2. Upload a 5 images to IBM object storage and make it public, write html code to displaying all the 5 images.
3. Upload a CSS page to the object storage and use the same page in your HTML code.
4. Design a chat bot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city, submit the web URL of that chat bot as an assignment.
5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

#### Solution:

1.

The screenshot displays the IBM Cloud Object Storage interface. On the left, a sidebar menu lists various options including 'Cloud Object Storage', 'Storage instances', 'Cloud Object Storage-s8', 'Buckets', 'Integrations', 'Endpoints', 'Usage details', 'Service credentials', 'Connections', and 'Plan'. The 'Buckets' option is currently selected. The main content area is titled 'Buckets' and includes a search bar and a 'Create bucket' button. Below this, a table lists the existing buckets. The table has five columns: 'Name', 'Public access', 'Location', 'Storage class', and 'Created'. A single bucket, 'bucket-jefna', is listed with the following details: Public access is 'No', Location is 'jp-tok', Storage class is 'Smart Tier', and it was created on '2022-11-06 9:13 PM'. A small 'Create bucket' button with a plus icon is located in the top right corner of the table's header area.

Name	Public access	Location	Storage class	Created
bucket-jefna	No	jp-tok	Smart Tier	2022-11-06 9:13 PM

## 2. image.html

```
<!DOCTYPE html>
<html>
<head>
<style>
* {
box-sizing: border-box;
}
.column {
float: left;
width: 20%;
padding: 5px;
}
/* Clearfix (clear floats) */
.row::after {
content: "";
clear: both;
display: table;
}
</style>
</head>
<body>
<h2><CENTER>5 IMAGES</CENTER></h2>
<div class="row">
<div class="column">

</div>
<div class="column">

</div>
<div class="column">

</div>
<div class="column">

</div>
<div class="column">

</div>
</div>
</body>
</html>
```

5 IMAGES



3.

```
<!DOCTYPE html>
```

```
<html>
```

```
<head><link rel="stylesheet" href="cos://us-south/bucketdemo301/style.css"> </head>
```

```

```

```
<br>
```

```

```

```
<br>
```

```

```

```
<br>
```

```

```

```
<br>
```


```

```


```
<br>
```

```
</body>
```

```
</html>
```




4.



## Web URL:

```
<html>
<body>
<a href="https://us-
south.assistant.watson.cloud.ibm.com/crn%3Av1%3Abluemix%3Apublic%3Aconversation%3Aus-
south%3Aa%2F07509c4bc5684b7fab7d9a887d5d998a%3A35bca339-0dbc-4cbc-942f-
1c354e567e1a%3A%3A/assistants/a6439ac0-2f33-4392-8c08-
aecc8bbdc980/actions/actions/custom/edit/action_17507#step_307">Chat bot</a>
</body>
</html>
```

5.



```
<!DOCTYPE html>
<head>

</head>
<html>
<h2>Hello, This is Jefna Asha J, as ur helping assistant</h2>
</html>
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "a115edde-7cc4-45ab-a233-4745277e4773", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "5a31f212-811e-4fc2-a1bf-caf19d3a7474", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
  };
  setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
```