MODEL BUILDING-TRAIN THE MODEL

Team ID	PNT2022TMID43741
Project Name	Crude Oil Price Prediction

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
             data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
             data.isnull().any()
 Out[3]: Date
Closing Value
            dtype: bool
  In [4]:
             data.isnull().sum()
 Out[4]: Date
Closing Value
            dtype: int64
             data.dropna(axis=0,inplace=True)
 In [6]:
             data.isnull().sum()
 Out[6]: Date
            Closing Value
dtype: int64
             data_oil=data.reset_index()['Closing Value']
data_oil
                     25.56
26.00
26.53
25.85
25.87
 Out[7]: 0
                    73.89
74.19
73.05
73.78
73.93
            8211
            8212
            8213
8214
            8215
            Name: Closing Value, Length: 8216, dtype: float64
 In [8]:
             from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
 In [9]:
             data_oil
 [0.46497853],
                     [0.47038353]
                     [0.47149415]])
In [10]:
             plt.plot(data_oil)
Out[10]: []
            1.0
            0.8
            0.6
            0.4
            0.2
            0.0
                              2000
                                           4000
                                                        6000
                                                                     8000
```

```
training_size=int(len(data_oil)*0.65)
          test_size=len(data_oil)-training_size
          train_data,test_data=data_oil[0:training_size,:],data_oil[training_size:len(data_oil),:1]
In [12]:
          training_size,test_size
Out[12]: (5340, 2876)
In [13]:
          train data.shape
Out[13]: (5340, 1)
In [14]:
          def create_dataset(dataset,time_step=1):
           dataX,dataY=[],[]
            for i in range(len(dataset)-time_step-1):
             a=dataset[i:(i+time_step),0]
              dataX.append(a)
              dataY.append(dataset[i+time_step,0])
            return np.array(dataX),np.array(dataY)
In [15]:
          time_step=10
          x_train,y_train=create_dataset(train_data,time_step)
          x_test,y_test=create_dataset(test_data,time_step)
In [16]:
          print(x_train.shape),print(y_train.shape)
         (5329, 10)
         (5329,)
Out[16]: (None, None)
In [17]:
          print(x_test.shape),print(y_test.shape)
          (2865, 10)
          (2865,)
Out[17]: (None, None)
In [18]: x_train
Out[18]: array([[0.11335703, 0.11661484, 0.12053902, ..., 0.10980305, 0.1089886 ,
                  0.11054346],
                 [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886 , 0.11054346,
                 0.10165852],
[0.12053902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852,
                  0.09906708],
                 [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
                 0.37042796],
[0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796,
                  0.37879461],
                 [0.36080261,\ 0.35354657,\ 0.35295424,\ \dots,\ 0.37042796,\ 0.37879461,
                  0.37916482]])
            x\_train=x\_train.reshape(x\_train.shape[0],x\_train.shape[1],1)  x\_test=x\_test.reshape(x\_test.shape[0],x\_test.shape[1],1)  
           from tensorflow.keras.models import Sequential
           from tensorflow.keras.layers import Dense
           from tensorflow.keras.layers import LSTM
          model=Sequential()
In [23]:
          model.add(LSTM(50))
```

```
In [22]:
     model=Sequential()
In [23]:
     model.add(LSTM(50))
In [24]:
     model.add(Dense(1))
In [25]: model.summary()
     Model: "sequential_1"
     Layer (type)
                      Output Shape
                                     Param #
     1stm (LSTM)
                      (None, 10, 50)
                                     10400
     lstm_1 (LSTM)
                      (None, 10, 50)
                                     20200
     lstm_2 (LSTM)
                      (None, 50)
                                     20200
     dense (Dense)
                      (None, 1)
                                     51
     Total params: 50,851
Trainable params: 50,851
     Non-trainable params: 0
In [26]:
       model.compile(loss='mean_squared_error',optimizer='adam')
In [27]: model.fit(x_train,y_train,validation_data=(x_test,y_test),epochs=3,batch_size=64,verbose=1)
       Epoch 1/3
       Epoch 2/3
       Epoch 3/3
```