

**Project Development Phase**


|                     |                                       |
|---------------------|---------------------------------------|
| <b>Date</b>         | 19 November 2022                      |
| <b>Team ID</b>      | PNT2022TMID14283                      |
| <b>Project Name</b> | Smart Fashion Recommender Application |

**INTEGRATING CHATBOT WITH HTML PAGE (SOURCE CODE):**

```
<script> window.watsonAssistantChatOptions = { integrationID: "614a4315-ff80-4187-8fe4-2fd9b506b723", // The ID of this integration. region: "au-syd", // The region your integration is hosted in. serviceInstanceID: "9670dcf8-789f-4609-8d7a-6e25c412a9ec", // The ID of your service instance. onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});

< /script>
```

## INTEGRATING CHATBOT WITH HTML PAGE:



## DOCKER PUSH:

```
#####  
#                               #  
#      WARNING!!!!             #  
# This is a sandbox environment. Using personal credentials #  
# is HIGHLY! discouraged. Any consequences of doing so are  #  
# completely the user's responsibilities.                     #  
#                                                             #  
# The PWD team.                                              #  
#####  
[node1] (local) root@192.168.0.28 ~  
$ docker pull uifd/ui-for-docker  
Using default tag: latest  
latest: Pulling from uifd/ui-for-docker  
841194d080c8: Pull complete  
Digest: sha256:fe371ff5a69549269b24073a5ab1244dd4c0b834cbadf244870572150b1cb749  
Status: Downloaded newer image for uifd/ui-for-docker:latest  
docker.io/uifd/ui-for-docker:latest  
[node1] (local) root@192.168.0.28 ~  
$ docker run uifd/ui-for-docker  
2022/11/08 09:13:47 Unix socket /var/run/docker.sock does not exist  
[node1] (local) root@192.168.0.28 ~  
$ docker run -d -p 9000:9000 --privileged -v /var/run/docker.sock:/var/run/docker.sock uifd/ui-for-docker  
b8bddb08bb99652d924c9bcc447ad1bcd4de7c625d20ca5dbc5e4c70cd2a00  
[node1] (local) root@192.168.0.28 ~  
$
```

## CONTAINERIZING THE APPLICATION:

Containers

Images

Volumes

Dev Environments BETA

Extensions BETA

Add Extensions

Containers

[Give feedback](#)

A container packages up code and its dependencies so the application runs quickly and reliably from one computing environment to another. [Learn more](#)

☐ Only show running containers

| <input type="checkbox"/> | NAME   | IMAGE                      | STATUS  | PORT(S)                   | STARTED       | ACTIONS                                      |
|--------------------------|--|----------------------------|---------|---------------------------|---------------|--|
| <input type="checkbox"/> | <div>kind_saha</div> <div>90dd6397eafd</div> | <a href="#">app:latest</a> | Running | <a href="#">5000:5000</a> | 7 seconds ago | <div><div></div><div></div><div></div></div> |