


SPRINT - 1

Team ID	PNT2022TMID14283
Project Name	Project - SMART FASHION RECOMMENDER APPLICATION

LOGIN PAGE :



The screenshot shows a web browser window with the address bar displaying "C:/Users/ishun/OneDrive/Desktop/application/Login.html". The page has a solid pink background. In the center, there is a white rectangular box containing the "Login Form". The form includes a title "Login Form", two buttons labeled "Login" and "Signup", two input fields for "Email Address" and "Password", a link for "Forgot password?", another "Login" button, and a footer that says "Not a member? Signup now".

← → ↻ ⓘ File C:/Users/ishun/OneDrive/Desktop/application/Login.html

Login Form

Login Signup

Email Address

Password

[Forgot password?](#)

Login

Not a member? [Signup now](#)

SIGNUP PAGE :

File | C:/Users/ishun/OneDrive/Desktop/application/Login.html

Signup Form

Login Signup


Email Address

Password


Confirm password

Signup


PRODUCT PAGE :



VIEW PRODUCT PAGE :



DATA BASE CONNECTION :



The image shows a JupyterLab interface. At the top, the header bar displays the Jupyter logo, the text "jupyter ASS", and a status message "Last Checkpoint: a few seconds ago (unsaved changes)". On the right side of the header, there is a Python logo and a "Logout" button. Below the header is a menu bar with options: File, Edit, View, Insert, Cell, Kernel, Widgets, and Help. To the right of the menu bar, there are two buttons: "Trusted" and "Python 3". Below the menu bar is a toolbar with icons for file operations (save, open, copy, paste), navigation (up, down), and execution (run, interrupt, step through). The main area contains a code cell with the following Python code:

```
In [1]: import ibm_db

hostname = '9938aec0-8105-433e-8bf9-0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud'
uid = 'qfk33398'
pwd = 'jnffMaLIMeTZcout'
driver = "{IBM DB2 ODBC DRIVER}"
db = 'bludb'
port = '32459'
protocol = 'TCPIP'
cert = 'CRT1.crt'

dsn = (
    "DATABASE = {0};"
    "HOSTNAME = {1};"
    "PORT = {2};"
    "UID = {3};"
    "SECURITY = SSL;"
    "SSLServerCertificate = {4};"
    "PWD = {5};"
).format(db, hostname, port, uid, cert, pwd)
print(dsn)
try:
    db2 = ibm_db.connect(dsn, " ", " ")
    print("connect to database")
except:
    print("unable to connect ", ibm_db.conn_errormsg())
```

Below the code cell, the output of the code is displayed:

```
DATABASE = bludb;HOSTNAME = 9938aec0-8105-433e-8bf9-0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT = 32459;UID = qfk33398;SECURITY = SSL;SSLServerCertificate = CRT1.crt;PWD = jnffMaLIMeTZcout;
connect to database
```