ASSIGNMENT-1

Assignment Date	01-11-2022
Student Name	ASWIN RAJ R
Student Roll Number	711719104015
Team ID	PNT2022TMID31586

1. Create registration page in html with username, email and phone number and by using POST method display it in the next html page.

Program:

App.py

```
from flask import Flask,redirect,url_for,request app=Flask(__name__)

@app.route('/success/<string:name>/<string:ml>/<string:pnm>')
def success(name,ml,pnm):
    return "Welcome " + name +" !! <br>
    return "Welcome " + name +" !! <br>
    vor your mail id is "+ml+" .<br>
    vor your phone number is "+pnm

@app.route('/login',methods=['POST'])
def login():
    if request.method=='POST':
        user=request.form['nm']
        mailid=request.form['nm']
        phnum=request.form['mail']
        phnum=request.form['num']

    return redirect(url_for('success',name=user,ml=mailid,pnm=phnum))

if __name__ =='__main__':
        app.run(debug=True)
```


Login.html

```
 Enter phone number:
    <input type="number" name="num"/>
  <input type="submit" value="submit">
</form>
</div>
</body>
</html>
Style.css
body
  margin: 0;
  padding: 0;
  background-color:#6abadeba;
  font-family: 'Arial';
.login{
     width: 382px;
     overflow: hidden;
     margin: auto;
    margin: 20 0 0 450px;
     padding: 80px;
    background: #D3D3D3;
     border-radius: 15px;
}
                                                                   A) 7º 7= @ 8> 8
    C File C:/Users/Administrator/New%20folder%20(2)/templates/login.html
                                     LOGIN FORM
```



Activate Windows

Go to Settings to activate Windows



2.Develop a flask program which should contain at least 5 packages used from pypi.org

```
base.html:
<!DOCTYPEhtml>
<html>
<head>
<title>PageTitle</title>
{%blockhead%}{% endblock%}
linkhref="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.
min.css"
rel="stylesheet" integrity="sha384-
iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"cro
ssorigin="anonymous">
<scriptsrc="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.b</pre>
undle.min.js"
integrity="sha384-
u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rlHI7NnikvbZlHgTPOOmMi4
66C8"crossorigin="anonymous">
</script>
</head>
<body>
```

```
<ahref="/">HOME</a>
<ahref="/Blog">BLOG</a>
<ahref="/Signin">SIGNIN</a>
<ahref="/Signup">SIGNUP</a>
<hr><br>
<divclass="container">
{%blockbody%}{%endblock%}
</div>
</body>
</html>
blog.html:
{%extends'base.html'%}
{%blockhead%}
<title>BlogPage</title>
{%endblock%}
{%blockbody%}
<h1>ThisisSamleBlog</h1>
<h2><p>Hello,fromMr.X</p></h2>
{%endblock%}
index.html:
{%extends'base.html'%}
{%blockhead%}
<title>HomePage</title>
{%endblock%}
{%blockbody%}
<h1>Helloeveryone,</h1>
<divclass="p-5mb-4bg-lightrounded-3">
<divclass="container-fluidpy-5">
<h1class="dispay-5fw-bold">WIFITECHNOLOGY<h1>
<pclass="col-md-8fs-4">Kubernetes (also known as k8s or "kube") is an open source
container orchestration platform that automates many of the manual processes involved in
deploying, managing, and scaling containerized applications. 
</div>
```

```
</div>
{%endblock%}
signup.html:
{%extends'base.html'%}
{%blockhead%}
<title>SignupPage</title>
{%endblock%}
{%blockbody%}
<h1>SignupPage</h1>
<formaction="Signup"method="POST">
<label>Name</label><br>
<inputtype="text"name="name"><br><br>
<|abel>Email</|abel><br>
<inputtype="email"name="email"><br><br>
<label>Phone/label><bre>
<inputtype="text"name="phone"><br><<br/>
<label>Password/label><bre>
<inputtype="password"name="name"><br><br><
<label>RetypePassword/label><bre>
<inputtype="password"name="name"><br><br><br>
<inputtype="submit"class="btnbtn-primary">
</form>
{%endblock%}
signin.html:
{%extends'base.html'%}
{%blockhead%}
<title>SigninPage</title>
{%endblock%}
{%blockbody%}
<h1>SigninPage</h1>
<formaction="/Signin"method="POST">
<label>Email</label><br>
```

```
<inputtype="email"name="email"><br><br>
<label>password/label><bre>
<inputtype="password"name="name"><br><br>
<inputtype="submit"class="btnbtn-primary">
</form>
{%endblock%}
app.py:
fromflaskimportFlask,render_te
mplateapp=Flask(name)
@app.route('/',methods=["GET","
POST"])defIndex():
returnrender_template('index.html')@app.ro
ute('/Blog')
defBlog():
returnrender_template('blog.html')@app.rou
te('/Signup')
defSignup():
returnrender_template('signup.html')@app.route('
/Signin')
defSignin():
returnrender_template('signi
n.html')
ifname___='main':
app.debug=Trueap.run
```