

**Project Design Phase-II**  
**Solution Requirements (Functional & Non-functional)**

Date	14 October 2022
Team ID	PNT2022TMID41391
Project Name	Team ID
Maximum Marks	Project Name
	Maximum Marks

**Functional Requirements:**

<b>FR No.</b>	<b>Non-Functional Requirement</b>	<b>Description</b>
NFR-1	<b>Usability</b>	Usability is defined as the ability to learn quickly, use something effectively, remember something, operate something without making a mistake, and enjoy something.
NFR-2	<b>Security</b>	Private and confidential information must be kept secure at all times, including during collection, processing, and storage.
NFR-3	<b>Reliability</b>	A superior cost-to-reliability trade-off is achieved with shared protection. To prevent agricultural service interruptions, the approach employs specialised and shared protection methods.
NFR-4	<b>Performance</b>	It will be more effective to monitor farming operations overall if integrated sensors are used to measure soil and ambient characteristics.

NFR-5	<b>Availability</b>	By tying information about crops, weather, and equipment together, it is feasible to automatically alter temperature, humidity, and other factors in farming equipment.
-------	---------------------	---

Following are the functional requirements of the proposed solution.

<b>FR No.</b>	<b>Functional Requirement (Epic)</b>	<b>Sub Requirement (Story / Sub-Task)</b>
FR-1	User Registration	Registration through Gmail
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Log in to system	Check Roles of Access. Check Credentials
FR-4	Manage Modules	Manage System Admins Manage Roles of User Manage User permission
FR-5	Check whether details	Temperature details Humidity details
FR-6	Log out	Exit

### **Non-functional Requirements:**

Following are the non-functional requirements of the proposed solution.

NFR -6	<b>Scalability</b>	For IoT platforms, scalability is a big challenge. It has been demonstrated that different IoT platform architectural decisions impact system scalability and that automatic real-time decision-making is possible in a setting with thousands of users.
-----------	--------------------	--