Assignment – 3

Assignment Date	02 October 2022
Student Name	S.Santhosh
Student Roll Number	820319205031
Maximum Marks	2 Marks

Pre-Requisites

from google.colab import drive
drive.mount('/content/gdrive')

Mounted at /content/gdrive

1. UNZIP FILES

cd/content/gdrive/MyDrive/CNN

OUTPUT: /content/gdrive/MyDrive/CNN

Pwd

OUTPUT: /content

!unzip Flowers-Dataset.zip

OUTPUT:

```
Archive: Flowers-Dataset.zip

inflating: flowers/daisy/100080576_f52e8ee070_n.jpg
inflating: flowers/daisy/10140303196_b88d3d6cec.jpg
inflating: flowers/daisy/10172379554_b296050f82_n.jpg
inflating: flowers/daisy/10172567486_2748826a8b.jpg
inflating: flowers/daisy/10172567486_2748826a8b.jpg
inflating: flowers/daisy/1017266503_21bededa75_n.jpg
inflating: flowers/daisy/102841525_bd6628ae3c.jpg
inflating: flowers/daisy/10300722094_28fa978807_n.jpg
inflating: flowers/daisy/10300722094_28fa978807_n.jpg
inflating: flowers/daisy/1031799732_e7f4008c03.jpg
inflating: flowers/daisy/10431799732_e7f4008c03.jpg
inflating: flowers/daisy/10437754174_22ec990b77_m.jpg
inflating: flowers/daisy/10437770546_8bb6f7bdd3_m.jpg
inflating: flowers/daisy/10437792963_bc13eeb0ec.jpg
inflating: flowers/daisy/10466598316_a7198b87e2.jpg
inflating: flowers/daisy/10466558316_a7198b87e2.jpg
inflating: flowers/daisy/10555815624_dc211569b0e.jpg
inflating: flowers/daisy/10555826524_d22eb8bf71_n.jpg
inflating: flowers/daisy/10555826524_d22eb8bf71_n.jpg
inflating: flowers/daisy/10559679065_50d2b16f6d.jpg
inflating: flowers/daisy/10559679065_50d2b16f6d.jpg
inflating: flowers/daisy/105806915_a9c13e2106_n.jpg
inflating: flowers/daisy/105806915_a9c13e2106_n.jpg
inflating: flowers/daisy/105806915_a9c13e2106_n.jpg
inflating: flowers/daisy/105806915_a9c13e2106_n.jpg
inflating: flowers/daisy/105806915_a9c13e2106_n.jpg
inflating: flowers/daisy/105806915_a9c13e2106_n.jpg
```

inflating: flowers/daisy/10/12/2655_5052105004:jpg
inflating: flowers/daisy/10/7592979_aaa9cdfe78_m.jpg
inflating: flowers/daisy/10/70585085_4742b9dac3_n.jpg
inflating: flowers/daisy/10/903710036_2033222c91.jpg
inflating: flowers/daisy/10/903710036_2033222c91.jpg
inflating: flowers/daisy/10/903818044_4c19b86c82.jpg
inflating: flowers/daisy/10/904032453_ac7f8d9e2e_ing

2. Image Augumentation

OUTPUT:

```
from tensorflow.keras.preprocessing.image import ImageDataGenerator
train_datagen=ImageDataGenerator(rescale=1./255,
zoom range=0.2,horizontal flip=True,vertical flip=False)
test_datagen=ImageDataGenerator(rescale=1./255)
x_train=train_datagen.flow_from_directory(r"/content/gdrive/MyDrive/CNN/flowe
rs",target_size=(64,64),class_mode='categorical',batch_size=24)
OUTPUT:
Found 4317 images belonging to 5 classes.
x_test=test_datagen.flow_from_directory(r"/content/gdrive/MyDrive/CNN/flowers
",target_size=(64,64),class_mode='categorical',batch_size=24)
OUTPUT:
Found 4317 images belonging to 5 classes.
x_train.class_indices
OUTPUT:
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
3. Initializing CNN And Create Model
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten
4. Add layers
model=Sequential()
4.1 Input Layers (Convolution , MaxPooling, Flatten)
model.add(Convolution2D(32,(3,3),activation='relu',strides=(1,1),input_shape=
(64,64,3)))
model.add(MaxPooling2D(pool size=(2,2)))
model.add(Flatten())
model.summary()
Model: "sequential"
```

```
Layer (type) Output Shape Param #

conv2d (Conv2D) (None, 62, 62, 32) 896

max_pooling2d (MaxPooling2D (None, 31, 31, 32) 0
)

flatten (Flatten) (None, 30752) 0

Total params: 896
Trainable params: 896
Non-trainable params: 0
```

4.2 Hidden Layers

```
model.add(Dense(300,activation='relu'))
model.add(Dense(300,activation='relu'))
```

4.3 Output Layers

```
model.add(Dense(5,activation='softmax'))
model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['accuracy'])
len(x_train)
OUTPUT:
```

180

5. Train the Model

```
model.fit_generator(x_train,steps_per_epoch=len(x_train),
validation_data=x_test, validation_steps=len(x_test), epochs= 30)

/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: UserWarning:
`Model.fit_generator` is deprecated and will be removed in a future version.
Please use `Model.fit`, which supports generators.
   """Entry point for launching an IPython kernel.
```

OUTPUT:

```
accuracy: 0.5923 - val loss: 0.9647 - val accuracy: 0.6305
Epoch 3/30
180/180 [============== ] - 65s 363ms/step - loss: 0.9304 -
accuracy: 0.6414 - val_loss: 0.8766 - val_accuracy: 0.6560
Epoch 4/30
180/180 [============ ] - 66s 368ms/step - loss: 0.8652 -
accuracy: 0.6688 - val loss: 0.7802 - val accuracy: 0.7060
Epoch 5/30
180/180 [=============== ] - 66s 367ms/step - loss: 0.8047 -
accuracy: 0.6998 - val_loss: 0.7506 - val_accuracy: 0.7167
Epoch 6/30
180/180 [============== ] - 66s 364ms/step - loss: 0.7546 -
accuracy: 0.7139 - val loss: 0.6637 - val accuracy: 0.7501
Epoch 7/30
180/180 [============= ] - 65s 364ms/step - loss: 0.6957 -
accuracy: 0.7450 - val loss: 0.6843 - val accuracy: 0.7429
Epoch 8/30
180/180 [============== ] - 66s 364ms/step - loss: 0.6613 -
accuracy: 0.7552 - val loss: 0.6681 - val accuracy: 0.7538
Epoch 9/30
180/180 [============= ] - 66s 366ms/step - loss: 0.6241 -
accuracy: 0.7684 - val_loss: 0.5065 - val_accuracy: 0.8110
Epoch 10/30
180/180 [============== ] - 65s 361ms/step - loss: 0.5817 -
accuracy: 0.7841 - val loss: 0.5033 - val accuracy: 0.8070
Epoch 11/30
180/180 [============= ] - 65s 362ms/step - loss: 0.5395 -
accuracy: 0.8024 - val loss: 0.4473 - val accuracy: 0.8314
Epoch 12/30
180/180 [=============== ] - 66s 366ms/step - loss: 0.5124 -
accuracy: 0.8061 - val loss: 0.4321 - val accuracy: 0.8492
180/180 [=============== ] - 65s 363ms/step - loss: 0.4951 -
accuracy: 0.8205 - val loss: 0.3971 - val accuracy: 0.8562
Epoch 14/30
180/180 [============== ] - 65s 364ms/step - loss: 0.4294 -
accuracy: 0.8406 - val_loss: 0.3292 - val_accuracy: 0.8860
Epoch 15/30
180/180 [=============== ] - 66s 365ms/step - loss: 0.4454 -
accuracy: 0.8358 - val_loss: 0.2689 - val_accuracy: 0.9073
Epoch 16/30
180/180 [============== ] - 65s 363ms/step - loss: 0.3713 -
accuracy: 0.8670 - val_loss: 0.3174 - val_accuracy: 0.8870
Epoch 17/30
180/180 [=============== ] - 65s 360ms/step - loss: 0.3577 -
accuracy: 0.8661 - val loss: 0.2839 - val accuracy: 0.8988
Epoch 18/30
180/180 [=============== ] - 65s 360ms/step - loss: 0.3376 -
accuracy: 0.8809 - val_loss: 0.2085 - val_accuracy: 0.9305
Epoch 19/30
```

```
180/180 [============== ] - 65s 362ms/step - loss: 0.3433 -
accuracy: 0.8819 - val loss: 0.1769 - val accuracy: 0.9338
Epoch 20/30
180/180 [============== ] - 65s 363ms/step - loss: 0.2851 -
accuracy: 0.8981 - val_loss: 0.1628 - val_accuracy: 0.9414
180/180 [============ ] - 65s 362ms/step - loss: 0.2579 -
accuracy: 0.9115 - val_loss: 0.1369 - val_accuracy: 0.9527
Epoch 22/30
180/180 [============== ] - 65s 363ms/step - loss: 0.2618 -
accuracy: 0.9064 - val_loss: 0.1864 - val_accuracy: 0.9351
Epoch 23/30
180/180 [============== ] - 65s 360ms/step - loss: 0.2288 -
accuracy: 0.9212 - val loss: 0.1617 - val accuracy: 0.9439
Epoch 24/30
180/180 [=============== ] - 66s 365ms/step - loss: 0.2011 -
accuracy: 0.9300 - val_loss: 0.1725 - val_accuracy: 0.9377
Epoch 25/30
180/180 [=============== ] - 65s 364ms/step - loss: 0.2088 -
accuracy: 0.9270 - val_loss: 0.1762 - val_accuracy: 0.9356
Epoch 26/30
180/180 [=============== ] - 64s 358ms/step - loss: 0.2160 -
accuracy: 0.9280 - val loss: 0.1351 - val accuracy: 0.9551
Epoch 27/30
180/180 [=============== ] - 65s 361ms/step - loss: 0.1996 -
accuracy: 0.9317 - val_loss: 0.1644 - val_accuracy: 0.9421
Epoch 28/30
180/180 [============== ] - 65s 361ms/step - loss: 0.1882 -
accuracy: 0.9363 - val_loss: 0.1495 - val_accuracy: 0.9479
Epoch 29/30
180/180 [============ ] - 65s 363ms/step - loss: 0.1568 -
accuracy: 0.9504 - val_loss: 0.1157 - val_accuracy: 0.9613
Epoch 30/30
180/180 [================ ] - 65s 361ms/step - loss: 0.1678 -
accuracy: 0.9467 - val_loss: 0.1115 - val_accuracy: 0.9620
<keras.callbacks.History at 0x7fac57b46510>
```

6. Save The model

model.save('Flowers_classification.h5')

7. Test The model

Ls

OUTPUT:

flowers/ Flowers_classification_model1.h5 Flowers-Dataset.zip video.mp4

```
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image

# Load the model
model=load_model('Flowers_classification.h5')

img=image.load_img(r"/content/gdrive/MyDrive/CNN/flowers/sunflower/1038652569
5_2c38fea555_n.jpg",target_size=(64,64))

img
```

OUTPUT:



```
Х
OUTPUT:
array([[[234., 70., 94.],
        [185., 124., 119.],
        [156., 75., 81.],
       ...,
        [ 82., 67., 86.],
        [111., 24., 33.],
        [220., 96., 98.]],
       [[220., 164., 173.],
        [203., 68., 82.],
        [178., 107., 85.],
        . . . ,
        [ 29.,
               5., 29.],
        [192., 91., 83.],
        [144., 80., 78.]],
       [[167., 78., 60.],
       [236., 162., 161.],
        [155., 69., 52.],
```

x = image.img_to_array(img)

```
. . . ,
                87., 67.],
        [165.,
                85., 75.],
        [145.,
                81., 65.]],
        [134.,
       . . . ,
                0.,
       [[ 33.,
                      0.],
                46.,
                      34.],
        [118.]
                      32.],
        [201.,
                55.,
        . . . ,
        [ 98.,
                69.,
                      55.],
                      57.],
        [100.,
                71.,
                81.,
        [ 94.,
                      73.]],
       [[136.,
                44.,
                      29.],
        [188.,
                99.,
                      59.],
                78.,
                      56.],
        [160.,
        ...,
        [ 14.,
                 1.,
                      11.],
        [ 8.,
                 0.,
                      13.],
        [ 6.,
                 0.,
                      18.]],
       [[118., 103.,
                      70.],
                      12.],
        [108., 69.,
                77.,
        [100.,
                      25.],
        [ 41.,
                40.,
                       9.],
        [ 46.,
               42., 13.],
                      5.]]], dtype=float32)
        [ 41., 41.,
x=np.expand_dims(x,axis=0)
OUTPUT:
array([[[[234., 70., 94.],
         [185., 124., 119.],
                       81.],
         [156., 75.,
         ...,
         [ 82.,
                67.,
                       86.],
         [111., 24.,
                       33.],
         [220., 96.,
                       98.]],
        [[220., 164., 173.],
         [203., 68., 82.],
         [178., 107., 85.],
```

Х

```
. . . ,
         [ 29., 5., 29.],
         [192., 91.,
                       83.],
         [144., 80.,
                       78.]],
        [[167., 78., 60.],
        [236., 162., 161.],
         [155., 69., 52.],
         . . . ,
         [165., 87.,
                       67.],
         [145., 85.,
                       75.],
         [134., 81.,
                       65.]],
        . . . ,
        [[ 33., 0., 0.],
        [118., 46.,
                       34.],
                       32.],
         [201., 55.,
         . . . ,
         [ 98.,
                 69.,
                       55.],
         [100.,
                71.,
                       57.],
         [ 94.,
                81.,
                       73.]],
        [[136.,
                44.,
                       29.],
                 99.,
                       59.],
        [188.,
         [160.,
                 78.,
                       56.],
         [ 14.,
                  1.,
                       11.],
         [ 8.,
                  0.,
                       13.],
         [ 6.,
                  0.,
                       18.]],
        [[118., 103.,
                       70.],
                       12.],
        [108., 69.,
        [100., 77.,
                       25.],
         . . . ,
                       9.],
         [ 41., 40.,
         [ 46., 42., 13.],
         [ 41., 41., 5.]]]], dtype=float32)
pred = model.predict(x)
array([[1., 0., 0., 0., 0.]], dtype=float32)
```

pred

OUTPUT:

```
x_train.class_indices

OUTPUT:
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}

index=['daisy','dandelion','rose','sunflower','tulip']
index[np.argmax(pred)]

OUTPUT:
    'daisy'
```