


ASSIGNMENT 3

TEAM ID : PNT2022TMID50559

PROJECT NAME : CONTAINMENT ZONE ALERTING APPLICATION

STUDENT NAME : M.MUTHUSELVI

Q1. Creating a Bucket in IBM Cloud Storage



IBM Cloud

Search resources and products...

Catalog Manage MAHENDRA PRAKASH ...

Cloud Object Storage

Storage instances

Cloud Object Storage-si

Buckets

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan


Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Search

Create bucket +

Name	Public access ⓘ	Location ⓘ	Storage class	Created	
containment	No	jp-tok	Smart Tier	2022-10-09 7:35 PM	⋮
p-na-r-b	Yes	jp-tok	Smart Tier	2022-10-09 8:04 PM	⋮



Q2. Uploading 5 images to IBM Object storage and made it public

<!DOCTYPE html>

<html>

<head>

<title>IMAGES</title>

<link rel="stylesheet" href="https://mani07.s3.jp-tok.cloud-object-storage.appdomain.cloud/stylenew.css">

</head>

<body>

<h2>GALLERY</h2>

```
<h3>EXPLORE THE BEAUTY ...</h3>

<div id="pic">

</div>

</body>

</html>
```

Q3:Upload a css page to the object storage and use the same page in your HTML code.

```
body{

    background-color:rgb(115, 82, 190);

}

#pic{

    margin-top: 10%;

    margin: 5%;

    line-height:0;

    column-count:5;
```

```
        column-gap:5px;
        background-image: rgb(83, 6, 134);
    }
    #pic img{
        width: 100%!important;
        height: auto !important;
        margin-bottom:auto;
    }
    h2{
        text-align: center;
        font-family: sans-serif;
        font-size: 50px;
        margin-top: 3%;
        font-weight: bolder;
        color: rgb(233, 241, 234);
    }
    h3{
        text-align:center;
        font-family: sans-serif;
        font-size: 50px;
        font-weight: bolder;
        color:rgb(249, 247, 252);
    }
```

Q4:Design a chatbot using IBM Watson assistant for hospital.

```
<!Doctype
html>
```

```
<html>
  <head>
    <title>Chat Boat</title>
    <style>
      body{
        background-color: rgb(160, 233, 158);
      }
      img{
        width: 200px;
        height: 100px;
        margin-left: 10px;
      }
      h2{
        text-align:center;
        color: rgba(71, 9, 218, 0.89);
        font-size:4pc;
      }
      h3{
        text-align:center;
        color:rgb(238, 6, 141);
        font-size:2.5pc;
      }
    </style>
  </head>
  <body>
    <h2>HOSPITALS</h2>
    <h2></h2>
```

```

    <p><h3>WE ARE PROVIDING THE DETAILS FOR YOUR
    QUERIES</h3>

    <h3> Click the chatbot </h3>

  </p>

  <script>

    window.watsonAssistantChatOptions = {

      integrationID: "4f8894e3-1817-41e3-bf8b-a5d4b9b2197a", // The ID
      of this integration.

      region: "au-syd", // The region your integration is hosted in.

      serviceInstanceID: "ba115cc6-e2d6-4d6b-beea-74977285d64c", //
      The ID of your service instance.

      onLoad: function(instance) { instance.render(); }

    };

    setTimeout(function(){

      const t=document.createElement('script');

      t.src="https://web-
      chat.global.assistant.watson.appdomain.cloud/versions/" +
      (window.watsonAssistantChatOptions.clientVersion || 'latest') +
      "/WatsonAssistantChatEntry.js";

      document.head.appendChild(t);

    });

  </script>

  </body>

</html>

```

Q5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```

<html>

<body>

  <script>

```

```
window.watsonAssistantChatOptions = {  
  integrationID: "ec603862-aa33-4336-a203-961870431228", // The ID  
  of this integration.  
  region: "au-syd", // The region your integration is hosted in.  
  serviceInstanceID: "44f5354b-4c14-4c36-bdfa-6fddf1e73eaa", // The ID  
  of your service instance.  
  onLoad: function(instance) { instance.render(); }  
};  
setTimeout(function(){  
  const t=document.createElement('script');  
  t.src="https://web-  
chat.global.assistant.watson.appdomain.cloud/versions/" +  
(window.watsonAssistantChatOptions.clientVersion || 'latest') +  
"/WatsonAssistantChatEntry.js";  
  document.head.appendChild(t);  
});  
</script>  
</body>  
</html>
```