
ASSIGNMENT 3


TEAM ID: PNT2022TMID50577

PROJECT NAME: NUTRITION ASSISTANT APPLICATION

STUDENT NAME: A SANTHANAMARIAMMAL


Q1. Creating a Bucket in IBM Cloud Storage





Q2. Uploading 5 images to IBM Object storage and made it public

<!DOCTYPE html>



<h3>EXPLORE THE BEAUTY ...</h3>

<div id="pic"></div>
<pre><img src="https://mani07.s3.jp-tok.cloud-object-
storage.appdomain.cloud/pexels- pixabay-460621.jpg"/></pre>
<img src="https://mani07.s3.jp-tok.cloud-object-
storage.appdomain.cloud/pexels-m rizwan-1739264.jpg"/>
<img src="https://mani07.s3.jp-tok.cloud-object-
storage.appdomain.cloud/pexels-lu 296849.jpg"/>
<pre><img src="https://mani07.s3.jp-tok.cloud-object-
storage.appdomain.cloud/pexels-ja wheeler-417074.jpg"/></pre>
<pre><img src="https://mani07.s3.jp-tok.cloud-object-
storage.appdomain.cloud/pexels-d meyers-2364701.jpg"/></pre>

Q3:Upload a css page to the object storage and use the samepage in your HTML code.

body{	
	background-color:rgb(115, 82, 190);
	}
	#pic{
	margin-top: 10%;
	margin: 5%;
· · · · · · · · · · · · · · · · · · ·	line-height:0;
	column-count:5;

```
column-gap:5px;
  background-image: rgb(83, 6, 134);
#pic img{
  width: 100%!important;
  height: auto !important;
  margin-bottom:auto;
h2{
  text-align: center;
  font-family: sans-serif;
  font-size: 50px;
  margin-top: 3%;
  font-weight: bolder;
  color: rgb(233, 241, 234);
h3{
  text-align:center;
  font-family: sans-serif;
  font-size: 50px;
  font-weight: bolder;
  color:rgb(249, 247, 252);
```

Q4:Design a chatbot using IBM Watson assistant forhospital.

```
text-align:center;
color:rgb(238, 6, 141);
font-size:2.5pc;
}
</style>
</head>
<body>
<h2>HOSPITALS</h2>
<h2><img src="https://mani07.s3.jp-tok.cloud-object-storage.appdomain.cloud/pexels-pixabay-263402.jpg"></h2>
```

```
<h3>WE ARE PROVIDING THE DETAILS FOR
YOURQUERIES</h3>
         <h3> Click the chatbot </h3>
   <script>
 window.watsonAssistantChatOptions = {
  integrationID: "4f8894e3-1817-41e3-bf8b-a5d4b9b2197a", // The
IDof this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "ba115cc6-e2d6-4d6b-beea-74977285d64c",
//The ID of your service instance.
  onLoad: function(instance) { instance.render(); }
 };
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
 });
</script>
  </body>
</html>
```

Q5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load thatscript in HTML page.

<html>
<body>
<script>

```
window.watsonAssistantChatOptions = {
  integrationID: "ec603862-aa33-4336-a203-961870431228", // The ID
of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "44f5354b-4c14-4c36-bdfa-6fddf1e73eaa", // The
IDof your service instance.
  onLoad: function(instance) { instance.render(); }
};
 setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') +
"/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});
</script>
```

</body>