

**Project Report Format**

**IoT BASED SAFETY GADGET FOR CHILD SAFETY MONITORING  
AND NOTIFICATION**

TEAM ID : PNT2022TMID38545

Team Leader : Sri Vaishnavi.G

Team Member :Jancy Rani.T

Team Member : Subashini.S

Team Member : Devi.E

**1.INTRODUCTION**

1.1 Project Overview

1.2 Purpose

**2.LITERATURE SURVEY**

2.1 Existing Problem

2.2 References

2.3 Problem Statement Definition

**3.IDEATION AND PROPOSED SOLUTION**

3.1 Empathy Map Canvas

3.2 Ideation and Brainstorming

3.3 Proposed Solution

3.4 Problem Solution Fit

**4.REQUIREMENT ANALYSIS**

4.1 Functional Requirements

4.2 Non-Functional Requirement

**5.PROJECT DESIGN**

5.1 Data Flow Diagrams

5.2 Solution And Technical Architecture

5.3 User Stories

**6.PROJECT PLANING AND SCHEDULING**

6.1 Sprint Planning And Estimation

6.2 Sprint Delivery Schedule

6.3 Report From JIRA

**7.CODING AND SOLUTIONING**

7.1 Feature 1

7.2 Feature 2

7.3 Database Schema

**8.TESTING**

8.1 Test cases

8.2 User Acceptance Testing

**9.RESULTS**

## **1. INTRODUCTION**

### **1.1 Project Overview**

1.1.1 The project is IoT Based Safety Gadget for Child Safety Monitoring & Notification. It is mainly streamered towards child safety solutions by developing a gadget that can be used to monitor the child.

### **1.2 Purpose**

1.2.1 Child safety and tracking has been a huge concern due to the surge of the number of crimes on children. Hence the purpose of this project is to provide an application that can be used to ensure the safety of a child.

## **2. LITERATURE SURVEY**

### **2.1 Existing problem**

2.1.1 In today's world the crime rate associated with children keeps increasing on a large scale due to which a lot of attention has to be given on child's safety. Reports say that for every 40 seconds, a child goes missing in this world. The crime rate associated with children has been constantly increasing. Hence there is a need to find a solution which monitors the child's activities. The application constantly tracks the child and notifies it's parent.

### **2.2 References**

#### **2.2.1 Paper 1;**

##### **Smart IOT Device for Child Safety and Tracking**

Child safety and tracking is a major concern as the number of crimes on children are reported nowadays. With this motivation, a smart IoT device for child safety and tracking is developed to help the parents to locate and monitor their children. The system is developed using LinkIt ONE board programmed in embedded C and interfaced with temperature, heartbeat, touch sensors and also GPS, GSM & digital camera modules.

#### **Paper 2:**

##### **Child Safety Monitoring System Based on IoT**

The overall percentage of child abuse cases filed nowadays in the world is about 80%, out of which 74% are girl children and the rest are boys. For every 40 seconds, a child goes missing in this world. Children are the backbone of one's nation, if the future of children was affected, it would impact the entire growth of that nation. In our system, we provide an environment where this problem can be resolved in an efficient manner. It allows parents to easily monitor their children in real time just like staying beside them as well as focusing on their own career without any manual intervention.

Paper 3:

#### IoT-based Child Security Monitoring System

Nowadays, the crime rate associated with children keeps increasing due to which draws peoples' attention regarding child safety. This research is conducted to propose a child security smart band utilizing IoT technology. Online questionnaires and semi-structured interviews are methodologies used to collect data. Through information obtained, smart band has been proposed to monitor the safety of children. By this, parents know what is happening remotely and can take actions if something goes wrong.

Paper 4:

#### IoT Based Smart Gadget for Child Safety and Tracking

This paper is mainly streamed towards child safety solutions by developing a gadget which can be tracked via its GPS locations and also a panic button on gadget is provided to alert the parent via GSM module calling for help. Parental android app is developed to manage and track the device anytime. Smart gadget device is always connected to parental phone which can receive and make phone calls and also receive SMS on gadget via GSM module, also a wireless technology is implemented on device which is useful to bound the device within a region of monitoring range, if device is moving out of monitoring range then an alert will be triggered on binding gadget, this helps you keep a virtual eye on child.


### 2.3 Problem Statement Definition

2.3.1 To design a child monitoring device using Internet of Things. This application is focussed on ensuring the safety of children. It helps parent or guardian to constantly track their child's whereabouts. It uses geo-positioning system that sends a notification to the parent or guardian whenever the child crosses the geofence.

## 3. IDEATION & PROPOSED SOLUTION

### 2.4 Empathy Map Canvas

### 2.5 Ideation & Brainstorming




information about the child from the parents Collect	Keep track from the all the places that the child is to travel in a particular day	Collect details of the parents if they both parents are working
In case back the parents of fine should be	Get the daily routine habits of the child.	Keep track of all activities of the child.
Enable to parents to fix a geofence for the child.	Generate notification if the child crosses the geofence.	Notify the parents about the child's location.

Observe all the places that the child virtual and keep track of it.	Roughly keep track of the timings that a child is present in a particular place.	Make note of the distance of all the places that a child frequently visit from the house.
Get the child's parents detail and collect the child detail and a longitude.	After collecting my detail make note of the parents occupation.	If both the parents are working then collect the information at the child guardians.

Get the parents detail from the child.	Determine and track note of all the spokes and location that a child visit on a daily basis.	Keep track of all the location and time spend in the place that a while visit along with the distance of those places.
Get occupation details of the child parents.	Collect the abstraction and determine whether both the parents are working or not.	In case both the parents and full time workers get the child guardian details.

Collect the medical information about the child is known if about the child medical result.	Get the detail of who is with the child taking care of the child at in particular time period.	Make node of the place that the child moving regularly and the distance of those place then the child house.
If the child move 50 meter away from the geofence notify through call.	Keep a security pin to fix the geofence so that only the parents can get the geofence of the child.	If the child move out of the geofence notify through message.





## 2.5 Proposed Solution

### 2.5.1 Problem Statement

A tracker that helps parents track a child's location so that the child does not get into dangerous situations.

### 2.5.2 Idea / Solution description

Child tracker helps the parents in continuously monitoring the child's location. They can simply leave their children in school or parks and create a geofence around the particular location. By continuously checking the child's location notifications will be generated if the child crosses the geofence. Notifications will be sent according to the child's location to their parents or caretakers. The entire location data will be stored in the database.

### 2.5.3 Novelty / Uniqueness

A tracker used for child's safety and protection, such that it won't interfere with the day to day life of the child as well as be a very easy to use interface for parents has not been developed yet. Hence, the proposed solution will ensure that there is a device that can be used in all areas, and uses different sorts of softwares integrated together to maintain accuracy and ensure the safety of the child.

### 2.5.4 Social Impact / Customer Satisfaction


Reduce the anxiety, worry and nervousness of a parent when they are not around the child. Having a peace of mind on the child's whereabouts will increase customer satisfaction, as well as the inclusion of an easy to use and interactive user interface. The reduction of child kidnappings, injuries, accidents, and missing children in the country.

- 2.5.5 Business Model (Revenue Model) Business to Consumer Model  
Licensing model  
Subscription Model  
Freemium Model

#### 2.5.6 Scalability of the Solution

By adopting multiple data storage technologies, controlling the IoT data pipeline, and using automated bootstrapping we ensure that the device is highly scalable.

### 2.6 Problem Solution fit



## 3. REQUIREMENT ANALYSIS

### 3.1 Functional requirement

#### Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Email Registration through Mobile number Registration in person
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Notifications	Email and SMS message
FR-4	User Interface	Mobile app for parents Web interface for registrations, record tracking, information and payment



### 3.2 Non-Functional requirements

#### Non-functional Requirements:


Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	To find out whether the child crosses the geofence or not, upon which the parent/guardian of the child gets an alert.
NFR-2	Security	Database security must meet HIPAA requirements. Extra security protocols and measures are also in place.
NFR-3	Reliability	Webpage gets automatically logged out unless password has been saved in the Google account. In case of server crash data gets backed up beforehand.
NFR-4	Performance	Site gets updated every 1 hour. Speed per transaction depends on the internet strength.
NFR-5	Availability	Available world wide, and requires an internet source.
NFR-6	Scalability	Short term scalability where memory is stored and erased, can be scaled to keep records in the future.

## 4. PROJECT DESIGN

### 4.1 Data Flow Diagrams

DATA FLOW DIAGRAM:



4.2

5.2

4.3 Solution & Technical Architecture



### Technical Architecture:

The Deliverable shall include the architectural diagram as below and the information as per the table1 & table 2




Table-1 : Components & Technologies:

S.No	Component	Description	Technology
1.	User Interface	How user interacts with application e.g. Web UI, Mobile App, Chatbot etc.	HTML, CSS, JavaScript / Angular Js / React Js etc.
2.	Application Logic-1	Logic for a process in the application	Java / Python
3.	Application Logic-2	Logic for a process in the application	IBM Watson STT service
4.	Application Logic-3	Logic for a process in the application	IBM Watson Assistant
5.	Database	Data Type, Configurations etc.	MySQL, NoSQL, etc.
6.	Cloud Database	Database Service on Cloud	IBM DB2, IBM Cloudant etc.
7.	File Storage	File storage requirements	IBM Block Storage or Other Storage Service or Local Filesystem
8.	External API-1	Purpose of External API used in the application	IBM Weather API, etc.
9.	External API-2	Purpose of External API used in the application	Aadhar API, etc.
10.	Machine Learning Model	Purpose of Machine Learning Model	Object Recognition Model, etc.
11.	Infrastructure (Server / Cloud)	Application Deployment on Local System / Cloud Local Server Configuration: Cloud Server Configuration :	Local, Cloud Foundry, Kubernetes, etc.

Table-2: Application Characteristics:

S.No	Characteristics	Description	Technology
1.	Open-Source Frameworks	List the open-source frameworks used	Technology of Opensource framework
2.	Security Implementations	List all the security / access controls implemented, use of firewalls etc.	e.g. SHA-256, Encryptions, IAM Controls, OWASP etc.

S.No	Characteristics	Description	Technology
3.	Scalable Architecture	Justify the scalability of architecture (3 – tier, Micro-services)	Technology used
4.	Availability	Justify the availability of application (e.g. use of load balancers, distributed servers etc.)	Technology used
5.	Performance	Design consideration for the performance of the application (number of requests per sec, use of Cache, use of CDN's) etc.	Technology used

## 4.4 User Stories

## User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1 (FATHER)	As a user, I can register by entering my email, password, and confirming my password. I can access the location of my children using the credentials provided as a Father.	I can access my account / dashboard and receive confirmation email & click confirm	High	Sprint-1
		USN-2 (MOTHER)	As a user, I can register by entering my email, password, and confirming my password. I can access the location of my children using the credentials provided as a Mother.	I can access my account / dashboard and receive confirmation email & click confirm	High	Sprint-1
		USN-3 (GUARDIAN/ CARETAKER)	As a user, I can also monitor the children's activities using a safety gadget monitoring system.	I can access my account / dashboard and receive confirmation email & click confirm	Medium	Sprint-1
	Login	USN-4	As a user, I can log into the application by entering email & password.	I can access my account / dashboard.	Medium	Sprint-2
	Dashboard	USN-5	As a user, I can fix the geofence for my child's location so that I will receive alerts if my child crosses the geofence.	I can monitor the current location of my child.	High	Sprint-2
Customer (Web user)	Registration	USN-1 (FATHER)	As a user, I can register by entering my email, password, and confirming my password. I can access the location of my children using the credentials provided as a Father.	I can access my account / dashboard and receive confirmation email & click confirm	High	Sprint-1
		USN-2 (MOTHER)	As a user, I can register by entering my email, password, and confirming my password. I can access the location of my children using the credentials provided as a Mother.	I can access my account / dashboard and receive confirmation email & click confirm	High	Sprint-1
		USN-3 (GUARDIAN/ CARETAKER)	As a user, I can also monitor the children's activities using a safety gadget monitoring system.	I can access my account / dashboard and receive confirmation email & click confirm	Medium	Sprint-1

4.5

5.5

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
	Login	USN-4	As a user, I can log into the application by entering email & password.	I can access my account / dashboard.	Medium	Sprint-2
	Dashboard	USN-5	As a user, I can fix the geofence for my child's location so that I will receive alerts if my child crosses the geofence.	I can monitor the current location of my child.	High	Sprint-2
Customer Care	Dashboard	USN-6	As a customer care service person, whenever I receive a complaint, I forward the complaint and ensure that the complaint is resolved.	I can keep track of all the complaints and the status of the complaints received.	Medium	Sprint-3
Administrator	Admin Dashboard	USN-7	As an administrator, I will take care of all the payment processes, queries and complaints and login credentials.	I can access all the customer details, payment details and complaints received.	High	Sprint-4

4.6

5.6

## 5. PROJECT PLANNING & SCHEDULING

### 5.1 Sprint Planning & Estimation

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Gather/collect the relevant information on project use case, refer the existing solutions, technical papers, research publications etc.	30 AUGUST 2022
Prepare Empathy Map	Prepare the empathy map canvas to capture the user Pains & Gains, Prepare list of problem statements	5 SEPTEMBER 2022
Ideation	List the by organizing the brainstorming session and prioritize the top 3 ideas based on the feasibility & importance.	12 SEPTEMBER 2022
Proposed Solution	Prepare the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution, etc.	23 SEPTEMBER 2022
Problem Solution Fit	Prepare problem - solution fit document.	25 SEPTEMBER 2022
Solution Architecture	Prepare solution architecture document.	29 SEPTEMBER 2022

---



---

Customer Journey	Prepare the customer journey maps to understand the user interactions & experiences with the application (entry to	03 OCTOBER 2022
------------------	--	-----------------

5.2

6.3

<b>Functional Requirement</b>	Prepare the functional requirement document.	16 OCTOBER 2022
<b>Data Flow Diagrams</b>	Prepare the data flow diagrams and submit for review.	18 OCTOBER 2022
<b>Technology Architecture</b>	Draw the technology architecture diagram.	13 OCTOBER 2022
<b>Prepare Milestone &amp; Activity List</b>	Prepare the milestones & activity list of the project.	20 OCTOBER 2022
<b>Project Development - Delivery Of Sprint-1, 2, 3 &amp; 4</b>	Develop & submit the developed code by testing it.	IN PROGRESS

## **6. CODING & SOLUTIONING (Explain the features added in the project along with code)**

### **6.1 Feature 1**

6.1.1 It is a website application.

### **6.2 Feature 2**

6.2.1 It can be used as a mobile application by scanning the QR Code available on the website.

### **6.3 Feature 3**

6.3.1 Using an account, a parent can create multiple accounts for their multiple children.

## **7. TESTING**

### **7.1 Test Cases**

8.1.1

Test ID	Test Case Description	Test Steps	Test Data	Expected Results	Actual Results	Pass/Fail
---------	-----------------------	------------	-----------	------------------	----------------	-----------

T01	The child resides within the geofence .	Log in to the application.  Click on any of the trackers that the parent has set for a	['niveth a.murugan1108@gmail.com,' 19ec015']	The child stays within the geofence .	The child stays within the geofence .	Pass
-----	---	--	--	---------------------------------------	---------------------------------------	------

		specific child.				
--	--	-----------------	--	--	--	--

		Upon clicking on any tracker the child's location can be seen and tracked.				
T02	The child is outside the geofence .	<p>Log in to the application.</p> <p>Click on any of the trackers that the parent has set for a specific child.</p> <p>Upon clicking on any tracker the child's location can be seen and tracked.</p>	['19ec017@acetcbe.edu.in','Sept@2 022']	The child is not within the geofence .	The child is not within the geofence	Pass

## 7.2 User Acceptance Testing

Today 6:01 pm SIM1 1

*Sent from your Twilio trial account*  
*- Alert: Your child is outside*  
*the geofence. <https://node-red-lspwr-2022-11-17.eu-gb.mybluemix.net/worldmap/>*

## 8. RESULT

### 8.1 Performance Metrics

#### Fast updation of child's location

- User Friendly interface
- Low data involvement

## 9. ADVANTAGES & DISADVANTAGES 9.1

### Advantages

- 9.1.1 A parent can access the child's location 24x7.
- 9.1.2 It provides real time detection.
- 9.1.3 Parent receives instant notification when the child crosses the geofence.
- 9.1.4 Easy to use interface.
- 9.1.5 A parent can create as many as nodes for multiple children.



## 9.2 Disadvantages

9.2.1 Our application cannot be used without internet connection.

9.2.2 To access the child's location the parent has to access the web application.

## 10. CONCLUSION

10.1 A parent can access their child's location in a realtime way. The child tracker frequently updates the location of the child. Any parent can make use of this application to track their child after establishing a geofence around their child. Hence, this application serves as a platform that can be used to monitor a child and ensure safety of the child .

## 11. FUTURE SCOPE

11.1 The application can be made an offline application inorder for people to access their child's location in the absence of internet connection.

11.2 The application is currently a web based application. It has scope to be made into a hybrid application by making it into a native application.

## 13. APPENDIX Source Code :-

```
import time
import wiotp.sdk.application
print("Hello")
myConfig={
"identity":{
    "orgId":"af8k8g",
    "typeId":"Tracker",
    "deviceId":"12345",
    },
    "auth":{
        "token":"12345678"
    }
}
client=wiotp.sdk.device.DeviceClient(config=myConfig,logHandlers=None)
client.connect()    while True:
    name="Child"
    latitude=17.4219272
    longitude=78.5488783
    myData={'name':name,'lat':latitude,'lon':longitude}
    client.publishEvent(eventId="status",msgFormat="json",data=myData,qos=0,onPublish=None)
    print("Data published to IBM IoT Platform: ",myData)
    time.sleep(5)
    client.disconnect()
```

**Drive Link :-** [https://drive.google.com/file/d/1H43uGG69-IT6\\_ccmSdGuI2xPUNMR4jX/view?usp=share\\_link](https://drive.google.com/file/d/1H43uGG69-IT6_ccmSdGuI2xPUNMR4jX/view?usp=share_link)